


1912.

QUEENSLAND.



VITAL STATISTICS, 1911.

FIFTY-SECOND ANNUAL REPORT

OF

THE GOVERNMENT STATISTICIAN.

THORNHILL WEEDON, Fellow Royal Statistical Society, London,
GOVERNMENT STATISTICIAN.

PRESENTED TO BOTH HOUSES OF PARLIAMENT BY COMMAND.

BRISBANE:

BY AUTHORITY: ANTHONY JAMES CUMMING, GOVERNMENT PRINTER, WILLIAM STREET.

1912.

C.A. 77—1912.

FIFTY-SECOND REPORT OF THE GOVERNMENT STATISTICIAN ON THE VITAL STATISTICS OF QUEENSLAND.

TO THE UNDER SECRETARY, HOME DEPARTMENT, BRISBANE.

In submitting my Report on the Vital Statistics of the State for 1911, I am once again—being the third consecutive occasion—in a position to express satisfaction at the experience.

The increase in the population was numerically the largest accretion recorded for 24 years, whilst the ratio of increase had not been exceeded since 1889; nor was this result due to migration alone, for the natural increase was greater than ever previously experienced. The birth registrations were in excess of those for any previous year; and although the number of deaths was somewhat high yet this number had been previously exceeded on one occasion (1884.)

Marriages celebrated were some 400 more than ever before, although 1911 was the third consecutive occasion upon which a record in this respect had been established.

POPULATION.

A census of the population having taken place during 1911, it may not be out of place before proceeding with subsequent events to place on record a few of the facts as ascertained at that enumeration, so far as the tabulations made by the Commonwealth Statistician are available.

The census was taken on the 3rd April, when the population of Queensland, exclusive of full-blooded aboriginals, was found to comprise 605,813 persons (males 329,506, females 276,307).

Compilation of census results has so far advanced as to render available the principal figures relating to population in localities by sex. The numbers of the people at each year or year group of life, as well as the birthplaces and religions of all males and females in the State, are available; and in Appendix C will be found tables furnishing somewhat full details under these heads, and summaries of these are presented in the body of this Report.

Local Government.

The number of males in each city, town, and shire of the State will be found at Appendix C. Table I. The following statement summarises this:—

A.								LOCAL GOVERNMENT.			
									Males.	Females.	Persons.
Cities		68,611	72,954	141,565
Towns		44,879	45,639	90,518
Shires		211,453	156,840	368,293
Not Incorporated		1,267	302	1,569
Shipping		3,296	572	3,868
Total								...	329,506	276,307	605,813

Of the 605,813 persons in Queensland, 141,565 were found in the 9 cities of the State, 90,518 being located in the 24 towns and 368,293 in the shires, leaving 5,437 persons outside any form of local government, 3,868 on board ship, and 1,569 on territory not incorporated. Assuming the population of the shires as representing those living under rural conditions—a reasonable assumption—as those living in townships in shires would be balanced by residents of rural areas within city and town boundaries—then the urban and rural populations, respectively, comprise 38.7 and 61.3 per cent. of the total population.

The figures in Appendix C, Table I., relate, as the heading shows, to local authorities; and consequently take no count of the metropolitan area as such. Greater Brisbane consists of the cities of Brisbane and South Brisbane, the towns of Hamilton, Ithaca, Toowong, Windsor, and part of Sandgate, as well as the whole of 7 and parts of 7 other shires. Exclusive of shipping, these had at the census a combined population of 139,480 persons, of whom 67,628 were males and 71,852 were females.

Ages.

In the Appendix C, Table II., details as to ages are given for the metropolitan area as well as for the whole State in quinquennial groups. The following statement contains a brief summary of the table:—

B.

AGES.

Ages.	Males.	Females.	Persons.
Under 1 year	8,329	7,967	16,296
1 year and under 5 years	29,395	28,013	57,408
Total under 5 years	37,724	35,980	73,704
5 years and under 15 years	63,522	62,413	125,935
15 years and under 21 years	39,532	37,160	76,692
Total under 21 years	140,778	135,553	276,331
21 years and under 45 years	121,711	97,277	218,988
45 years to 75 years and up	65,035	42,293	107,328
Unspecified	1,982	1,184	3,166
Total State	329,506	276,307	605,813

Of the total population, 2.69 per cent. were under 1 year of age; 12.17 per cent. under 5 years of age; and 45.61 per cent. under 21.

BIRTHPLACES.

For particulars as to the birthplaces of the people as returned on the census schedules, reference can be made to Table III. in Appendix C. Of the total population, 446,695, or 73.73 per cent., were natives of the Commonwealth and 19.84 per cent. persons born in the United Kingdom. The alien element of all kinds as regards birth numbered 32,360, or 0.53 per cent. of the population. Many of these were, however, no doubt naturalised British subjects.

RELIGION.

The following is a summary of the details given in Appendix C, Table IV., and gives the totals of the seven chief religious denominations:—

C.

RELIGIONS.

Religions.	Males.	Females.	Persons.
Church of England	114,958	97,744	212,702
Roman Catholic	71,623	65,463	137,086
Presbyterian	40,894	34,666	75,560
Methodist	30,309	29,611	59,920
Lutheran	13,038	11,197	24,235
Baptist	6,665	7,050	13,715
Congregational	5,137	5,308	10,445
Other Christian	23,305	18,856	42,161
Total Christian	305,929	269,895	575,824
All other	23,577	6,412	29,989
Total	329,506	276,307	605,813

The ratios to the total population of the four principal sects were—Church of England, 35.11 per cent.; Roman Catholic, 22.63 per cent.; Presbyterian, 12.47 per cent.; and Methodist, 9.89 per cent.

The census having definitely determined the population to 3rd April, 1911, obviously subsequent estimates start from that date. To facilitate estimation, a retrospective estimate to the 1st of that month has been formulated; and all future estimates until the next census will start as from the latter

date. For migration statistics this Bureau is dependent on Commonwealth figures. Steps have now been taken to collect interstate migration for Queensland, which will enable a check to be applied to the figures collected by the Customs Department. The following table furnished an estimate of the growth of the population from 1st April to 31st December, 1911;—

A.

POPULATION OF THE STATE.

RETURN OF THE ESTIMATED POPULATION OF THE STATE OF QUEENSLAND ON THE 31ST DECEMBER, 1911.

(Not including full-blooded aborigines.)

	Males.	Females.	Persons.	EXCESS.			Males.	Females.	Persons.
				Males.	Females.	Persons.			
<i>Estimated Population on 1st April, 1911</i>	329,426	276,238	605,664
Births registered during June Quarter	2,164	2,059	4,223			
Deaths registered during June Quarter	1,043	610	1,653			
Natural Increase to Population during June Quarter	1,121	1,449	2,570			
Arrivals by sea and by rail during June Quarter	19,869	10,042	29,911			
Departures by sea and by rail during June Quarter†	14,264	6,919	21,183			
Increase by Excess of Arrivals over Departures during Quarter†	5,605	3,123	8,728			
Special allowance based on last intercensal experience	250	...	250			
Total Increase to Population during June Quarter	6,976	4,572	11,548
<i>Estimated Population on 30th June, 1911</i>	336,402	280,810	617,212
Births registered during September Quarter	2,200	2,199	4,399			
Deaths registered during September Quarter	1,025	665	1,690			
Natural Increase to Population during September Quarter	1,175	1,534	2,709			
Arrivals by sea and by rail during September Quarter	18,605	8,662	27,267			
Departures by sea and by rail during September Quarter†	16,300	7,638	23,938			
Increase by Excess of Arrivals over Departures during Quarter†	2,305	1,024	3,329			
Special allowance based on last intercensal experience	250	...	250			
Total Increase to Population during September Quarter	3,730	2,558	6,288
<i>Estimated Population on 30th September, 1911</i>	340,132	283,368	623,500
Births registered during December Quarter	2,145	2,066	4,211			
Deaths registered during December Quarter	1,034	687	1,721			
Natural Increase to Population during December Quarter	1,111	1,379	2,490			
Arrivals by sea and by rail during December Quarter	17,616	8,696	26,312			
Departures by sea and by rail during December Quarter†	21,154	9,629	30,423			
Decrease by Excess of Departures over Arrivals during December Quarter†	-3,538	-573	-4,111			
Special allowance based on last intercensal experience	250	...	250			
Total Increase (or Decrease -) to Population during December Quarter	-2,177	806	-1,371
Estimated Population on 31st December, 1911	337,955	284,174	622,129
<i>Mean Population for the Year 1911</i>	334,542	279,810	614,352

† Including allowance for unrecorded overseas departures.

— Excess of Departures.

The population of Queensland on 1st April, 1911, consisted of 329,426 males, 276,238 females, and 605,664 persons. There were 4,223 births registered during the June quarter and 1,653 deaths, resulting in an accession to the population during that quarter from natural increase of 2,570 persons. Excess of immigration over emigration for the same period, plus a special allowance of 250 estimated by the Commonwealth Statistician as due to this State, added 8,978 more to the population, bringing the number of persons in the State on 30th June, 1911, to 617,212. Following for the next two quarters a like method of estimation, the population on 31st December, 1911, was found to be 622,129 persons, of whom 337,955 were males and 284,174 females.

The population increase for the year of 22,998 has only twice previously been exceeded—namely, in 1883 and 1887. The centesimal ratio of increase for the year was the best recorded since 1889, for, although the figures given for 1890 also exceeded those for 1911, it has to be borne in mind that the latter was shown by the census taken in 1891 to have been in excess.

The ratios of increases of population in each State of the Commonwealth between the date of the census taken on 3rd April, 1911, and the 31st December, the same year, were as follow:—

Aa.

Queensland	2.69	Western Australia	4.28
New South Wales	1.58	Tasmania†	1.19
Victoria	3.59	New Zealand	1.68
South Australia	2.35		

Queensland stands third on the list with an increase for the nine months of 2.69 per cent., this being exceeded by Western Australia 4.28 and Victoria 3.59.

The estimated population of each State of the Commonwealth on 31st December, 1911, along with other correlated information, is furnished in the following table:—

Ab.

State.	Estimated Population, 31st December, 1911.			Proportion of each sex in each 100 of the Population.		Proportion per cent. of the Population of each Federal State to the total Population of the Commonwealth.
	Males.	Females.	Persons.	Males.	Females.	
Queensland	337,955	284,174	622,129	54.32	45.68	13.62
New South Wales	870,966	801,817	1,672,783	52.07	47.93	36.61
Victoria	685,931	676,863	1,362,794	50.33	49.67	29.83
South Australia	212,650	205,522	418,172	50.85	49.15	9.15
Western Australia	168,094	126,087	294,181	57.14	42.86	6.44
Tasmania	98,594	94,885	193,479	50.96	49.04	4.24
Territories—						
Northern Territory	2,662	586	3,248	81.96	18.04	0.07
Federal Capital Territory	1,068	853	1,921	55.60	44.40	0.04
Total Commonwealth	2,377,920	2,190,787	4,568,707	52.05	47.95	100.00
New Zealand	539,729	485,677	1,025,406	52.64	47.36	
Total Australasia	2,917,649	2,676,464	5,594,113	52.16	47.84	

The total population for Australia and New Zealand now numbers 5,594,113 persons; of these 4,568,707 persons comprise the population of the Commonwealth.

Of the population of Australia slightly over 1 person of each 1,000 are found in the territories taken over by the Commonwealth. New South Wales contains 37 per cent. of the whole; Victoria, 30 per cent.; Queensland, 14 per cent.; South Australia, 9 per cent.; Western Australia, 6 per cent.; and Tasmania, 4 per cent.

Throughout the Commonwealth and in each State males predominate, there being 52 males to 48 females throughout Australia. Equality of sex proportion nearly obtains in several States—in Tasmania, South Australia, and Victoria the difference is less than 1 in each 100. For New South Wales the ratio is almost precisely that for the whole Commonwealth—, namely, 52 to 48. Queensland comes next with 54 to 46, followed lastly by Western Australia, where there are 57 males to each 43 females.

The proportion of women in Queensland has gradually risen with her advancement as a separate State.

Ac.

	Males to each 100 Persons.	Females to each 100 Persons.	Females to each 100 Males.
1880	58.71	41.29	70.32
1885	58.91	41.09	69.75
1890	56.93	43.07	75.65
1895	56.27	43.73	77.71
1900	55.63	44.37	79.77
1905	54.96	45.04	81.96
1910	54.38	45.62	83.89
1911	54.32	45.68	84.09

Prior to 1885 the ratio fluctuated, receding before each wave of immigration which for the most part comprised more males than females. The population at that time being a limited one, the volume of immigration was sufficient to affect the balance of the sexes. The following table is designed to show the part played since the foundation of Queensland by each of the two sources of population accession—Natural Increase and Migration:—

Ad.

SHOWING EXCESS of BIRTHS over DEATHS and of IMMIGRATION over EMIGRATION by SEA and OVERLAND by RAILWAY.—
RETURN from 1862 to 1911.

Period	Mean Population for Period.	EXCESS OF BIRTHS OVER DEATHS.					EXCESS OF IMMIGRATION OVER EMIGRATION BY SEA AND OVERLAND BY RAILWAY.					Centesimal proportion which the excess of Immigration over Emigration bears to the total Population in- crease.	Total increase to Population to 31st December of last year of period.	Centesimal ratio of total increase to Population of last year of previous period.	Proportion of Females to each 100 Males in total increase.
		Males.	Females.	Total.	Centesimal ratio to Population of last year of previous period.	Centesimal proportion which the excess of Births over Deaths bears to the total Population increase.	Males.	Females.	Total.	Centesimal ratio to Population of last year of previous period.					
1862-1865 ...	63,460	2,062	3,025	5,087	14·80	9·88	28,880	17,542	46,422	135·08	90·12	*53,437	155·49	64·40	
1866-1870 ...	103,012	5,739	7,571	13,310	15·16	49·05	9,804	4,019	13,823	15·74	50·95	*27,763	31·62	70·19	
1871-1875 ...	143,467	6,704	9,706	16,410	14·20	26·06	33,661	12,850	46,511	40·25	73·94	*65,721	56·87	57·82	
1876-1880 ...	204,445	7,930	12,291	20,251	11·17	37·12	23,384	10,914	34,298	18·92	62·88	*44,789	24·71	95·21	
1881-1885 ...	268,719	7,986	15,262	23,248	10·28	20·78	57,200	31,414	88,614	39·20	79·22	*100,839	44·60	76·19	
1886-1890 ...	375,253	17,872	24,238	42,110	12·88	41·96	36,111	22,138	58,249	17·82	58·04	*95,860	29·32	82·67	
1891-1895 ...	427,792	20,525	25,757	46,282	10·95	75·46	11,361	3,692	15,053	3·56	24·54	*37,774	8·93	147·96	
1896-1900 ...	487,319	17,724	24,037	41,761	9·07	67·33	14,968	5,294	20,262	4·40	32·67	*33,616	7·30	113·72	
1901-1905 ...	515,381	16,628	22,910	39,538	8·00	116·69	§—1,311	§—4,345	§—5,656	—1·14	—16·69	33,882	6·86	121·21	
1906-1910 ...	558,481	21,420	26,047	47,467	8·50	68·78	§ 14,180	§ 9,436	§ 23,616	4·23	33·22	71,083	12·73	89·67	
1911 ...	614,352	4,647	5,800	10,447	1·74	45·43	§ 7,502	§ 5,049	§ 12,551	2·09	54·57	22,998	3·84	89·30	

* Figures adjusted after actual population ascertained by census. § Including allowances for unrecorded arrivals and departures.
— Excess of departures.

A table covering 50 yearly records was found too cumbersome; consequently the information is now given in quinquennial rests.

The first line covers 4 years only—1862 to 1865. This was a period of great migration activity, excess of immigration providing 90 per cent. of the total increase. During the following five years migration contributed 51 per cent., and excess of births over deaths 49 per cent. of the total increase. During 1871-5 immigration again came to the front, the proportions to the increase were excess of arrivals 74 per cent. and natural increase 26 per cent. During the following 15 years migration still largely predominated, the ratios per cent. being 77 migration and 23 natural increase. From 1890 up to last year excess of births has been the chief contributing factor; the centesimal ratio of increase furnished by each being excess of births 70 and excess of arrivals 30. Last year migration was once again in the ascendant with the result that natural increase supplied 45 per cent. to the increase of population and migration 55 per cent.

The last column of the foregoing table illustrates the fluctuation in sex proportion brought about according as natural increase or migration was the chief factor in population accretion.

Migration.

Immigration and emigration for 1911 as recorded by the Commonwealth Statistician are shown in the following table:—

B.

Quarter.					ARRIVALS.								
					By Sea.			By Land.			Total Arrivals.		
					Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
First	6,621	3,616	10,237	10,529	5,464	15,993	17,150	9,080	26,230
Second	8,715	4,112	12,827	11,154	5,930	17,084	19,869	10,042	29,911
Third	8,460	3,790	12,250	10,145	4,872	15,017	18,605	8,662	27,267
Fourth	7,052	3,909	10,961	10,564	4,787	15,351	17,616	8,696	26,312
Totals	30,848	15,427	46,275	42,392	21,053	63,445	73,240	36,480	109,720

Quarter.					DEPARTURES.								
					By Sea.			By Land.			Total Departures.		
					Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
First	5,368	2,851	8,219	9,232	4,910	14,142	14,600	7,761	22,361
Second	4,194	2,068	6,262	9,972	4,825	14,797	14,166	6,893	21,059
Third	4,700	2,396	7,096	11,517	5,230	16,747	16,217	7,626	23,843
Fourth	7,006	3,019	10,025	14,035	6,237	20,272	21,041	9,256	30,297
Totals	21,268	10,334	31,602	44,756	21,202	65,958	66,024	31,536	97,560

N.B.—This table does not include the allowances made in framing population estimates for persons crossing the Border otherwise than by Rail.

The arrivals and departures by land represent only those who travel by train. These are carefully counted at each crossing place by an officer of the Railway Department—for this service a payment is made by the Commonwealth to the Department—and no doubt this information is as accurate as it is possible to be. The sea-wise traffic is, I consider, less reliable. The practice adopted by the Commonwealth Statistician of counting only arrivals into each State and from these deducing the departures from other States is, to my mind, most unsatisfactory, and will never, I believe, secure accurate results. However, at present I have no other source of information and can only accept what is furnished.

Accepting the figures for what they are worth, there were 109,720 persons who arrived in this State during 1911, and 97,560 who departed, leaving a balance in favour of immigration of 12,160 persons. During the first quarter of the year there was a gain of nearly 4,000; in the second quarter of nearly 9,000; and in the third quarter of rather more than 3,000, aggregating in all 16,000, but during the last quarter of the year some 4,000 more persons departed from Queensland than arrived therein. This was in accordance with usual experience, large numbers of holiday-makers proceeding South for the summer months.

Population in Financial Divisions.

As the boundaries of the financial divisions are not quite coterminous with groups of census districts, exact figures on this head are not procurable; but careful adjustments have been made where necessary, and the figures in the following table may be taken as substantially correct:—

					C.			
					Northern Division.	Central Division.	Southern Division.	Total State.
Population, Census 1911—								
Number—								
Males	70,749	40,941	217,816	329,506
Females	47,785	31,773	196,749	276,307
Persons	118,534	72,714	414,565	605,813
Proportion, per cent.—								
Males to total Males	21.47	12.43	66.10	100.00
Females to total Females	17.29	11.50	71.21	100.00
Estimated Population, 31st December, 1911—								
Males	72,563	41,991	223,401	337,955
Females	49,145	32,678	202,351	284,174
Total Persons	121,708	74,669	425,752	622,129

Some considerable alterations as to the population in each division was disclosed by the results of the last census enumeration when compared with those for 1901. The population in the Southern Division has increased at a considerably greater rate than in either the Northern or Central Division. The proportion of the total population found in each was as follows:—South, 68 per cent.; North, 20 per cent.; and Central, 12 per cent.

Population—Metropolitan Area.

The population of Greater Brisbane on the 31st December, 1911, was estimated at 143,514 persons. The following statement gives somewhat fuller details:—

							D.		
							Males.	Females.	Persons.
City of Brisbane	19,916	20,338	40,254
City of South Brisbane	15,042	16,338	31,380
Suburbs	35,187	36,693	71,880
Brisbane Metropolitan Area (Ten-mile Radius)							70,145	73,369	143,514

Greater Brisbane is taken on a 10-mile radius, and therefore embraces an area of 195,277 acres. It comprises the cities of Brisbane (3,520 acres) and South Brisbane (2,880 acres), and either the whole or part of several municipalities and shires. These are designated "suburbs," and in the aggregate they represent an area of 188,877 acres. Taking the populations allotted to each section of the metropolitan area in the preceding table, the density of population is found to be 11.4 persons to each acre in North Brisbane, 10.9 persons to each acre in South Brisbane, and 0.38 of a person to each acre in the suburbs.

Federal "Effective" Population.

The "effective" population of a State is that portion of the population which is statutorily countable towards representation in the Legislative Assembly of the Commonwealth Parliament.

Da.

State.	Effective Population 3rd April, 1911.	Quota.	Quotient and Remainder.		Number of Representatives.	
			Quotient.	Remainder.	Number as per Quota.	Statutory Number.
Queensland	594,514	61,547	9	40,591	10	10
New South Wales .. .	1,646,734		26	46,512	27	27
Victoria	1,315,551		21	23,064	21	21
South Australia .. .	408,558		6	39,276	7	7
Western Australia .. .	274,841		4	28,653	4	5
Tasmania	191,211		3	6,570	3	5
Commonwealth .. .	4,431,409	75

In four of the six States the "effective" and the actual population are one and the same. The exemptions from the latter consist of any persons of an alien race who at the time of Federation were specially debarred by State statute from qualifying as electors of such State.

In two States—Queensland and Western Australia—such a statutory provision was in existence, the result being that 11,299 persons for Queensland and 7,273 for Western Australia are deducted in the above table from the actual populations, so as to arrive at the "effective" population.

MARRIAGES.

Very copious tables will be found printed as an Appendix to this Report dealing with all subjects relating to Vital Statistics. At Table No. IV. the number of marriages celebrated during 1911 in each registry district of the State is delineated.

The following statement gives the figures relating to every district in which the number registered exceeds 100:—

E.

District.	Number.	District.	Number.
Brisbane	1,427	Enoggera	190
Toowoomba	372	Warwick	176
Ipswich	294	Bundaberg	156
Rockhampton .. .	275	Mackay	141
Townsville	220	Gympie	136
Maryborough .. .	200	Cairns	124
Kennedy	192		

There were 5,169 marriages celebrated in Queensland last year, against 4,769 in 1910—an increase in the former year of 400. Of all marriages, 1,427, or 27.6 per cent., were celebrated in the metropolitan district; whilst the remaining 12 districts named in the foregoing statement accounted for 2,476, or 47.9 per cent., leaving 1,266 marriages the celebration of which was distributed throughout the 36 other districts of the State.

MARRIAGE RATE.

The marriage rate for 1911 of 8.41 per 1,000 of the mean population can only be considered most satisfactory as evidencing the general prosperity of the community. The following table shows the marriage rate for each year since the establishment of civil registration in 1857:—

Ea.

Year.	Number of Marriages per 1,000 mean Population.	Year.	Number of Marriages per 1,000 mean Population.	Year.	Number of Marriages per 1,000 mean Population.
1857	8.2	1876	7.6	1895	6.2
1858	9.4	1877	7.6	1896	6.1
1859	9.3	1878	7.0	1897	6.0
1860	10.8	1879	7.5	1898	6.0
1861	10.2	1880	7.0	1899	6.8
1862	14.4	1881	7.7	1900	6.9
1863	14.5	1882	8.6	1901	6.6
1864	14.0	1883	8.9	1902	6.3
1865	13.3	1884	8.9	1903	5.7
1866	11.6	1885	8.9	1904	5.9
1867	9.5	1886	8.3	1905	6.04
1868	8.3	1887	8.2	1906	6.73
1869	8.3	1888	8.7	1907	7.58
1870	7.8	1889	7.9	1908	7.22
1871	8.1	1890	7.8	1909	7.95
1872	8.7	1891	7.1	1910	8.05
1873	9.6	1892	6.7	1911	8.41
1874	8.6	1893	5.9		
1875	8.6	1894	5.7		

From an inspection of this table it will be seen that, although much higher rates obtained at one time during the period—notably in 1860-66—and slightly higher than the 1911 rate on several other occasions, yet the marriage rate of $8\frac{1}{2}$ per 1,000 was more than an average one for Queensland. During the early sixties a system of Government-aided immigration was in full operation, and large numbers of young adults of both sexes were constantly being added to a comparatively small population. The consequence was that during seven years marriage rates ranging from 10.2 to 14.5 were recorded, but such a high ratio could not be possibly maintained when the age condition of the people reverted to a normal state.

Compared with the rest of Australasia, Queensland occupies not quite a half-way position as regards marriage frequency.

E b.

	1907.	1908.	1909.	1910.	1911.	Average of the Rates for the Quinquennial Period.
Queensland ...	7.58	7.22	7.95	8.05	8.41	7.84
New South Wales ...	7.84	7.96	8.03	8.58	9.23	8.33
Victoria ...	7.68	7.38	7.35	7.83	8.34	7.72
South Australia ...	7.94	7.84	8.00	8.73	9.81	8.46
Western Australia ...	8.02	7.50	7.27	7.46	8.44	7.74
Tasmania ...	7.91	7.87	8.13	7.98	7.76	7.93
New Zealand ...	8.91	8.82	8.33	8.30	8.67	8.61

For both 1911 and for the mean of the last 5 years, Queensland stood fifth for the whole of Australasia and fourth of the seven States of the Commonwealth.

The foregoing rates are crude rates only—that is to say, they are the rates based on the mean population, and not on the number of marriageable persons available. The latter would suggest itself as an important factor in the case; but experience hardly shows that it does so to the extent that might reasonably be expected. Obviously, in a community only comprising married adults and children there could be no marriages, and it follows that with only a limited number of marriageable persons of either sex the ratio of marriages to the total population must be a low one. Experience, however, fails to show that the marriage rate is much influenced unless the disproportion of marriageable persons is pronounced, whilst considerable difference as to the available numbers of either sex do not appear to affect the result.

E c.

	Males.	Females.	Persons.
Queensland ...	18.57	13.86	32.43
New South Wales ...	16.22	15.35	31.57
Victoria ...	15.30	18.75	34.05
South Australia ...	15.02	16.92	31.94
Western Australia ...	21.20	11.18	32.38
Tasmania ...	13.70	15.40	29.10

It will be noted that the available ratio number of both sexes only varies from 29.10 in Tasmania to 34.05 in Victoria, but the average marriage rate for 5 years was greater in the former State than in the latter, although the same did not apply to the experience for 1911. Tasmania was exceeded as to the number of marriageable persons by several States with a lower marriage rate.

Considerably greater variation is found when the numbers of marriageable males and females are considered; and Western Australia, where there are two single men to every single woman, has a low marriage rate, as did both Victoria and Tasmania both with single women in the majority. In New South Wales, where single men were relatively the more numerous, the rate was considerably higher; but the best ratio was obtained in South Australia, where there were nearly 2 more marriageable women than men in each 100 of the population.

MARRIAGE BY RELIGIOUS DENOMINATION.

The following table shows for each of 10 years the number of marriages celebrated by each of the principal religious bodies, and also the aggregate number so celebrated by each for that period:—

F.

Denomination.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	Total Ten Years.
Church of England ...	883	741	789	779	877	1,057	1,021	1,148	1,212	1,448	9,955
Roman Catholic Church ...	645	589	619	616	767	827	792	918	941	1,042	7,756
Presbyterian ...	445	441	444	427	487	577	554	621	683	712	5,391
Methodist ...	523	476	521	607	642	731	715	723	874	947	6,759
Baptist ...	156	158	157	158	192	191	201	245	256	227	1,941
Lutheran ...	130	130	139	136	142	132	144	156	191	160	1,460
Congregational ...	122	104	104	107	109	128	124	143	126	138	1,205
Salvation Army ...	16	9	21	15	17	23	35	36	32	34	238
Other Christian Sects ...	93	84	124	139	169	220	234	354	245	235	1,897
Hebrew	1	1	1	3	...	2	...	4	6	18
By Registrars and Marrying Justices ...	230	200	159	188	183	219	187	198	205	220	1,989
Totals ...	3,243	2,933	3,078	3,173	3,588	4,105	4,009	4,542	4,769	5,169	38,609

Of the 5,169 and 38,609 marriages celebrated during 1911 and during the decennium ending with that year respectively, 1,448 and 9,955 were celebrated according to the rites of the Church of England; 1,042 and 7,756 by clergy of the Roman Catholic Church; 712 and 5,391 by Presbyterian ministers; and 947 and 6,759 by Methodists.

Fuller details on this are given in Appendix, Table No. V.

A great many persons are married by other ministers than those of the church to which they profess to belong. With mixed marriages this obviously must be so as regards one of the parties; but the differences in some instances between the marriage and the census figures are too great to be thus explained, as will be seen from the following statement:—

F a.

				Proportion per cent. each Denomination to total—	
				Population. Census, 1911.	Marriages, 1911.
Church of England	35·11	28·01
Roman Catholic Church	22·63	20·16
Presbyterian Church	12·47	13·77
Methodist Church	9·89	18·32
Lutheran Church	4·00	3·10
Baptist Church	2·26	4·39
Congregational Church	1·72	2·67

Thus, whilst 35 per cent. of the people of Queensland returned themselves as members of the Church of England, at the last census only 28 per cent. of all marriages were celebrated according to its rites, 23 per cent. of the people were entered on the schedules as Roman Catholics, and 20 per cent. of the marriages were celebrated by clergy of that church. Presbyterians numbered 12 per cent.; and returned 14 per cent. of the marriages; and Methodists comprised 10 per cent. of the population, and recorded 18 per cent. of the marriages.

Birthplaces of Persons Married.

The country of birth of each person married last year in each registry district is recorded at Table No. VI. in the Appendix. As two-thirds of the persons married are natives of Queensland, and four-fifths are natives of the Commonwealth, this information does not possess the interest that at one time attached to it. In 1875 only 7 per cent. of persons married were born in this State; consequently at that time a good deal of interest attached to the nationality of persons married.

Ages of Husbands and Wives.

Full information on this subject will be found in Appendix, Table No. VII. An analysis of this table is furnished by the following statement:—

G.

HUSBANDS.

Ages of Husbands.	No. of Husbands at each Age Group.	MARRIED TO WIVES —										
		YOUNGER THAN THEMSELVES.					Same Age as them- selves.	OLDER THAN THEMSELVES.				
		By 5 and more years.	By 4 years.	By 3 years.	By 2 years.	By 1 year.		By 1 year.	By 2 years.	By 3 years.	By 4 years.	By 5 and more years.
Under 21 years	153	2	3	7	15	30	28	17	23	10	7	11
21 to 25 years	1,488	161	155	174	226	194	190	117	95	61	39	76
25 to 30 „	1,788	695	202	196	154	122	135	81	66	40	28	69
30 to 35 „	890	577	52	61	40	37	39	22	23	9	9	21
35 to 40 „	406	300	15	15	8	14	15	10	5	7	3	14
40 to 45 „	178	122	9	7	4	7	4	3	4	1	6	11
45 to 50 „	126	106	4	2	2	4	2	2	1	...	1	2
Upwards of 50 years	140	114	4	1	3	4	2	4	2	...	3	3
Totals	5,169	2,077	444	463	452	412	415	256	219	128	96	207

WIVES.

Ages of Wives.	No. of Wives at each Age Group.	MARRIED TO HUSBANDS—										
		YOUNGER THAN THEMSELVES.					Same Age as them- selves.	OLDER THAN THEMSELVES.				
		By 5 and more years.	By 4 years.	By 3 years.	By 2 years.	By 1 year.		By 1 year.	By 2 years.	By 3 years.	By 4 years.	By 5 and more years.
Under 21 years ...	1,188	4	6	28	64	92	116	158	720
21 to 25 years ...	1,967	...	7	24	74	96	190	203	240	209	172	752
25 to 30 „ ...	1,186	53	49	72	87	101	135	91	86	100	74	338
30 to 35 „ ...	429	70	21	21	34	33	39	29	20	23	21	118
35 to 40 „ ...	206	41	7	8	10	7	15	11	6	8	9	84
40 to 45 „ ...	93	12	3	2	6	5	4	8	4	6	6	37
45 to 50 „ ...	60	22	5	1	1	4	2	2	3	1	1	18
Upwards of 50 years ...	40	9	4	...	3	4	2	4	1	...	3	10
Totals ...	5,169	207	96	128	219	256	415	412	452	463	444	2,077

Of the 5,169 husbands married last year, 153 were under 21 years of age. Of these, 57 married brides younger than themselves, 28 took wives of the same age, whilst 68 were united to older women. Eleven of the latter were upwards of 5 years older than their husbands. Men between 21 and 30 comprised 3,276, or 63 per cent. of all husbands. Those between 30 and 40 years of age numbered 1,296, and between 40 and 50 years of age numbered 304, only 140 husbands being upwards of 50 years of age.

The age range for males extended from 16 years to 79 years. At both ages—fortunately, at least, as to the boy—there was only 1 husband; but of 17 years of age there were 2, and of 18 years of age 16.

The record as to women extended from 14 to 78 years of age. Two children of 14 became wives, 10 of 15, 54 of 16 years, 143 of 17, and 263 of 18 years of age. Instances of great disparity included the following:—Old men of 76, 74, and 73 to girls of 20, 24, and 21 respectively. One man of 45 was married to a child of 16. On the other hand, young men of 21, 23, and 26 took as wives respectively women of 41, 45, 47, and 52; thus in the last instance quoted the bride was exactly twice the age of her spouse.

The mean age at marriage shows but little variation from year to year.

The following statement gives the average for 1911, and the average of the means for certain year groups since 1881:—

G a.				
	All Husbands.	Bachelors.	All Wives.	Spinsters.
1881-1885, Average of Means ...	28·22	...	23·29	...
1886-1890, " " " ...	27·52	...	23·23	...
1891-1895, " " " ...	28·38	...	23·69	...
1896-1900, " " " ...	28·91	27·79	24·22	23·22
1901-1905, " " " ...	29·15	28·07	24·43	23·39
1906-1910, " " " ...	28·87	27·83	24·51	23·58
1911 Mean age ...	28·82	27·76	24·71	23·84

The particulars are furnished for all husbands and wives and also for first marriages only. Bachelors and spinsters average about one year younger than all husbands or all wives. The mean ages at marriage for 1911 were—All husbands, 28.82; bachelors, 27.76; all wives, 24.71; spinsters, 23.84. The corresponding figures for 1910 were 28.83, 27.73, 24.71, and 23.73. Husbands average about 4 years older than their wives.

Conjugal Condition of Husbands and Wives.

Re-marriage as to both husband and wife relatively to the total number of persons married was fairly constant during the last two years such marriages comprised 12½ per cent. of the total.

G b.

Amongst Marriages of—							1911.			
							Numbers Married.	Proportion Per Cent. to Total	THE MEAN AGES AT MARRIAGE WERE—	
									Husbands.	Wives.
Bachelors to Spinsters	4,632	89·61	27·42	23·56
Bachelors to Widows	192	3·71	35·77	36·40
Bachelors to Divorced Women	5	0·10	30·60	34·60
Widowers to Spinsters	222	4·30	41·23	29·39
Widowers to Widows	101	1·95	51·13	43·88
Widowers to Divorced Women	1	0·02	33·00	39·00
Divorced Men to Spinsters	15	0·29	37·87	28·33
Divorced Men to Widows	1	0·02	32·00	35·00
Divorced Men to Divorced Women
Of all Males Married—							Persons Married.	93·42	27·76	...
Bachelors				
Widowers				
Divorced Men	16	0·31	37·50	...
Of all Females Married—							Persons Married.	94·20	...	23·84
Spinsters				
Widows				
Divorced Women	6	0·11	...	35·33
TOTAL PERSONS MARRIED ...							10,338	200·00	28·82	24·71

Of husbands, 93.42 per cent. were bachelors, 6.27 per cent. were widowers, and 0.31 per cent. were divorced. The mean age of the bachelors was 27.76 years; of the widowers, 44.29; and of the divorced, 37.50 years.

Of the 5,169 wives, 4,869, or 94.20 per cent., were spinsters; 294, or 5.69 per cent., were widows; and 6, or 0.11 per cent., had been divorced.

During the past 10 years there has been a considerable increase in the number of dissolutions of marriage granted, and also in the number of divorced persons re-married.

G c.

			1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.
Dissolutions	6	8	13	4	12	12	11	16	20	27
Divorcees Remarried	14	12	9	8	9	18	10	15	26	22

The 27 dissolutions granted in 1911 represents 54 persons set free, and 22 persons who had been divorced were remarried during that year. There is not, of course, any necessary connection between the two sets of figures; nevertheless, the figures for a series of years may not unreasonably be taken as indicating in some degree the practice with regard to re-marriage on the part of divorced persons.

During the 10 years reviewed in the table, 129 dissolutions were granted, thus releasing 258 persons. Re-marriages of divorced persons numbered 143—a number a little in excess of half of that of those divorced.

Persons Signing Marriage Register by Mark.

The degree of education existing is such that it is very rare now to find persons so illiterate as to be quite unable to sign their name in some fashion. Less than 1 in each 100 persons married were so circumstanced last year.

I.

Number of Persons in each Year who signed Marriage Certificate with a Mark.				Proportion to each 100.					
				Marriages.			Persons Married.		
				Males.		Females.	Persons.		
Year.	Males	Females.		Males.	Females.		Persons.		
1875	135	267	...	9.08	17.96	...	13.52		
1880	90	187	...	5.82	12.09	...	8.95		
1885	107	209	...	3.76	7.35	...	5.56		
1890	94	115	...	2.94	3.60	...	3.27		
1895	82	76	...	2.90	2.69	...	2.80		
1900	58	88	...	1.72	2.61	...	2.17		
1905	44	44	...	1.39	1.39	...	1.39		
1910	38	51	...	0.80	1.07	...	0.93		
1911	37	48	...	0.72	0.93	...	0.82		

The above table, which covers a period of 37 years, shows clearly the improvement that has taken place during that time.

BIRTHS.

Although still leaving something to be desired, the position with regard to births was more satisfactory in 1911 than had been the case in recent years. The first three tables in the Appendix give full details as to the births which took place in 1911. They numbered 16,991, comprising 8,707 males and 8,284 females. This is the largest number recorded in any year since the establishment of registration in 1856. It exceeded the registration for 1910 by 818, a centesimal increase of 5.06, which was greater than for any year since 1904.

J.

Increase or —Decrease on Previous Year.				Increase or —Decrease on Previous Year.			
Year.	Births.	Numerical.	Centesimal.	Year.	Births.	Numerical.	Centesimal.
1901	14,303	—498	—3.36	1907	14,542	523	3.73
1902	14,216	—87	—0.61	1908	14,828	286	1.97
1903	12,621	—1,595	—11.22	1909	15,554	726	4.90
1904	14,082	1,461	11.58	1910	16,173	619	3.98
1905	13,626	—456	—3.24	1911	16,991	818	5.06
1906	14,019	393	2.88				

The births for 1910 and 1911 in each division of the State are compared in the following table:—

J a.									
BIRTHS, 1910 AND 1911.									
Geographical Division.	1910.			1911.			Total Increase or Decrease in the latter Year.	Females born to every 100 Males born in 1910.	Females born to every 100 Males born in 1911.
	Males.	Females.	Persons.	Males.	Females.	Persons.			
Brisbane (10-mile radius)	1,903	1,847	3,750	2,095	1,953	4,048	298	97·06	93·22
„ (outside radius)	50	58	103	37	48	85	— 23	116·00	129·73
Total Metropolitan Division	1,953	1,905	3,858	2,132	2,001	4,133	275	97·54	93·86
Moreton	1,088	1,070	2,158	1,157	1,069	2,226	68	98·35	92·39
Wide Bay	1,098	1,025	2,123	1,118	1,069	2,187	64	93·35	95·62
Port Curtis	752	644	1,396	771	758	1,529	133	85·64	98·31
Edgcumbe	845	816	1,661	842	799	1,641	— 20	96·57	94·89
Rockingham	443	404	847	432	474	906	59	91·20	109·72
York Peninsula	65	64	129	64	58	122	— 7	98·46	90·63
Carpentaria	142	151	293	154	127	281	— 12	106·34	82·47
Central Western	27	22	49	45	27	72	23	81·43	60·00
South Western	105	116	221	127	117	244	23	110·48	92·13
Central	254	222	476	284	248	532	56	87·40	87·32
Maranoa	200	188	388	204	203	407	19	94·00	99·51
Downs	1,289	1,285	2,574	1,377	1,334	2,711	137	99·69	96·88
Total	8,261	7,912	16,173	8,707	8,284	16,991	818	95·78	95·14

There were increases recorded in each division except Edgcumbe, York Peninsula, and Carpentaria, where small decreases were returned. The sex ratios were nearly the same for each year, although in 1911 there was a slightly larger proportion of male children born. On small numbers for a single year the rule as to the preponderance of males is frequently accepted generally to be followed by a complete swing of the pendulum in the following year. This may be seen in the Carpentaria and South Western Divisions, where in 1910 ratios of female to male births of 106·34 and 110·48 respectively were followed in 1911 by ratios of 82·47 and 92·13. However, in the suburban section of the Metropolitan Division an unusual disproportion of sex was experienced during the two consecutive years; the ratios of females to males being—1910, 116·00; and 1911, 129·73. These proportions are on limited numbers only, but even allowing for this the record seems somewhat unusual. The proportions of female to male births for each of the past 10 years were as follows:—

J b.									
Females born to every 100 males born.					Females born to every 100 males born.				
1902	95·30				1907	95·09			
1903	96·37				1908	93·20			
1904	97·39				1909	95·50			
1905	95·27				1910	95·78			
1906	92·57				1911	95·14			

The birth rate—i.e., the number of births per 1,000 of the mean population—last year was 27·7 against 27·3 in the previous year, a ratio that has not been exceeded since 1901.

K.									
1860	47·9			1880	36·9			1900	30·2
1865	43·6			1885	36·7			1905	25·9
1870	43·5			1890	37·2			1910	27·3
1875	37·5			1895	32·8			1911	27·66

The rate for the whole State thus shows considerable improvement on the figures for recent years, but from the above table it will be seen that it falls much below the proportions at one time obtaining.

Whilst Queensland showed improvement as to birth rate last year, other States advanced still more; so that this State can hardly be considered to compare favourably with the rest of Australasia.

K a.									
	Birth Rate,					Average of the rates for the quinquennial period.			
	1907.	1908.	1909.	1910.	1911.				
Queensland	26·87	26·71	27·24	27·31	27·66	27·16			
New South Wales	27·14	26·77	26·94	27·32	28·84	27·40			
Victoria	25·16	24·58	24·57	24·04	24·86	24·64			
South Australia	23·82	24·59	24·57	25·11	26·89	25·00			
Western Australia	29·24	28·90	27·66	26·85	28·22	28·17			
Tasmania	29·68	30·89	29·90	29·87	28·61	29·79			
New Zealand	27·30	27·45	27·29	26·17	25·97	26·84			

Though Queensland's ratio of 27.66 exceeded that for Victoria (24.86), New Zealand (25.97), and South Australia (26.89), yet it was surpassed by Western Australia (28.22), Tasmania (28.61), and New South Wales (28.84). It can, however, be said that the difference between the average of the three excess (28.56) is considerably less than the difference between the average of the three minus numbers (25.84)—namely, plus 0.90, and minus 1.82 per cent., respectively.

The crude birth rate—*i.e.*, the proportion of births to the total population—is, of course, much influenced by the age, the sex, and the conjugal conditions of the people. One of the truest tests as to the improvement or decadence with respect to natural increase is the proportion of births to the number of women of child-bearing age. This information can only be compiled at census periods, as it is only then that the ages of the community can be ascertained with any measure of accuracy.

The census of 1911 afforded the opportunity of recording up-to-date data.

K b.

Census Year.	FEMALES 15 YEARS TO 45 YEARS OF AGE.		BIRTHS.		BIRTHS PER 1,000.		
	Married.	Unmarried.	Legitimate.	Illegitimate.	Legitimate Births to Married Females 15 years to 45 years of age.	Illegitimate Births to Unmarried Females 15 years to 45 years of age.	Total Births to all Females 15 years to 45 years of age.
1861 ...	5,788		245.85
1871 ...	15,502	6,830	5,074	131	327.31	19.18	233.07
1881 ...	24,178	15,441	7,875	345	325.71	22.34	207.48
1891 ...	44,537	34,607	14,031	684	315.04	19.76	185.93
1901 ...	53,617	50,561	13,455	848	250.95	16.77	137.29
1911 ...	64,461	69,976	15,903	1,088	246.71	15.55	126.39

From the figures furnished in the statement it may be inferred that, although the rate of natural increase is still on the decline, yet the speed at which such decline was proceeding has somewhat moderated. Measured by the test afforded by this table, it appears that, whilst in 1861 every 1,000 women between 15 and 45 years gave birth to 246 children; in 1911—just 50 years later—the same number only bore 126 children, or but little more than half the 1861 experience. If the figures in the last column of the table are viewed, the gradual decline to this result at each census becomes at once apparent. Each 1,000 women of child-bearing age—15 to 45—in 1861 bore 246 children; in 1871, 233; in 1881, 207; in 1891, 186; in 1901, 137; and now in 1911 only 126.

Illegitimate Births.

In quoting figures for illegitimacy, it has to be remembered that they only relate to known and recorded illegitimacy. The experience of all registration offices, I am sure, must lead to the conclusion that many children registered as legitimate are not born in wedlock, and there is good reason for thinking that the recorded figures are not even approximate.

L.

					Males.		Females.		Persons.
First Quarter	141	...	123	...	264
Second Quarter	123	...	134	...	257
Third Quarter	141	...	153	...	294
Fourth Quarter	132	...	141	...	273
Total	537	...	551	...	1,088

There were 1,088 children returned as born out of wedlock—537 males and 551 females; the latter thus proving the more numerous. The ratios for 10 years of illegitimate to legitimate births were as follow:—

L a.

1902 ...	6.04	1906 ...	7.68	1910 ...	6.37
1903 ...	6.79	1907 ...	7.31	1911 ...	6.40
1904 ...	6.90	1908 ...	7.45		
1905 ...	6.97	1909 ...	6.99		

From these figures there does not appear to be any considerable increase of illegitimacy during the decade—indeed, the last two years of the period witnessed some decline—although this may perhaps be in part explained by the operation of “*The Infant Life Protection Act of 1905.*” Queensland, unfortunately, stands at the head of the list of the Australian States with regard to births out of wedlock.

L b.

		Per Cent. to Total Births.			Per Cent. to Total Births.
Queensland	...	6.40	Western Australia	...	4.48
New South Wales	...	6.19	Tasmania	...	5.03
Victoria	...	5.94	New Zealand	...	4.09
South Australia	...	4.20			

Legitimation.

By "The Legitimation Act of 1899" a child born before the marriage of its parents shall, if they thereafter intermarry, be deemed on registration legitimate from birth, provided there was no legal impediment to such marriage at the time of the birth. Registration can only be effected on the statutory declaration of the father.

Since the passing of this Act there have been 1,191 children legitimated thereunder. The following are the particulars:—

L c.

District.	Prior to 1902.		1902.		1903.		1904.		1905.		1906.		1907.		1908.		1909.		1910.		1911.		Total.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	P.
Metropolitan	24	11	10	7	4	2	8	5	13	8	29	33	37	26	31	33	37	22	21	25	28	22	242	194	436
Country	23	26	17	13	10	11	19	15	23	17	26	30	64	52	42	48	57	63	57	35	58	49	396	359	755
Totals	47	37	27	20	14	13	27	20	36	25	55	63	101	78	73	81	94	85	78	60	86	71
	84		47		27		47		61		118		179		154		179		138		157		638	553	1,191

The greatest number of legitimations registered in any one year was 179. This occurred on two occasions—1907 and 1909. Last year there were 157 effected.

Multiple Births.

There were 171 twin and two triple confinements during 1911.

L d.

	TWINS.		TRIPLTS.	
	Males.	Females.	Males.	Females.
First Quarter ...	55	27
Second Quarter ...	39	47
Third Quarter ...	48	42	1	2
Fourth Quarter...	36	48	...	3
Total	178	164	1	5

Out of 16,816 confinements last year, 173 were multiple, a centesimal ratio of 1.03; the corresponding ratio for 1910 was 0.92.

DEATHS.

The mortality experience for 1911 was a little less satisfactory than that for several preceding years, due to a relatively larger number of deaths among adults, as deaths of the very young did not show any great increase in number, although the mortality with children of 5 to 10 years of age was considerably above normal, the causes being distributed widely throughout the classification, although scarlet fever, diphtheria, tetanus, and Bright's disease were prominent contributors to the increase.

The following table gives the information for 10 years as to the numerical and proportional mortality:—

M.

YEAR.	DEATHS.					
	Total Number.			Proportion of Total Deaths per 1,000 of Mean Population.		
	Males.	Females.	Persons.	Males.	Females.	Persons.
1902 ...	3,924	2,280	6,204	13.74	10.00	12.08
1903 ...	3,951	2,395	6,346	13.92	10.46	12.38
1904 ...	3,259	1,991	5,250	11.36	8.57	10.11
1905 ...	3,499	2,004	5,503	12.09	8.48	10.47
1906 ...	3,212	1,883	5,095	10.99	7.83	9.56
1907 ...	3,480	2,119	5,599	11.79	8.62	10.35
1908 ...	3,500	2,180	5,680	11.54	8.65	10.23
1909 ...	3,419	2,111	5,530	10.97	8.14	9.68
1910 ...	3,595	2,150	5,745	11.13	7.99	9.70
1911 ...	4,060	2,484	6,544	12.14	8.88	10.65

There were 4,060 male deaths, 2,484 female deaths, giving a total of 6,544 deaths recorded last year; in both cases this was a greater number than for any other year of the decade.

The death rates for 1911 of 12.14 for males, 8.88 for females, and 10.65 for persons were all more favourable than those for either 1902 or 1903.

Although a comparison of the death rates of the various States of the Commonwealth for 1911 is hardly favourable to Queensland, yet if a large period be considered this is not the case.

M a.

	Rate in 1907.	Rate in 1908.	Rate in 1909.	Rate in 1910.	Rate in 1911.	Average of the Rates for the Quinquennial Period.
Queensland ...	10.35	10.23	9.68	9.70	10.65	10.12
New South Wales ...	10.56	10.13	9.75	9.71	10.39	10.11
Victoria ...	11.66	12.46	11.24	11.27	11.45	11.62
South Australia ...	9.87	9.84	9.37	9.72	9.82	9.72
Western Australia ...	11.09	10.74	9.85	9.71	10.20	10.32
Tasmania ...	11.22	11.71	10.01	11.35	10.15	10.89
New Zealand ...	10.95	9.57	9.22	9.71	9.39	9.77

For 1911 Queensland's death rate of 10.65 was only exceeded by that of Victoria (11.45), being in excess of those for South Australia (9.82), Tasmania (10.15), Western Australia (10.20), and New South Wales (10.39). The averages of the rates for the quinquennium were—South Australia, 9.72; New South Wales, 10.11; Queensland, 10.12; Western Australia, 10.32; Tasmania, 10.89; and Victoria, 11.62.

Mortality Index.

The recent census has afforded an opportunity for correcting on an approximately reliable basis the adjustment laid down by the Conference of International Statisticians so as to bring the age condition of Queensland's population in line to enable an equitable comparison to be made of death rates. It is evident that the adjustments made in recent years based on the distant census of 1901 have been adverse to this State, evolving a too high mortality index out of the crude death rate.

M b.

Year.	Classes of Age.	% of Queens-land Population at each Age Period. Census 1911.	Estimated Mean Population.	Number of Deaths.	Coefficient %.	% of Swedish Population at each Age Period.	Queensland Index %.
1911	Under 1 year	2.69	16,526	1,112	6.73	2.55	1.72
	1 to 20 years	40.97	251,700	882	0.35	39.80	1.39
	20 to 40 "	32.77	201,323	1,099	0.55	26.96	1.47
	40 to 60 "	17.77	109,170	1,451	1.33	19.23	2.56
	60 years and upwards	5.80	35,633	2,000	5.61	11.46	6.43
	Totals	100.00	614,352	6,544	1.07	100.00	13.57

Thus in 1910 with a crude death rate of 9.70 per 1,000 of the population, this was corrected to a mortality index of 13.98. With the more reliable data as to age of population afforded by the recent census, the higher crude death rate for 1911 of 10.65 becomes adjusted to a mortality index of 13.57.

Ages at Death.

Full information on this point will be found in several tables of the Appendix as well as in the next seven summary tables included in the body of this report.

The following table, which supplied the data upon which the mortality index was framed, gives some information as to ages at death in a concise form:—

N.

Quarter.	Under 1 Year.		1 and under 5 Years.		5 and under 20 Years.		20 and under 40 Years.		40 and under 60 Years.		60 Years and upwards.		Males.	Females.	Persons.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			
First Quarter	166	115	50	42	59	36	149	103	251	85	283	141	958	522	1,480
Second Quarter	125	116	47	57	62	69	209	116	265	93	335	159	1,043	610	1,653
Third Quarter	144	103	45	48	49	42	148	107	263	129	376	236	1,025	665	1,690
Fourth Quarter	187	156	73	68	72	63	161	101	234	124	307	175	1,034	687	1,721
Total Males	622	...	215	...	242	...	667	...	1,013	...	1,301	...	4,060
Total Females	...	490	...	215	...	210	...	427	...	431	...	711	...	2,484	...
Total Persons	1,112		430		452		1,094		1,444		2,012		6,544
Percentage each Age Group to Total each to	15.32	...	5.30	...	5.96	...	16.43	...	24.95	...	32.04	...	100.00		
	...	19.73	...	8.66	...	8.45	...	17.19	...	17.35	...	28.62	100.00		
	16.99		6.57		6.91		16.72		22.07		30.74		100.00		

Of the 6,544 persons who died last year, 1,112, or 17 per cent. of the total, were infants of under 1 year of age; 430, or 6 per cent., were between 1 and 5 years of age; 452, or 7 per cent., were between the latter age and 20 years. Between 20 and 60 years 2,538, or 39 per cent., died; and those over 60 years of age comprised 2,012, or 31 per cent. of the total.

On reviewing the proportions to all deaths contributed by those of the age groups given, it is found that the mortality among females—infants, children, and youths—is much greater than with males; whilst, having once attained the age of 40, women contribute much less to the deaths. Practically one-fifth of all female deaths were of infants under 1 year; the ratio with males was 15 per cent. only. From 1 to 5 years the proportions were 9 for females, 5 for males. From 5 to 20 years the figures were 8 to 6, from 20 to 40 they were 17 to 16, and from 40 and upwards 46 for females and 57 for males.

True Infantile Mortality.

The ages of persons living, which is obviously such an important factor in connection with mortality, can only be accurately determined for the whole population at or closely after a census enumeration; but for—so far as death is concerned—a very important portion of the population—namely, for infants under 1 year of age—the number of births affords a very reliable method of gauging the number living at that age. The ratio of infant mortality can, therefore, be at any time measured with a great degree of accuracy.

The deaths of infants are, unfortunately, so numerous as to render the recording of a centesimal ratio rather than a millennial one.

O.

SHOWING TRUE INFANTILE MORTALITY.—RETURN FOR TEN YEARS.

1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	Mean for the 10 years.
10·02	11·99	7·61	7·55	7·47	7·72	7·03	7·19	6·31	6·54	7·84

During the 10 years reviewed, the true infant mortality—that is, the proportion of deaths of infants under 1 year to each 100 of the births—ranged from 11·99 in 1903 to 6·31 in 1910. Last year the ratio was 6·54—slightly higher than that in 1910, but considerably below that of any other year of the decennium or, indeed, of any other year of the history of registration in Queensland.

With such a wide margin of fluctuation in the yearly rates, records for a more extended period obviously afford a more equitable method of determining the true mortality. To this end the mean rate for the whole of the 10 years is furnished in the last column of the foregoing table. The following statement gives by quinquennial rests the decimal rate of true infant mortality since 1875:—

O a.

1875	12·46	1900	10·31
1880	12·98	1905	9·89
1885	13·64	1910	8·23
1890	12·65	1911	7·84
1895	11·07				

The great improvement that has taken place during the last 20 years is at once apparent. The rate of 12·65 obtaining during the decennium ending 1890 was, it will be seen, rather below the averages of previous experiences, but was in excess of that for the last decade—7·84—by 62 per cent.

The true infant mortality for Queensland compares well with that for other States.

O b.

Queensland	1911. 6·54
New South Wales	6·95
Victoria	6·87
South Australia	6·05
Western Australia	7·62
Tasmania	7·40
New Zealand	5·63

These figures speak for themselves, and entirely refute the statement sometimes made that the tropical character of the Queensland climate is inimical to infant life.

The following table is designed to facilitate a deduction as to the mortality of children in such districts of the State as contain the chief centres of population, and thus to enable a comparison to be drawn between those districts:—

P.

Registry District.	Number of Deaths in District.	CHILDREN UNDER 2 YEARS OF AGE.			CHILDREN UNDER 5 YEARS OF AGE.		
		Census 1911—Centesimal Ratio of Children under 2 years of age to Population of District.	Number of Deaths in District.	Proportion per cent. to Total Deaths in District.	Census 1911—Centesimal Ratio of Children under 5 years of age to Population of District.	Number of Deaths in District.	Proportion per cent. to Total Deaths in District.
Brisbane ...	1,618	4·39	306	18·91	10·24	350	21·63
Bundaberg ...	169	5·46	39	23·08	12·63	42	24·85
Enoggera ...	179	5·19	52	29·05	11·71	59	32·96
Gympie ...	144	5·25	24	16·67	12·75	29	20·14
Ipswich ...	400	5·05	90	22·50	11·53	113	28·25
Kennedy* ...	235	4·88	40	17·02	11·91	46	19·57
Mackay ...	183	5·66	31	16·94	12·93	48	26·23
Maryborough ...	203	4·88	37	18·23	11·63	47	23·15
Mount Morgan ...	100	6·47	32	32·00	14·74	38	38·00
Rockhampton ...	374	5·05	82	21·93	11·50	97	25·94
Toowoomba ...	410	5·31	105	25·61	12·18	116	28·29
Townsville ...	340	4·58	38	11·18	10·86	47	13·82
All Other ...	2,189	5·48	420	19·19	12·82	510	23·30
Totals ...	6,544	5·21	1,296	19·80	12·17	1,542	23·56

* Includes Charters Towers.

Obviously, if the population of any district contained few children, the latter would not be likely to contribute largely to the general death rate. Columns 3 and 6 give the ratio district by district of children under 2 years of age and under 5 in the total population as determined by the recent census. Children under 2 ranged from 4.39 per cent. in Brisbane to 6.47 per cent. in Mount Morgan; the ratio for the whole State being 5.21. The ratios of deaths of such children to the total deaths ranged from 11.18 per cent. in Townsville to 32.00 per cent. in Mount Morgan. The latter district, it is true, contained the largest number of children of this age; but still its mortality ratio was out of all proportion to its population excess.

Again, Enoggera, with relatively fewer children under 2 than the average for the State, had a death rate of such children more than 50 per cent. above the State average. Other districts with population ratios below and death ratios above the State averages were—Ipswich, 5.05 and 22.50; and Rockhampton, 5.05 and 21.93. Toowoomba, whose population proportion (5.31) slightly exceeds that for the State, yet had a mortality ratio much in excess of the latter—namely, 25.61 per cent.

The bulk of deaths under 5 years of age are comprised in those under 2, there having been last year 1,296 of the latter out of 1,542 of the former; therefore, the ratios under 2 years control those under 5 years. All children under 5 have a mortality nearly twice as great as that for the whole population, seeing that such children contribute 12.17 per cent. of the population and 23.56 per cent. of the deaths.

The death rate at different ages is a very important phase of mortality statistics, and can only be accurately ascertained for census years, and it is only then that the population numbers at each age are available.

The following table, the information in which as the census date recedes becomes approximate only, presents for 1911 very exact data:—

Q.

Age Period.	Proportion of Popu- lation at each Age Period to Total Population, Census 1911.	Estimated Mean Popu- lation, 1911, at each Age Period on basis of Census Ratio.	Deaths, 1911.	
			Number.	Rate per 1,000 of Mean Population.
Under 1 year	2.69	16,526	1,112	67.29
1 to 2 years	2.52	15,482	184	11.88
2 to 3 "	2.31	14,191	119	8.39
3 to 4 "	2.34	14,376	69	4.80
4 to 5 "	2.30	14,130	58	4.10
Total under 5 years	12.16	74,705	1,542	20.64
5 to 10 years	10.48	64,384	162	2.52
10 to 15 "	10.31	63,340	105	1.66
15 to 20 "	10.49	64,446	185	2.87
20 to 25 "	10.40	63,893	296	4.63
25 to 30 "	8.68	53,326	279	5.23
30 to 35 "	7.22	44,356	240	5.41
35 to 40 "	6.30	38,704	279	7.21
40 to 45 "	5.73	35,202	324	9.20
45 to 50 "	5.12	31,455	364	11.57
50 to 55 "	4.08	25,066	398	15.88
55 to 60 "	2.74	16,833	358	21.27
60 to 65 "	2.05	12,594	349	27.71
65 to 70 "	1.66	10,198	463	45.40
70 to 75 "	1.16	7,126	447	62.73
75 and upwards	0.90	5,529	732	132.39
Unspecified	0.52	3,195	21	6.57
Total	100.00	614,352	6,544	10.65

As showing for true infant mortality purposes how closely the births represent the infant population, it may be noted that, based on the figures ascertained by the recent census, the mean population of infants under 1 year for 1911 was 16,526, whilst the number of births for that year was 16,991, a proportional difference of not quite 3 per cent., and one that would only change the infant mortality from 6.54 to 6.73, a variation of 19-100ths only.

The death rates per 1,000 during each of the first five years of life were 67, 12, 8, 5, and 4 respectively; the average for all under 5 years of age being 21 deaths per 1,000 of population—a rate not again reached for any quinquennial period until the ages of 55 to 60 were reached.

The following table giving the number of deaths for every year since Separation for the different ages was compiled for a special purpose some time ago. It has now grown somewhat cumbersome, but is found so useful for actuarial work that it is proposed in future to transfer it to the Appendix as a permanent cumulative table:—

Q a.

Year.	Under 1 Year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 Years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Age not stated.	Total all Ages.	Mean Age at Death.	Mean Age Living, Census Years.
1860	141	46	16	5	7	215	10	4	7	25	22	36	34	27	24	21	9	17	5	4	2	16	478	21·31	22·97
1861	136	41	6	7	6	196	14	8	14	21	34	40	36	37	29	17	8	10	4	5	3	23	499	22·07	
1862	222	74	30	20	16	362	22	14	18	36	44	53	47	53	38	33	25	15	9	6	2	20	797	20·55	
1863	329	158	61	43	36	627	65	21	28	67	75	80	62	51	42	34	24	20	9	8	7	55	1,275	17·15	22·27
1864	365	155	47	38	34	639	73	19	34	97	111	93	73	64	47	47	25	19	10	10	8	77	1,446	18·46	
1865	580	206	70	27	20	903	59	30	38	113	126	107	75	64	44	43	28	30	10	4	3	56	1,733	15·80	
1866	690	320	94	55	23	1,182	63	28	58	168	192	167	116	64	71	55	41	30	26	16	10	75	2,362	17·03	23·06
1867	578	228	73	43	25	947	39	31	30	84	114	119	90	52	62	45	28	30	10	4	3	56	1,733	15·80	
1868	552	197	77	48	21	895	51	25	28	70	110	113	104	71	52	47	36	46	19	15	14	103	1,799	18·15	
1869	528	199	53	33	14	827	39	16	28	71	119	142	103	82	71	46	32	41	25	15	13	91	1,761	19·58	22·70
1870	526	129	63	30	18	766	41	27	30	48	112	117	93	79	62	70	43	34	17	15	12	79	1,645	19·92	
1871	516	137	67	46	26	792	47	28	53	81	107	120	101	89	51	53	45	47	25	18	26	102	1,785	20·54	
1872	578	178	67	47	22	892	54	27	35	69	131	129	102	116	51	78	42	43	27	20	21	99	1,936	20·15	23·30
1873	701	209	94	55	37	1,096	84	40	43	84	128	134	119	100	72	54	44	56	31	19	21	125	2,250	18·38	
1874	776	251	91	53	34	1,205	92	45	48	127	151	175	187	144	107	112	72	56	32	42	22	177	2,794	20·95	
1875	1,025	429	194	92	84	1,824	194	59	92	183	186	237	238	185	132	100	59	70	41	31	39	434	4,104	18·33	23·32
1876	994	331	110	68	45	1,548	96	50	105	166	190	162	208	164	114	85	80	66	51	38	41	303	3,467	19·58	
1877	1,058	326	102	55	30	1,571	101	54	102	153	188	170	166	154	107	93	74	65	50	37	42	296	3,373	18·87	
1878	1,234	415	142	76	42	1,909	93	47	104	191	179	205	201	196	152	107	95	92	81	56	46	466	4,220	19·76	23·60
1879	917	248	107	52	42	1,366	92	56	97	177	151	160	190	176	140	94	66	72	52	30	36	252	3,207	20·62	
1880	865	188	85	44	31	1,213	62	45	110	196	172	188	192	155	138	98	73	85	44	48	37	161	3,017	22·35	
1881	918	256	96	36	41	1,347	84	54	147	265	222	193	164	166	158	129	86	81	61	38	56	69	3,320	22·29	23·56
1882	1,188	374	114	64	47	1,787	109	80	204	382	312	240	199	174	166	134	99	100	70	63	80	75	4,274	21·35	
1883	1,319	471	174	103	63	2,130	125	60	305	522	383	272	200	237	177	147	106	94	83	68	88	44	5,041	20·78	
1884	1,574	436	154	93	72	2,329	144	114	710	987	641	383	283	286	210	207	138	124	93	69	106	37	6,861	21·80	23·60
1885	1,733	395	129	100	62	2,419	154	71	442	631	538	367	256	321	214	212	148	131	93	73	101	64	6,235	21·71	
1886	1,584	423	131	103	59	2,300	129	71	265	497	443	290	265	258	212	203	144	152	96	69	111	70	5,575	22·06	
1887	1,526	330	140	93	47	2,136	135	82	241	382	355	285	246	249	227	206	155	143	109	78	111	26	5,166	22·80	24·97
1888	1,719	338	132	63	57	2,309	122	89	246	432	391	317	231	241	224	216	181	156	130	83	138	23	5,529	22·91	
1889	1,962	397	153	112	63	2,687	135	87	208	448	409	341	280	245	269	265	204	187	114	115	126	12	6,132	22·54	
1890	1,548	352	153	101	99	2,253	206	82	176	376	377	363	266	242	248	265	181	183	112	117	140	51	5,638	23·95	23·56
1891	1,489	300	131	119	73	2,112	158	65	205	363	362	310	229	199	206	225	175	161	114	106	163	17	5,170	23·92	
1892	1,591	277	121	89	48	2,126	170	77	151	326	325	293	253	199	230	277	193	176	137	124	182	27	5,266	25·01	
1893	1,691	363	171	109	63	2,397	201	90	199	294	372	323	242	207	230	250	182	200	165	121	193	29	5,695	24·10	24·97
1894	1,369	301	162	115	91	2,038	166	84	165	250	351	287	267	223	203	269	199	226	199	160	201	10	5,298	26·88	
1895	1,356	264	117	87	75	1,899	196	108	187	235	306	281	288	219	220	246	215	209	174	134	220	15	5,152	27·10	
1896	1,466	293	108	94	69	2,030	151	108	166	261	312	298	316	274	240	296	282	277	217	165	229	23	5,645	28·57	24·97
1897	1,354	245	107	72	56	1,834	170	84	148	244	315	326	357	275	244	241	260	267	214	148	280	16	5,423	29·67	
1898	1,540	374	159	129	79	2,281	226	127	162	260	289	308	321	271	260	260	281	302	287	207	350	11	6,243	29·12	
1899	1,521	309	141	95	59	2,125	178	122	211	329	384	356	340	264	236	268	306	283	215	222	295	10	6,144	28·88	24·97
1900	1,456	234	87	64	49	1,890	133	110	197	303	292	302	310	308	258	237	290	277	293	225	302	26	5,747	30·78	
1901	1,458	250	98	58	50	1,914	128	112	192	285	287	343	349	312	262	299	295	315	286	259	354	15	6,007	31·88	
1902	1,424	221	77	63	33	1,818	137	120	173	307	334	322	350	324	268	289	310	380	369	308	378	17	6,204	33·63	26·32
1903	1,513	316	113	81	58	2,081	176	129	170	235	304	309	306	308	276	284	312	385	318	290	450	13	6,346	32·42	
1904	1,072	192	100	63	55	1,482	139	106	154	231	219	266	283	319	250	285	257	336	309	246	368	...	2	5,503	37·38
1905	1,029	186	80	62	37	1,394	139	98	168	219	233	249	301	282	307	302	277	355	361	338	478	1	5,095	37·31	26·32
1906	1,047	153	74	43	39	1,356	109	83	132	191	215	218	267	287	263	291	255	305	358	310	454	3	5,599	37·51	
1907	1,122	212	99	54	42	1,529	125	110	127	203	207	203	239	322	345	315	250	328	390	366	607	4	5,680	38·88	
1908	1,043	181	70	49	31	1,374	122	102	192	227	226	233	243	287	331	339	304	352	376	361	537	5	5,530	38·18	26·32
1909	1,119	177	78	49	36	1,459	115	102	164	198	213	211	227	269	312	322	277	308	407	377	564	9	5,745	39·73	
1910	1,020	190	100	45	44	1,399	120	89	156	237	242	209	242	258	350	329	300	303	407	409	686	21	6,544	39·50	
1911	1,112	184	119	69	58	1,542	162	105	185	296	279	240	279	324	364	398	358	349	463	447	732				

Of the 6,544 total deaths last year, 1,112 were of infants and 1,542 of children under 5 years of age. The last two columns give the mean age at death year by year, and the mean age of all persons living at each census. A study of these two columns shows how the expectation of life has advanced since 1860. In 1861 the mean age of all persons living was 23, and the mean age at death was 22; last year the corresponding figures were 26 and 40 respectively.

Birthplaces of Persons Dying.

The following table gives the population proportions and the death numbers and proportions of persons of differing nationality, using that word in its actual and not political sense:—

					R.		
					Centesimal Proportion to Total Population borne by each Nationality, Census of 1911.	Number and Centesimal Proportion to Total Deaths borne by each Nationality, Year 1911.	
					Proportion.	Number.	Proportion.
Queensland	63·09	2,634	40·25
Other Australasian States, including New Zealand					11·07	553	8·45
England	11·23	1,312	20·05
Scotland	3·39	454	6·94
Ireland	5·22	851	13·00
Other British Possessions	0·56	25	0·38
Germany	1·98	267	4·08
Other Countries of Europe	1·28	130	1·99
China	0·90	93	1·42
Pacific Islands	0·16	48	0·73
Elsewhere	1·12	177	2·71
					100·00	6,544	100·00

Full details are given in Table No. XI. in the Appendix; thus 74 per cent. of the population were Australian by birth, and these contributed 49 per cent. of all deaths. Natives of the United Kingdom comprised 20 per cent. of the population, and provided 40 per cent. of the deaths. The only other nationality strongly represented are people from Germany. Citizens of German extraction are numerous, but by actual birth less than 2 per cent. hail from that country. These contributed to the deaths in about the same proportion to their population numbers as natives of the United Kingdom.

Occupations of Persons Dying.

The following table summarises certain information contained in Appendix Table No. XII.:—

					R a.									
					YEARS.									
CLASSES.					1907.		1908.		1909.		1910.		1911.	
					M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Class I.—Professional	98	10	99	12	115	11	102	8	124	12
„ II.—Domestic	85	153	88	186	60	199	77	175	107	217
„ III.—Commercial	211	6	197	7	235	14	207	5	228	13
„ IV.—Transport and Communication	155	...	198	...	149	1	177	1	311	5
„ V.—Industrial	744	23	758	25	682	19	643	26	929	33
„ VI.—Agricultural, &c.	869	1	894	5	869	4	1,079	3	960	4
„ VII.—Indefinite	86	117	94	103	87	106	70	80	98	81
„ VIII.—Dependants	1,232	1,809	1,172	1,842	1,222	1,757	1,240	1,852	1,303	2,119
Totals	3,480	2,119	3,500	2,180	3,419	2,111	3,595	2,150	4,060	2,484
					5,599		5,680		5,530		5,745		6,544	

When the numbers of persons engaged in each industry as entered on the census schedules are tabulated, valuable deductions may be determined from the mortality statistics as to the healthfulness of given occupation. In the meantime the deaths only are available. Of the 6,544 persons who died last year, 964 were engaged in agriculture and 962 in industrial pursuits, 316 in transport and 241 in commercial undertakings.

Metropolitan Deaths and Death Rate.

The salubrity of the Brisbane climate will compare not unfavourably probably with any city of like size in the world, as consideration of the following figures in conjunction with the explanation now offered will be readily shown:—

					R b.		
					Estimated Mean Population.	Total Deaths.	Rate per 1,000.
City of Brisbane	40,254	833	*20·69
City of South Brisbane	30,874	421	13·64
Suburbs	71,300	475	6·66
Brisbane Metropolitan Area (Ten-mile Radius)	142,428	1,729	12·14
State	614,352	6,544	10·65

* The General and Children's Hospitals are in the City of Brisbane.

The death rate for Greater Brisbane last year was only 12.14 per 1,000 of the population against 10.65 for the whole State. This is very satisfactory when the following facts are considered:—Deaths in public institutions such as hospitals, etc., the inmates of which are drawn from all over the State, contributed more than one-third of all deaths. The population includes a considerably larger proportion of young children than the average for the whole State. Many sick persons from outside are moved to the homes of relatives in the city for facility of nursing and medical attendance. A large number of private hospitals also draw many of their patients from beyond the city limits. When all these facts are given due weight, one can only be surprised at the smallness of the death rate.

The very low rate obtaining in the suburbs is, of course, explained by the removal often *in extremis* of sick persons to one of the institutions in the centre of the city.

Deaths in Public Institutions in Brisbane.

It has already been said that deaths in public institutions within the metropolitan area comprised one-third of all the deaths recorded within such boundary.

R c.												
	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.		
										Males.	Females.	Persons.
Brisbane Hospital ...	305	284	261	300	257	320	293	329	350	200	119	319
Lady Bowen Hospital ...	17	20	19	7	10	14	16	17	27	8	12	20
Children's Hospital ...	59	103	69	82	84	109	107	146	108	89	74	163
Brisbane Plague Hospital	8	5	3	5	3	11	1
Salvation Army Home*	14	14	9	16	5	4	9
Hosptl. for Chronic Diseases	22	41	38	58	43	48	73	61	79	43	24	67
Lady Lamington Hospital	2	1	2	3	...	1	...	2	3	...	2	2
Infants' Asylum††	18	2	2	9	30
Immigration Depôt	1	1
Lunatic Reception House	1	1
Brisbane Gaol ...	1	3	...	2	2	3	1	2	2	1	...	1
Magdalen Asylum	10	4	12	21	11	5	13	10	5	7	12
Brisbane Suspect Hospital	4	5
Industrial Home	3	2	3	...	1	1
Blind Asylum*	1
Nudgee Orphanage**	1	1	3	...	1	1
St. Mary's Home**	1	1
Women's Shelter§	1
Female Refuge†	1
Totals ...	419	491	399	474	429	562	513	584	602	351	244	595

* Appearing for the first time in 1907. † Appearing for the first time in 1910. ** Appearing for the first time in 1908.
†† Transferred to Sandgate. § Appearing for the first time in 1909.

The actual number of deaths in these was 595, and this proportion was 34.4 per cent. of the total.

The following statement contains interesting particulars respecting the working of some of the larger general hospitals, situated in the metropolis and other important centres:—

S.

Where Situated.	Number of In-patients.	Number of In-patient Days.	Cost of Administration and Management for In-patients.	Cost of each In-patient per Day.	HOSPITAL STAFF.							
					PAID.						HONORARY.	
					Medical.		Nursing.		Other.		Medical.	
					M.	F.	M.	F.	M.	F.	M.	F.
Brisbane ...	4,981	105,119	£ 19,031	s. d. 3 7½	5	1	3	79	38	31	20	...
Children's ...	1,676	50,005	5,618	2 3	2	41	3	19	10	1
Bundaberg ...	565	10,889	2,135	3 11	1	...	1	9	1	3	4	...
Charters Towers ...	966	25,240	4,842	3 10	2	...	2	14	4	7	1	...
Ipswich ...	950	21,647	3,493	3 23¼	1	14	5	7	10	...
Mackay ...	1,211	18,615	4,230	4 6½	1	...	2	16	2	6	3	...
Maryborough ...	582	10,598	2,466	4 7¼	1	9	3	7	5	...
Mount Morgan ...	717	12,400	3,920	6 3½	1	...	2	12	3	6	1	...
Rockhampton ...	909	17,872	3,690	4 1½	1	...	3	13	4	6	4	...
Toowoomba ...	1,177	26,697	6,112	4 7	1	25	7	14	6	...
Townsville ...	1,183	27,309	5,887	4 3½	1	...	3	20	5	8	5	...
Warwick ...	557	9,271	2,125	4 7	1	9	2	4	5	...

Some of the figures in the above table appear hard to reconcile. If the cost for each in-patient was only 3s. 7½d. per diem in Brisbane, why should so large a sum as 6s. 3½d. be required at Mount Morgan for similar service?

Causes of Death.

The scheme of classification adopted by this Bureau is "The Bertillon," as revised and adopted from time to time by the Conference of the International Institute of Statistics. This is the system now generally recognised, and thus the mortality statistics of all countries where it is in use are easily comparable one with the other.

A skeleton summary of this scheme with the figures for Queensland for five years tabulated therein is below :—

T.

TABLE comparing the PERCENTAGE which the several CAUSES of DEATHS bear to the TOTAL DEATHS in each YEAR.—RETURN for the FIVE YEARS.

Classes.	1907.	1908.	1909.	1910.	1911.
Class I.—General Diseases	29·24	25·56	23·74	25·54	25·72
„ II.—Diseases of Nervous System and Organs of Special Sense	9·52	10·40	10·15	9·35	8·60
„ III.—Diseases of Circulatory System	11·32	13·52	12·69	13·66	14·20
„ IV.—Diseases of Respiratory System	9·27	8·19	9·57	8·36	9·66
„ V.—Diseases of Digestive System	12·48	14·23	14·20	11·61	11·98
„ VI.—Diseases of Genito-Urinary System and Adnexa	5·18	6·13	5·50	6·20	5·72
„ VII.—Puerperal Condition	1·36	1·28	1·52	1·46	1·36
„ VIII.—Diseases of Skin and of the Cellular Tissue	0·50	0·67	0·94	0·80	0·60
„ IX.—Diseases of the Organs of Locomotion	0·32	0·10	0·16	0·17	0·12
„ X.—Malformations	1·27	1·20	1·30	1·46	1·40
„ XI.—Infancy	6·02	5·28	6·31	6·23	5·72
„ XII.—Old Age	3·75	3·70	4·36	4·96	4·26
„ XIII.—Violence	8·98	9·05	9·02	10·13	10·45
„ XIV.—Ill-defined Diseases	0·79	0·69	0·54	0·07	0·21
TOTAL	100·00	100·00	100·00	100·00	100·00

Thus 26 per cent. of all deaths last year were attributed to general diseases; 14 per cent. were charged specifically to complaints of the circulatory system; 12 per cent. to diseases of the digestive system; and 10 per cent. to violence. This latter was the greatest number so recorded for any year of the last five.

In Appendix Table No. XIII. all the diseases which were the cause of any death last year are tabulated in the order of their degree of fatality.

The following table is a summary of a portion of the table for a period of years, giving particulars respecting a few of the more fatal diseases. Other tables later in the Appendix give a variety of information respecting the causes of mortality; and material from these will be used in some of my subsequent marks:—

Ta.

RETURN for FIVE YEARS showing the NUMBER of DEATHS from some of the PRINCIPAL CAUSES in ORDER of DEGREE of FATALITY in 1911, also their PROPORTION per 10,000 of the TOTAL DEATHS and per 100,000 of the MEAN POPULATION, respectively, for each YEAR 1907-1911.

Most Common Cause of Death.	1907.			1908.			1909.			1910.			1911.		
	No. of Deaths.	Proportion per 10,000 Total Deaths.	Proportion per 100,000 Mean Population.	No. of Deaths.	Proportion per 10,000 Total Deaths.	Proportion per 100,000 Mean Population.	No. of Deaths.	Proportion per 10,000 Total Deaths.	Proportion per 100,000 Mean Population.	No. of Deaths.	Proportion per 10,000 Total Deaths.	Proportion per 100,000 Mean Population.	No. of Deaths.	Proportion per 10,000 Total Deaths.	Proportion per 100,000 Mean Population.
Organic Diseases of the Heart	468	836	86	593	1,044	107	518	937	91	589	1,025	99	709	1,083	115
Diarrhoea and Enteritis (under and over two years)	415	741	77	515	907	93	482	872	84	382	665	65	463	708	75
Tuberculosis (all parts) ...	395	705	73	400	704	72	387	700	68	350	609	59	414	633	67
Cancer (all kinds)	353	630	65	337	593	61	341	617	60	395	688	67	398	608	65
Congenital Debility, Icterus and Scleroma	303	541	56	269	474	48	307	555	54	309	538	52	318	486	52
Senile Debility	210	375	39	210	370	38	241	436	42	285	496	48	279	426	45
Bright's Disease	193	345	36	222	391	40	186	336	33	218	379	37	232	355	38
Pneumonia	220	393	41	215	379	39	233	421	41	149	259	25	229	350	37
Drowning (accident) ...	75	134	14	102	180	18	91	165	16	118	205	20	212	324	35
Hæmorrhage of Brain, Apoplexy	165	295	30	158	278	28	168	304	29	187	326	32	187	286	30
Bronchitis, Acute and Chronic	130	232	24	113	199	20	133	241	23	141	245	24	181	277	29
Disease of Arteries, Aneurism, Atheroma, &c.	65	116	12	55	97	10	76	137	13	107	186	18	97	148	16
Typhoid Fever	84	150	16	108	190	19	88	159	15	96	167	16	95	145	15
Congenital Malformations (exclusive of stillborn)	71	127	13	68	120	12	72	130	13	84	146	14	92	141	15
Diphtheria	54	96	10	26	46	5	49	89	9	66	115	11	87	133	14
Dengue	18	32	3	9	16	2	6	11	1	19	33	3	85	130	14
Total Deaths each Year from all Causes	5,599	5,680	5,530	5,745	6,544
Mean Population each Year	...	541,204	555,171	571,044	592,201	614,352	...

Organic Disease of the Heart.—Whatever the reason, there is no doubt that heart disease as a fatal complaint is increasing in frequency; 709 deaths were attributed to this cause last year, against 589 in 1910, 518 in 1909, 593 in 1908, and 468 in 1907. Heart diseases exceeded the next most fatal disease by 246, comprised nearly 11 per cent. of all deaths, and contributed a death rate of 1.15 per 1,000 of the mean population.

Diarrhœa and Enteritis.—There were 463 persons of all ages who succumbed to these complaints in 1911, although, of course, by far the greatest number consisted of young children; this was equal to 7 per cent. of all deaths, and contributed a death rate of 0.75.

Tuberculosis (All Parts).—Although tuberculosis is a general disease, its attacks are chiefly directed to the respiratory system. Phthisis (pulmonary tuberculosis) was for many years the most fatal of all diseases, and now this complaint, plus tuberculosis of all parts of the body, only stands third on the list of degree of fatality, evidencing a diminution in the frequency and virulence of this still, nevertheless, very terrible complaint. There were 414 deaths returned as due to tuberculosis in 1911, which was somewhat in excess of the numbers for quite recent years. Further particulars respecting tuberculosis are furnished in the following tables:—

Tb.

DEATHS FROM PHTHISIS AND TUBERCULOSIS OF THE PULMONARY AND LARYNGEAL ORGANS.
RETURN showing BIRTHPLACES and DURATION OF RESIDENCE in QUEENSLAND of PERSONS who DIED
from the above CAUSES, 1907-1911.

Birthplaces.			Duration of Residence in Queensland.										Total.	
			Under 6 Months.	6-12 Months.	1-2 Years.	2-3 Years.	3-4 Years.	4-5 Years.	5-10 Years.	10-15 Years.	15-20 Years.	20 Years and Up.		Unspecified.
1907	Australian States and New Zealand		2	2	2	2	1	1	3	3	10	104	3	133
	Pacific Islands	1	2	5	1	10	1	20
	Elsewhere		1	2	4	...	2	2	8	10	22	134	15	200
	Totals		3	4	6	2	3	4	13	18	33	248	19	353
1908	Australian States and New Zealand		2	1	1	1	12	131	2	150
	Pacific Islands	1	...	9	1	11
	Elsewhere		2	2	5	2	...	1	6	9	10	138	13	188
	Totals		2	2	7	3	...	1	7	11	22	278	16	349
1909	Australian States and New Zealand		2	2	1	...	1	6	13	124	...	149
	Pacific Islands	1	11	...	12
	Elsewhere		1	3	2	7	1	2	10	5	12	125	12	180
	Totals		3	5	2	7	2	2	11	11	26	260	12	341
1910	Australian States and New Zealand		1	...	2	2	1	1	10	114	1	132
	Pacific Islands	2	6	2	10
	Elsewhere		7	2	3	4	1	3	11	7	1	112	15	166
	Totals		8	2	5	6	1	3	12	8	13	232	18	308
1911	Australian States and New Zealand		1	1	...	1	...	1	1	...	11	134	...	150
	Pacific Islands	10	2	12
	Elsewhere		4	4	7	5	2	2	6	9	3	137	25	204
	Totals		5	5	7	6	2	3	7	9	14	281	27	366

T c.

DEATHS FROM TUBERCULAR DISEASES (OTHER THAN TUBERCULOSIS OF PULMONARY AND LARYNGEAL ORGANS).

RETURN showing BIRTHPLACES and DURATION OF RESIDENCE OF PERSONS who DIED from the above CAUSES, 1907-1911.

Birthplaces.		Duration of Residence in Queensland.											Total.
		Under 6 Months.	6-12 Months.	1-2 Years.	2-3 Years.	3-4 Years.	4-5 Years.	5-10 Years.	10-15 Years.	15-20 Years.	20 Years and Up.	Unspecified.	
1907	Australian States and New Zealand	6	3	4	1	...	1	...	4	1	4	...	24
	Pacific Islands	1	2	...	1	...	4
	Elsewhere	1	2	10	1	14
	Totals...	6	3	4	1	...	1	1	7	3	15	1	42
1908	Australian States and New Zealand	7	1	6	4	1	1	4	4	4	7	...	39
	Pacific Islands	2	...	2
	Elsewhere	1	9	...	10
	Totals...	7	1	6	4	1	1	5	4	4	18	...	51
1909	Australian States and New Zealand	6	7	2	3	1	...	2	3	4	7	...	35
	Pacific Islands	3	...	3
	Elsewhere	1	1	6	...	8
	Totals	6	7	3	3	1	...	3	3	4	16	...	46
1910	Australian States and New Zealand	4	3	6	1	2	1	2	2	3	9	...	33
	Pacific Islands	1	...	1
	Elsewhere	...	1	1	6	...	8
	Totals...	4	4	6	1	2	2	2	2	3	16	...	42
1911	Australian States and New Zealand	2	5	4	...	2	1	4	3	2	12	...	35
	Pacific Islands	2	...	2
	Elsewhere	1	1	1	1	1	6	...	11
	Totals...	3	6	4	...	2	1	5	4	3	20	...	48

Of the 414 deaths from this cause, 366 related to the respiratory system (pulmonary and laryngeal organs).

No less than 17 of the 366 deaths tabulated in Table Tb had a residence in the State of less than two years, 10 of them were of less than one year and 5 of less than six months' residence. Of the 17, no less than 15 were born elsewhere than in Australia. These facts point to the conclusion that persons not desirable on the score of health have been recently arriving in this State. It is satisfactory to note that, whilst some two-thirds of the total population are native-born Australians, these only contributed 150 deaths, less than one-third of the total deaths due to tuberculosis of the respiratory organs; 12 of the deaths were of Pacific Islanders, a race peculiarly prone to attack, and with whom it speedily proves fatal.

Table Tc deals with cases of tuberculosis of other organs. These numbered 48, comprising 35 native-born Australians and a considerable proportion of persons of short duration of residence in Queensland. This, of course, is explained by the fact that the seat of attack next to the lungs of most frequent occurrence is the digestive system; and young children, as large consumers of cows' milk, are those most frequently attacked, and these have necessarily only resided a short time in Australia.

Of the 398 deaths, 242 were of males and 156 of females, so that it is much more prevalent with the former than with the latter; indeed, except for attacks on the generative and mammary organs—for which special reasons are patent—it is not with females, comparatively speaking, a frequent cause of death.

With males the organ most frequently affected is the stomach. Last year 69 cases—including 10 of the pylorus—were thus locally ascribed, besides 7 cases in which the stomach was implicated with other organs. Other parts of the body peculiarly liable to be affected are—The liver, of which there were 27 cases, 15 males and 12 females, besides others in which the liver was implicated along with other organs; the tongue, 12 cases, all males. Cancer of the tongue is considered by many to be frequently induced by smoking. As already observed, the generative and mammary organs are most frequently the seat of attack with females. Cancer of the former either alone or implicated was returned as fatal in 31 cases, and of the latter there were 24 instances. Whilst, as already stated, there were 69 cases of deaths of males from cancer of the stomach, there were only 17 similar instances amongst females.

Congenital Debility, Icterus, and Scleroma.—The diseases of infancy are grouped together in the Bertillon classification, and were returned as causing 318 deaths in 1911. This was more than in any year of the preceding five. Besides the 318 deaths thus returned, there were 146 deaths from other diseases which affect the very young which may not unreasonably be included in the assertion that 464 infants were born non-viable. This fact of itself is grave enough, and would justify careful and systematic investigation as to the causes which produce such results, but an even more important side to the issue is the question: How many but little more physically fit than these infants, who it may perhaps be said fortunately did not survive, just succeeded in doing so in some instances to subsequently succumb after much suffering, in others to arrive at maturity incapable of producing healthy children, but unbarred from passing on all the misery and suffering they themselves have inherited to generations yet unborn?

Senile Debility.—There were 279 deaths thus certified. This is hardly a definite cause, but no doubt in many instances of extreme age it would hardly be possible even were a medical man in constant and close attendance prior to death to ascribe any other but something more definite suggests itself as practicable in deaths of persons not greatly beyond middle age. Thus 2 cases were so returned between 50 and 55, 3 between 55 and 60, 11 between 60 and 65, and no less than 31 between 65 and 70. Of the deaths, therefore, returned as due to senile decay, 47 of the parties had not attained to the three score and ten years which we are told are “the days of a man,” leaving 232 to whose cause of death the term might seem less inaptly applied.

Bearing on this question of the death of old people, there were 732 persons who attained the age of 75 years—parenthetically it may be remarked that there were 447 deaths of persons 70 to 75; for 563, or 77 per cent., of these a definite cause of death was assigned, leaving only 169 to the indefinite term “senile debility.” Further particulars as to the specific cause and to the year of age at death are furnished in the following table:—

Te.

CAUSES OF DEATH—OLD PERSONS 75 YEARS OF AGE AND UPWARDS.

[illegible]

General diseases, frequently of an epidemic character, but which for the most part are not fatal to children (not infants) or to young or middle-aged adults, figure to a considerable extent as causing the death of the old; thus 26 deaths were ascribed to influenza, 24 to diarrhœa, etc.; and 15 to dengue. The circulatory system, however, stood easily first as the part that failed to sustain the burden of life. Organic heart disease caused 130 deaths; hemorrhage of brain and apoplexy, 38; disease of arteries, etc., 23; embolism, etc., 9. The respiratory system next proved unequal to the demand—Bronchitis, 67; pneumonia, 32; asthma, 9; congestion of the lungs, 8; whilst cancer, Bright's disease, and other complaints of the urinary system were also frequent contributors to the mortality.

Of the 732 who attained their 75th year, but little more than half had survived to another five years of age; whilst only 43 had reached their 90th year. Two of these were centenarians, both of them women; one died in her 101st and the other in her 102nd year.

T f.

	Males.	Females.	Persons.
75 to 80	235	121	356
80 to 85	128	90	218
85 to 90	60	55	115
90 to 95	15	21	36
95 to 100	2	3	5
100 and upwards	2	2
	440	292	732

Bright's disease (chronic) was returned last year as causing 232 deaths, besides which 45 deaths also resulted from acute nephritis. This disease (Bright's) is now much more frequently returned as a cause of death than was formerly the case, whether entirely due to increased frequency or partly to change of diagnosis is doubtful. At one time Bright's disease was largely considered a disease almost peculiar to the middle age; now it is recorded in relation to all ages of life. The mean age may still, however, be described as advanced middle life—1901, 47.54 years; 1906, 50.54 years; and 1911, 47.42 years; the constances of the mean age being brought about by an extension of the field of both earlier and later years of life.

Pneumonia.—Where this disease is a sequel of some other specific complaint, the originating cause is charged with the death and not the resultant hypostatic pneumonia. There were 229 deaths returned to pneumonia last year, a great increase on the figures of 1910, but approximately in accord with the experience of other recent years. The numbers for the past years were—1907, 220; 1908, 215; 1909, 233; 1910, 149; and 1911, 229.

Drowning (Accident).—This, the most fatal of accidents, contributed no less than 212 cases to the death roll last year; the loss of the ill-fated "Yongala" being the largest contributor to this sad result.

Other causes, resulting in a number of deaths exceeding 100, were—Hemorrhage of brain, 187; and bronchitis, 181.

MARINE REGISTRATIONS.

Births and deaths on a ship voyaging to Queensland are by special statutory authority reported at the first port of call, and particulars forwarded for record in the General Registry Office in Brisbane. There were 2 births (both males) and 17 deaths—7 males and 10 females so registered last year. The births took place—1 on the "Ripplingham Grange," and 1 on the "Torilla." Particulars of the 17 deaths were as follow—"Meana," 1 female; "Orsova," 2 males; "Oswestry Grange," 1 female; "Remutaka," 1 female; "Ripplingham Grange," 1 male; "Torilla," 2 males, 4 females; "Wyreema," 1 male; "Shinyomaru," 1 male; "Osterley," 1 female; and the "Perthshire," 2 females.

ADDITIONS TO REGISTERS.

There were 2,424 more names recorded in the registers in 1911 than in 1910; such registrations numbering in the former 33,892, and in the latter year 31,468. The number on record on the 31st December, 1911, was 990,691 names, or less than 10,000 short of 1,000,000; therefore, this figure must have been more than reached at the present period of the current year.

REGISTRY OFFICE.

Receipts and Payments to District Registrars.

The collections by district registrars for 1911 amounted to £1,159 9s. 9d.; of this, £540 9s. were collected in the metropolitan office. These figures represented increases over the receipts for 1910 of £50 8s. 3d. and £32 19s. 6d. respectively. The following statement gives the amounts for 1910 and 1911 for each district of importance:—

U.

RETURN showing the AMOUNTS received by the DISTRICT REGISTRARS in the STATE during the Years 1910 and 1911 respectively, and paid into the GENERAL REVENUE.

District Registrars at—	1910.	1911.	District Registrars at—	1910.	1911.
	£ s. d.	£ s. d.		£ s. d.	£ s. d.
Brisbane	507 9 6	540 9 0	Mount Morgan	6 6 0	9 5 0
Bundaberg	23 2 0	22 3 0	Red Hill	37 10 0	34 10 6
Cairns	16 9 6	14 6 0	Rockhampton	60 11 0	63 14 6
Charters Towers	37 13 6	36 12 0	Thursday Island	5 11 6	8 11 0
Dalby	7 17 6	15 12 0	Toowoomba	47 0 0	58 15 0
Gympie	26 11 0	25 4 0	Townsville	52 6 6	56 19 0
Herberton	10 1 6	9 16 0	Warwick	19 7 6	19 7 6
Ipswich	49 6 0	50 12 6	Total all other Districts ...	134 13 6	128 13 6
Mackay	22 2 6	20 7 6			
Maryborough	46 2 6	44 11 9	Total	£ 1,109 1 6	1,159 9 9

Ten years ago (1901) the collections were for the State £724 13s. 7d., and for Brisbane £297 3s. 9d.; so that the figures for 1911 represent increases of—State, 46; and Brisbane 82 per cent. each respectively.

Legislation in recent years has thrown a large amount of additional work upon the registry office, all of which is done gratuitously. The most of this—consisting of the making of searches and the issuing of certified copies for electoral (State and Federal), old age pensions, shop and factories, foreign consuls, etc., etc.—devolves upon the general registry office. If fees were collected for this work, I believe that a further sum of £300 would be added to the collections.

The amount paid to district registrars for their services for each of the past two years was as follows:—

U a.

RETURN showing the AMOUNT of SALARY or FEES PAID to DISTRICT REGISTRARS of the STATE during the Years 1910 and 1911 respectively.

Districts.	1910.	1911.	Districts.	1910.	1911.
	£ s. d.	£ s. d.		£ s. d.	£ s. d.
Caboolture	65 0 0	61 10 0	Oxley	58 13 0	60 6 0
Cardwell	Rockhampton	*170 0 0	*180 0 0
Enoggera and Toowong ...	166 5 0	171 12 6	Toowoomba	*46 3 11	*80 0 0
Fassifern	22 16 0	35 8 0	Total all other Districts ...	99 7 6	86 12 6
Ipswich	*135 5 5	*180 0 0			
Kennedy	*65 7 6	*80 0 0	Total	£ 1,018 18 4	1,135 9 0
Maryborough	*190 0 0	*200 0 0			

* Paid by salary.

THORNHILL WEEDON, F.S.S.,

Government Statistician.

Bureau of Statistics, Brisbane, 13th September, 1912.

GENERAL SCHEME OF CLASSIFICATION OF CAUSES OF DEATH.

CLASS I.—General Diseases.

1. Typhoid Fever.
2. Typhus.
3. Recurrent Fever.
4. Intermittent Fever.
- 4a. Malarial Cachexia.
5. Small-pox.
6. Measles.
7. Scarlet Fever.
8. Whooping Cough.
9. Diphtheria.
- 9a. Croup.
10. Influenza.
11. Miliary Fever.
12. Asiatic Cholera.
13. Cholera Nostras.
14. Dysentery.
- 14a. Epidemic Dysentery.
15. Plague.
16. Yellow Fever.
17. Leprosy.
18. Erysipelas.
19. Other Epidemic Diseases.
- 19a. Dengue.
20. Purulent Infection and Septicæmia.
21. Glanders and Farcy.
22. Malignant Pustule and "Charbon."
23. Rabies.
24. Tetanus.
25. Trichinosis, etc.
26. Pellagra.
27. Beri Beri.
28. Tuberculosis of the Lungs.
29. Tuberculosis, Acute Miliary.
30. Tuberculosis of the Meninges.
31. Tuberculosis, Abdominal, etc.
32. Pott's Disease.
33. White Swellings.
34. Tuberculosis of other Organs.
35. General Tuberculosis.
36. Rachitis.
37. Syphilis.
38. Gonococcc Dis.
39. Cancer, etc., of the Mouth.
40. Cancer, etc., of the Stomach and Liver.
41. Cancer, etc., Peritonæum, Intestines, etc.
42. Cancer, etc., of the Female Genital Organs.
43. Cancer, etc., of the Breast.
44. Cancer, etc., of the Skin.
45. Cancer, etc., of other Organs.
46. Other Tumours (excl. F. Genital Organs).
47. Acute Articular Rheumatism.
48. Chronic Rheumatism and Gout.
49. Scurvy.
50. Diabetes.
51. Exophthalmic Goitre.
52. Addison's Disease.
53. Leucæmia.
54. Anæmia, Chlorosis.
- 54a. Filaria.
55. Other General Diseases.
56. Acute and Chronic Alcoholism.
57. Lead Poisoning.
58. Other Chr. Poisonings due to Occupations.
59. Other Chronic Poisonings.

CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense.

60. Encephalitis.
61. Simple Meningitis.
- 61a. Epidemic Cerebro-spinal Meningitis.
62. Progressive Locomotor Ataxia.
63. Other Diseases of the Spinal Cord.
64. Hæmorrhage of Brain, Apoplexy.
65. Softening of the Brain.
66. Paralysis without indicated cause.
67. General Paralysis.
68. Other Forms of Mental Alienation.
69. Epilepsy.
70. Eclampsia (non-puerperal).
71. Convulsions of Children under five.
72. Chorea.
73. Hysteria, Neuralgia, Neuritis.
74. Other Diseases of the Nervous System.
75. Diseases of the Eyes and Appendages.
76. Diseases of the Ear.

CLASS III.—Diseases of the Circulatory System.

77. Pericarditis.
78. Acute Endocarditis.
79. Organic Diseases of the Heart.
80. Angina Pectoris.
81. Dis. of Arteries, Atheroma, Aneurism, etc.
82. Embolism and Thrombosis.
83. Dis. of Veins (Varices, Varicose Ulcers, etc.)
84. Diseases of the Lymphatic System.
85. Hæmorrhage.

CLASS IV.—Diseases of the Respiratory System.

86. Diseases of the Nasal Fossæ.
87. Diseases of the Larynx.
88. Diseases of the Thyroid Body.
89. Acute Bronchitis.
90. Chronic Bronchitis.
91. Broncho-pneumonia.
92. Pneumonia.
93. Pleurisy.
94. Congestion of Lungs and Pul. Apoplexy.
95. Gangrene of the Lungs.
96. Asthma.
97. Pulmonary Emphysema.
- 97a. Miners' Phthisis.
98. Other Diseases of the Respiratory System.

CLASS V.—Diseases of the Digestive System.

99. Dis. of Mouth and associated organs.
100. Diseases of the Pharynx.
101. Diseases of the Œsophagus.
102. Ulcer of the Stomach.
103. Other Dis. of Stomach (Cancer excluded).
104. Diarrhœa and Enteritis (under two years).
105. Diarrhœa and Enteritis (over two years).
106. Ankylostomiasis.
107. Intestinal Parasites.
- 107a. Sprue.
108. Appendicitis.
109. Hernia, Intestinal Obstruction.
110. Other Diseases of the Intestines.
111. Icterus Gravis.
112. Hydatid Tumours of the Liver.
113. Cirrhosis of the Liver.
114. Biliary Calculi.
115. Other Diseases of the Liver.
116. Diseases of the Spleen.
117. Simple Peritonitis (non-puerperal).
118. Other Diseases of the Digestive System.

CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.

119. Acute Nephritis.
120. Bright's Disease.
121. Chyluria.
122. Other Diseases of Kidney and Adnexa.
123. Calculi of Urinary System.
124. Diseases of the Bladder.
125. Other Dis. Urethra, Urinary Abscess, etc.
126. Diseases of the Prostate.
127. Non-venereal Dis. of Male Genital Organs.
128. Uterine Hæmorrhage (non-puerperal).
129. Uterine Tumour (non-cancerous).
130. Metritis and Other Diseases of the Uterus.
131. Cysts and other Ovarian Tumours.
132. Other Dis. of Female Genital Organs.
133. Non-puer. Dis. of Breast (Cancer except.)

CLASS VII.—Puerperal Condition.

134. Accidents of Pregnancy.
135. Puerperal Hæmorrhage.
136. Other Accidents of Childbirth.
137. Puerperal Septicæmia.
138. Puerperal Albuminuria and Eclampsia.
139. Puerperal Phlegmasia Alba Dolens.
140. Other Puerperal Accidents, Sudden Death.
141. Puerperal Diseases of the Breast.

CLASS VIII.—Diseases of the Skin and of the Cellular Tissue.

142. Gangrene.
143. Carbuncle.
144. Phlegmon, Acute Abscess.
145. Other Diseases of the Skin and Adnexa.

CLASS IX.—Diseases of the Organs of Locomotion.

146. Non-tuberculous Diseases of the Bones.
147. Arthritis and other Dis. of Joints.
148. Amputation.
149. Other Dis. of Organs of Locomotion.

CLASS X.—Malformations.

150. Congenital Malfor. (excl. of Stillborn).

CLASS XI.—Infancy.

151. Congenital Debility, Icterus, and Scleroma.
152. Other Dis. Pec. to Infancy (un. 3 mths).
153. Want of Care (Infants).

CLASS XII.—Old Age.

154. Senile Debility.

CLASS XIII.—Violence.

155. Suicide by Poison.
156. Suicide by Asphyxia.
157. Suicide by Hanging or Strangulation.
158. Suicide by Drowning.
159. Suicide by Firearms.
160. Suicide by Cutting Instruments.
161. Suicide by Precipitation from a Height.
162. Suicide by Crushing.
163. Other Suicides.
164. Poison by Food.
165. Vene. Creatures and other Acute Poisons.
166. Incendiarism.
167. Burns.
168. Noxious Gases.
169. Drowning.
170. Firearms.
171. Cuts and Stabs.
172. Falls.
173. Mines and Quarries.
174. Machinery.
175. Vehicles.
- 175a. Railway and Tramways.
176. Animals.
177. Starvation.
178. Cold.
179. Sunstroke.
180. Lightning.
181. Other Electric.
- 181a. Timber Felling, Logging, etc.
182. Murder by Firearms.
183. Murder by Cuts.
184. Murder, Other.
185. Fractures, etc.
186. Other Violence.

CLASS XIV. Ill-defined Diseases.

187. Organic Lesion (not Defined).
188. Sudden Death.
189. Unspecified or Ill-defined Causes of Death.

INDEX TO TABLES.

Head.	Particulars given in Table.	Table.	Page.
APPENDIX A.			
Population	Synoptical Table from 1856	1
Population	Estimated for 1910 and 1911, Estimated Mean for the year	I.	3
Births	Number Registered during each Quarter	II.	3
Metropolitan Area ...	Mean Population, Births, Deaths, and Marriages for Ten years ...	III.	3
Marriages	Number Registered during each Quarter	IV.	4
"	Number Registered, showing the Denominations	V.	5
"	Showing the Birthplace or Race of the Persons Married	VI.	6
"	" various Ages of the Persons Married	VII.	7
Deaths in the State	Showing the Number Registered during each Month of the Year in Age Groups	VIII.	9
"	" Number Registered during each Month of the Year according to Districts	IX.	10
"	" Number of Children, Male and Female, under Five years ...	X.	11
"	" Birthplace, &c., of Persons whose Deaths were Registered ...	XI.	12
"	" Occupations of Persons whose Deaths were Registered ...	XII.	13
"	" Causes of Deaths, arranged in order of Degree of Fatality ...	XIII.	14 to 15
"	" Causes of Deaths of Males at different periods of life, Registered during the year	XIV.	16 to 18
"	" Causes of Deaths of Females at different periods of life, Registered during the year	XV.	19 to 21
"	" Causes of Deaths of Persons at different periods of life, Registered during the year	XVI.	22 to 24
"	" Causes of Deaths, Males and Females, Number Registered each Month	XVII.	25 to 27
"	" Causes of Deaths of Males, Females, and Persons in the several Groups of Registry Districts	XVIII.	28 to 33
Deaths in Brisbane ...	" Causes of Deaths, Males, at different periods of life, Registered within Metropolitan Area	XIX.	34 to 36
"	" Causes of Deaths, Females, at different periods of life, Registered within Metropolitan Area	XX.	37 to 39
"	" Causes of Deaths, Persons, at different periods of life, Registered within Metropolitan Area	XXI.	40 to 42
"	" Causes of Deaths, Males and Females, Registered during each Month of the Year, within Metropolitan Area ...	XXII.	43 to 45
APPENDIX B.			
	District Registrars, List of, for 1911...	46
APPENDIX C.			
Census of Queensland	Showing the Population of Cities, Towns, and Shires, as returned at Census of 1911	I.	46 to 47
"	" Ages of the Population, as returned at Census of 1911 ...	II.	48
"	" Birth places of the Population of Queensland, as returned at Census of 1911	III.	48
"	" Religions of the Population of Queensland, as returned at Census of 1911	IV.	49

APPENDIX TO GOVERNMENT STATISTICIAN'S REPORT ON THE VITAL STATISTICS OF QUEENSLAND FOR THE YEAR 1911.

APPENDIX A.

SYNOPTICAL TABLE.

SYNOPSIS of the VITAL STATISTICS of QUEENSLAND from the Year 1856 to 1911 inclusive.

YEAR.	POPULATION ON THE 31st DECEMBER OF EACH YEAR, ITS INCREASE NUMERICAL AND CENTESIMAL, AND PROPORTION OF THE SEXES.										MEAN POPULATION OF EACH YEAR, ITS NUMERICAL AND CENTESIMAL INCREASE.										IMMIGRATION AND EMIGRATION.													
	POPULATION ON THE 31st DECEMBER.			NUMERICAL INCREASE OR DECREASE IN POPULATION OF 31st DECEMBER.			CENTESIMAL RATIO OF INCREASE OR DECREASE IN POPULATION OF 31st DECEMBER.			Proportion of Females to each 100 Males in total Population of each year.	ADDITIONS TO POPULATION OF 31st DECEMBER OF EACH YEAR, ARISING FROM EXCESS OF BIRTHS OVER DEATHS.			Centesimal Increase to Population of each year from Excess of Births over Deaths.	MEAN POPULATION OF EACH YEAR.			NUMERICAL INCREASE OR DECREASE IN MEAN POPULATION OF EACH YEAR.			CENTESIMAL RATIO OF INCREASE OR DECREASE IN MEAN POPULATION OF EACH YEAR.			Proportion of Females to each 100 Males in mean Population of each year.	ARRIVALS BY SEA AND OVERLAND BY RAILWAY DURING EACH YEAR AS RECORDED.			DEPARTURES BY SEA AND OVERLAND BY RAILWAY DURING EACH YEAR AS RECORDED.						
	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.		Males.	Females.	Persons.		Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.		Males.	Females.	Persons.	Males.	Females.	Persons.				
1856...	11,254	7,290	18,544	1,208	900	2,108	10.73	12.34	11.37	65.72	181	276	457	2.47	11,858	7,740	19,598	1,011	869	1,880	8.53	11.23	9.59	65.27
1857...	12,462	8,190	20,652	1,308	939	2,247	10.73	12.34	11.37	65.72	181	276	457	2.47	12,869	8,609	21,478	1,011	869	1,880	8.53	11.23	9.59	65.27
1858...	13,276	9,029	22,305	1,414	1,000	2,414	10.73	12.34	11.37	65.72	181	276	457	2.47	13,565	9,347	22,912	1,011	869	1,880	8.53	11.23	9.59	65.27
1859...	13,554	9,666	23,220	1,458	1,054	2,512	10.73	12.34	11.37	65.72	181	276	457	2.47	13,814	9,581	23,395	1,011	869	1,880	8.53	11.23	9.59	65.27
1860...	14,117	10,000	24,117	1,514	1,114	2,628	10.73	12.34	11.37	65.72	181	276	457	2.47	14,535	10,453	24,988	1,011	869	1,880	8.53	11.23	9.59	65.27
1861...	14,811	10,666	25,477	1,584	1,184	2,768	10.73	12.34	11.37	65.72	181	276	457	2.47	15,235	11,153	26,388	1,011	869	1,880	8.53	11.23	9.59	65.27
1862...	15,511	11,366	26,877	1,654	1,254	2,908	10.73	12.34	11.37	65.72	181	276	457	2.47	16,035	11,953	27,988	1,011	869	1,880	8.53	11.23	9.59	65.27
1863...	16,211	12,066	28,277	1,724	1,324	3,048	10.73	12.34	11.37	65.72	181	276	457	2.47	16,855	12,753	29,608	1,011	869	1,880	8.53	11.23	9.59	65.27
1864...	16,911	12,766	29,677	1,794	1,394	3,188	10.73	12.34	11.37	65.72	181	276	457	2.47	17,675	13,553	31,228	1,011	869	1,880	8.53	11.23	9.59	65.27
1865...	17,611	13,466	31,077	1,864	1,464	3,328	10.73	12.34	11.37	65.72	181	276	457	2.47	18,495	14,353	32,848	1,011	869	1,880	8.53	11.23	9.59	65.27
1866...	18,311	14,166	32,477	1,934	1,534	3,468	10.73	12.34	11.37	65.72	181	276	457	2.47	19,315	15,153	34,468	1,011	869	1,880	8.53	11.23	9.59	65.27
1867...	19,011	14,866	33,877	2,004	1,604	3,608	10.73	12.34	11.37	65.72	181	276	457	2.47	20,135	15,953	36,088	1,011	869	1,880	8.53	11.23	9.59	65.27
1868...	19,711	15,566	35,277	2,074	1,674	3,748	10.73	12.34	11.37	65.72	181	276	457	2.47	20,955	16,753	37,708	1,011	869	1,880	8.53	11.23	9.59	65.27
1869...	20,411	16,266	36,677	2,144	1,744	3,888	10.73	12.34	11.37	65.72	181	276	457	2.47	21,775	17,553	39,328	1,011	869	1,880	8.53	11.23	9.59	65.27
1870...	21,111	16,966	38,077	2,214	1,814	4,028	10.73	12.34	11.37	65.72	181	276	457	2.47	22,595	18,353	40,948	1,011	869	1,880	8.53	11.23	9.59	65.27
1871...	21,811	17,666	39,477	2,284	1,884	4,168	10.73	12.34	11.37	65.72	181	276	457	2.47	23,415	19,153	42,568	1,011	869	1,880	8.53	11.23	9.59	65.27
1872...	22,511	18,366	40,877	2,354	1,954	4,308	10.73	12.34	11.37	65.72	181	276	457	2.47	24,235	20,053	44,288	1,011	869	1,880	8.53	11.23	9.59	65.27
1873...	23,211	19,066	42,277	2,424	2,024	4,448	10.73	12.34	11.37	65.72	181	276	457	2.47	25,055	20,853	45,908	1,011	869	1,880	8.53	11.23	9.59	65.27
1874...	23,911	19,766	43,677	2,494	2,094	4,588	10.73	12.34	11.37	65.72	181	276	457	2.47	25,875	21,653	47,528	1,011	869	1,880	8.53	11.23	9.59	65.27
1875...	24,611	20,466	45,077	2,564	2,164	4,728	10.73	12.34	11.37	65.72	181	276	457	2.47	26,695	22,453	49,148	1,011	869	1,880	8.53	11.23	9.59	65.27
1876...	25,311	21,166	46,477	2,634	2,234	4,868	10.73	12.34	11.37	65.72	181	276	457	2.47	27,515	23,253	50,768	1,011	869	1,880	8.53	11.23	9.59	65.27
1877...	26,011	21,866	47,877	2,704	2,304	5,008	10.73	12.34	11.37	65.72	181	276	457	2.47	28,335	24,053	52,388	1,011	869	1,880	8.53	11.23	9.59	65.27
1878...	26,711	22,566	49,277	2,774	2,374	5,148	10.73	12.34	11.37	65.72	181	276	457	2.47	29,155	24,853	54,008	1,011	869	1,880	8.53	11.23	9.59	65.27
1879...	27,411	23,266	50,677	2,844	2,444	5,288	10.73	12.34	11.37	65.72	181	276	457	2.47	30,075	25,653	55,728	1,011	869	1,880	8.53	11.23	9.59	65.27
1880...	28,111	23,966	52,077	2,914	2,514	5,428	10.73	12.34	11.37	65.72	181	276	457	2.47	30,895	26,453	57,348	1,011	869	1,880	8.53	11.23	9.59	65.27
1881...	28,811	24,666	53,477	2,984	2,584	5,568	10.73	12.34	11.37	65.72	181	276	457	2.47	31,715	27,253	58,968	1,011	869	1,880	8.53	11.23	9.59	65.27				

Table No. I.

SHOWING the ESTIMATED POPULATION on 31st December, 1910; the NUMBER of BIRTHS, MARRIAGES, and DEATHS REGISTERED in Queensland during the YEAR 1911; the ESTIMATED POPULATION, and the ESTIMATED MEAN POPULATION of the STATE for the YEAR 1911.

Estimated Population on 31st December, 1910.			Births Registered in 1911.			Marriages Registered in 1911.	Deaths Registered in 1911.			Estimated Population on 31st December, 1911.			Estimated Mean Population, 1911.		
Males.	Females.	Persons.	Males.	Females.	Persons.		Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
325,806	273,325	599,131	8,707	8,284	16,991	5,169	1,06	2,484	6,544	337,955	294,174	622,129	334,542	279,810	614,352

Table No. II.

SHOWING the NUMBER of BIRTHS REGISTERED in each REGISTRY DISTRICT in each QUARTER of the YEAR 1911.

REGISTRY DISTRICT.	FIRST QUARTER.		SECOND QUARTER.		THIRD QUARTER.		FOURTH QUARTER.		TOTALS.		
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Persons.
Aramac	17	26	24	20	29	18	26	27	96	91	187
Balonne	7	6	3	10	5	2	8	5	23	23	46
Blackall	23	19	22	18	21	19	22	16	91	72	163
Bowen	10	10	17	16	10	13	19	16	56	55	111
Brisbane	410	340	355	366	399	408	380	364	1,544	1,478	3,022
Bundaberg	60	50	64	70	68	84	65	60	257	264	521
Burke	1	2	3	...	2	3	11	1	17	6	23
Burnett	34	35	33	31	32	41	36	39	140	146	286
Caboolture	34	28	30	45	46	28	39	37	149	138	287
Cairns	48	52	44	62	53	48	33	60	178	222	400
Cardwell	14	16	12	22	21	21	14	14	61	73	134
Charleville	24	11	19	23	15	19	22	27	80	80	160
Clermont	17	18	13	8	12	5	14	9	56	40	95
Cloncurry	6	4	10	15	14	5	5	5	35	29	64
Cook	8	7	15	15	10	8	4	4	37	34	71
Croydon	12	9	4	6	8	7	12	8	36	30	66
Cunnamulla	9	6	6	6	7	10	10	10	32	32	64
Dalby	48	36	49	33	46	48	50	50	193	167	360
Darling Downs West	13	7	14	10	12	11	13	10	52	38	90
Enoggera	90	83	91	86	84	86	82	75	347	330	677
Etheridge	9	10	5	7	10	12	10	10	34	39	73
Fassifern	34	21	25	21	26	27	31	37	116	106	222
Gladstone	24	19	22	20	23	24	20	24	89	87	176
Gympie	61	41	66	50	55	63	79	49	261	203	464
Herberton	51	34	53	51	36	52	53	42	193	179	372
Hughenden	5	3	10	6	12	7	5	7	32	23	55
Ipswich	170	131	168	142	160	167	163	156	661	596	1,257
Kennedy	87	90	85	72	69	85	63	70	304	317	621
Logan	41	48	35	41	42	37	37	36	155	162	317
Mackay	65	50	57	54	58	47	50	49	230	200	430
Maranoa	34	35	46	41	47	47	54	57	181	180	361
Marathon	9	2	18	10	8	10	10	5	45	27	72
Maryborough	92	91	83	61	74	96	79	88	328	336	664
Mount Morgan	47	58	45	62	54	45	44	48	190	213	403
Nanango	20	25	39	21	28	32	38	32	125	110	235
Oxley	26	25	24	19	25	24	20	24	95	92	187
Palmer	1	2	2	4	1	2	...	2	4	10	14
Rockhampton	110	121	125	132	128	110	121	90	484	453	937
Somerset	3	2	9	5	7	3	4	4	23	14	37
Springsure... ..	10	13	9	13	11	7	11	12	41	45	86
Stanley	18	18	14	16	26	19	18	14	76	67	143
Stanthorpe	8	8	11	17	11	17	19	12	49	54	103
St. Lawrence	3	1	4	3	1	1	8	5	13
Tiaro	1	2	1	5	3	1	2	2	7	10	17
Toowong	40	24	25	29	49	20	32	28	146	101	247
Toowoomba	158	170	190	154	176	192	186	176	710	692	1,402
Townsville	74	55	72	54	64	68	42	50	252	227	479
Warrego	2	3	4	...	3	2	6	...	15	5	20
Warwick	102	91	89	89	97	98	85	105	373	383	756
TOTAL EACH SEX	2,193	1,958	2,165	2,058	2,201	2,201	2,148	2,067	8,707	8,284	...
TOTAL PERSONS	4,151		4,223		4,402		4,215		...		16,991

Table No. III.

RETURN showing ESTIMATED and MEAN POPULATION, BIRTHS, DEATHS, and MARRIAGES in the METROPOLITAN AREA for TEN YEARS.

Year.	POPULATION.		BIRTHS.			DEATHS.			Number of Marriages.	Deaths under 1 year.	Birth Rate per 1,000 Mean Population.	Death Rate per 1,000 Mean Population.	Deaths under 1 year to total Births, showing True Infant Mortality.
	Estimated 31st Dec.	Mean.	M.	F.	P.	M.	F.	P.		Persons.			
1902 ...	122,815	121,122	1,836	1,675	3,511	896	712	1,608	1,033	440	28.99	13.28	12.53
1903 ...	124,463	123,639	1,625	1,565	3,190	876	734	1,610	897	438	25.80	13.02	13.73
1904 ...	125,672	125,068	1,670	1,631	3,301	768	665	1,433	844	372	26.39	11.46	11.27
1905 ...	129,736	127,704	1,683	1,591	3,274	864	686	1,550	840	326	25.64	12.14	9.96
1906 ...	132,468	131,102	1,701	1,510	3,211	740	571	1,311	1,073	283	24.49	10.00	8.81
1907 ...	135,655	134,062	1,697	1,598	3,295	883	735	1,618	1,132	394	24.58	12.07	11.96
1908 ...	137,670	136,662	1,836	1,575	3,411	777	620	1,397	1,208	246	24.96	10.22	7.21
1909 ...	143,077	140,374	1,780	1,731	3,511	847	674	1,521	1,435	325	25.01	10.84	9.26
1910 ...	141,342	142,210	1,903	1,847	3,750	902	690	1,592	1,494	314	26.37	11.19	8.37
1911 ...	143,514	142,428	2,095	1,953	4,048	953	776	1,729	1,710	327	28.42	12.14	8.08

Table No. IV.

SHOWING the NUMBER of MARRIAGES REGISTERED in each REGISTRY DISTRICT in each QUARTER of the YEAR 1911.

Registry District.					First Quarter.	Second Quarter.	Third Quarter.	Fourth Quarter.	Total.
Aramac	11	15	20	14	60
Balonne	4	1	...	3	8
Blackall	12	8	5	11	36
Bowen	6	12	12	10	40
Brisbane	334	349	375	369	1,427
Bundaberg	44	32	44	36	156
Burke	1	3	2	6
Burnett	14	16	13	20	63
Caboolture	18	18	18	15	69
Cairns	32	32	27	33	124
Cardwell	9	9	6	8	32
Charleville	14	9	16	12	51
Clermont	8	10	6	5	29
Cloncurry	5	6	4	12	27
Cook	9	4	11	8	32
Croydon	3	1	4	3	11
Cunnamulla	2	8	2	...	12
Dalby	16	20	24	20	80
Darling Downs West	8	7	4	4	23
Enoggera	40	43	55	52	190
Etheridge	3	5	4	4	16
Fassifern	15	13	16	16	60
Gladstone	6	6	7	10	29
Gympie	40	24	30	42	136
Herberton	24	20	20	14	78
Hughenden	7	6	10	7	30
Ipswich	63	84	75	72	294
Kennedy	43	49	48	52	192
Logan	10	21	13	13	57
Mackay	45	32	28	36	141
Maranoa	20	20	24	16	80
Marathon	11	7	...	2	20
Maryborough	48	56	40	56	200
Mount Morgan	20	18	22	27	87
Nanango	4	5	12	9	30
Oxley	9	13	19	12	53
Palmer	5	2	...	2	9
Rockhampton	62	83	69	61	275
Somerset	3	1	7	4	15
Springsure	6	6	4	6	22
Stanley	4	4	4	3	15
Stanthorpe	8	1	5	14
St. Lawrence	1	1	2
Tiaro	1	4	9	2	16
Toowong	8	15	8	16	47
Toowoomba	96	100	88	88	372
Townsville	62	42	60	56	220
Warrego	1	...	5	1	7
Warwick	47	45	52	32	176
TOTALS	1,253	1,290	1,324	1,302	5,169

MARRIAGES.

Table No. V.

SHOWING the NUMBER of MARRIAGES of each DENOMINATION REGISTERED in each REGISTRY DISTRICT during the Year 1911.

Registry District.	Church of England.	Roman Catholic Church.	Methodist.	Presbyterian.	Baptist.	Lutheran.	Congregational.	Salvation Army.	Other Christian Sects.	Hebrew.	By Registrar and Justices Marrying Act.	Total.
Aramac ...	18	17	11	9	1	4	60
Balonne ...	3	1	4	8
Blackall ...	8	14	10	3	1	36
Bowen ...	16	9	...	13	2	40
Brisbane ...	329	314	211	154	65	39	34	7	191	5	78	1,427
Bundaberg ...	46	17	34	49	...	7	...	1	1	...	1	156
Burke ...	2	1	3	6
Burnett ...	11	13	34	3	2	63
Caboolture ...	21	4	26	12	...	3	1	1	1	69
Cairns ...	50	27	23	18	6	124
Cardwell ...	15	10	5	2	32
Charleville ...	27	15	...	6	3	51
Clermont ...	11	5	12	1	29
Cloneuray ...	11	8	...	5	3	27
Cook ...	7	16	7	2	32
Croydon ...	4	2	3	2	11
Cunnamulla ...	3	2	6	1	12
Dalby ...	33	22	2	15	...	1	1	6	80
Darling Downs West	10	5	...	7	1	23
Enoggera ...	61	...	45	15	37	...	6	1	6	...	19	190
Etheridge ...	11	1	4	16
Fassifern ...	8	4	15	2	4	19	4	1	3	60
Gladstone ...	5	7	2	11	2	...	2	29
Gympie ...	18	29	58	17	5	...	8	1	136
Herberton ...	19	23	21	14	1	78
Hughenden ...	7	13	...	8	1	1	30
Ipswich ...	37	51	72	18	13	32	52	...	15	...	4	294
Kennedy ...	55	35	56	25	14	7	192
Logan ...	13	10	16	3	1	10	3	1	57
Mackay ...	67	33	10	26	...	1	...	1	3	141
Maranoa ...	34	23	13	5	2	...	3	80
Marathon ...	7	2	9	2	20
Maryborough ...	43	27	61	35	8	16	6	1	1	...	2	200
Mount Morgan	11	20	29	22	2	3	87
Nanango ...	10	6	1	8	...	1	...	2	1	...	1	30
Oxley ...	15	...	10	14	7	...	3	...	3	...	1	53
Palmer ...	3	1	...	5	9
Rockhampton	71	62	23	54	56	...	4	3	2	275
Somerset ...	10	2	1	...	1	...	1	15
Springsure ...	13	5	2	2	22
Stanley ...	10	...	2	1	2	15
Stanthorpe ...	6	3	3	2	14
St. Lawrence	2	2
Tiaro ...	5	...	5	6	16
Toowong ...	16	...	11	10	2	...	2	...	6	47
Toowoomba	125	86	48	42	13	31	13	4	1	1	8	372
Townsville ...	80	45	25	42	28	220
Warrego ...	2	2	3	7
Warwick ...	61	51	26	35	2	1	176
TOTALS ...	1,448	1,042	947	712	227	160	138	34	235	6	220	5,169

Table No. VI.
SHOWING the BIRTHPLACE or RACE of HUSBANDS and WIVES MARRIED during the YEAR 1911.

BIRTHPLACE OR RACE OF HUSBANDS.										BIRTHPLACE OR RACE OF WIVES.																														
										BIRTHPLACE.										RACE.					BIRTHPLACE.					Total Husbands.										
										AUSTRALIAN STATES.						UNITED KINGDOM.				EUROPE.						AMERICA.		India.	China.		Japan.	Other Countries in Asia.	Pacific Islands.	Other British Possessions.	Aboriginal Natives.	Other Countries.	At Sea.	Unspecified.		
										Queensland.	New South Wales.	Victoria.	South Australia.	Western Australia.	Tasmania.	New Zealand.	England and Wales.	Scotland.	Ireland.	Germany.	Norway.	Sweden.	Denmark.	Italy.	British Possessions in Europe.	Other Countries in Europe.	British America.												United States.	British Africa.
Australian States	Queensland ...	2574	138	36	5	3	2	8	161	56	43	12	2	1	3	...	3	...	5	2	5	8	1	6	...	3,074								
	New South Wales ...	333	109	16	3	1	3	4	34	14	10	1	1	1	1	1	...	532									
	Victoria ...	143	28	27	1	16	6	7	1	1	1	1	1	...	230									
	South Australia ...	48	1	1	3	7	2	...	2	1	...	65									
	Western Australia								
New Zealand	Tasmania ...	17	3	3	1	1								
	...	20	3	3	1	1	1	26								
United Kingdom	England and Wales ...	355	40	15	1	3	175	29	30	4	2	...	2	...	1	...	1	1	29								
	Scotland ...	76	8	5	1	1	27	40	5	1	659								
	Ireland ...	77	3	1	2	1	14	9	25	1	163								
	Germany ...	60	6	2	1	...	5	2	1	10	132								
Europe ...	Norway ...	3	1	87								
	Sweden ...	6	3	1	2	1	1	4								
	Denmark ...	11	1	1	3	1	1	1	...	1	3	14									
	Italy	1	23								
	British Possessions in Europe	1	2								
America	Other Countries in Europe ...	7	2	1	8	...	1	2	9	1								
	30								
British Africa	British America ...	3	1	2	1	1	8								
	United States ...	9	2	1	1	2	15								
Race ...	India ...	2	1	1	7								
	China ...	5	1	...	1	4								
	Japan ...	2	1	1	1	9								
	Other Countries in Asia ...	5	2	1	7								
	Pacific Islands ...	9	1	2	11								
Other British Possessions	...	7	1	1	...	1	7	17								
	Other Countries ...	1	1	10								
At Sea	...	6	1	1	2								
	Unspecified	8								
TOTAL WIVES ...										3782	355	112	18	4	7	17	461	166	133	33	2	3	10	...	2	12	1	6	3	...	2	1	2	...	5	20	4	8	...	5,169

This Table may be read thus:—Following the first line horizontally across the table, it appears that 3,074 men, natives of Queensland, were married during the year, of whom 2,574 were married to Queensland women, 138 to women natives of New South Wales, 36 to natives of Victoria, and so on. Following the first column downwards, it appears that 3,782 women, natives of Queensland, were married, of whom 2,574 were married to men natives of the State, 333 to natives of New South Wales, 143 to Victorians, 48 to natives of South Australia, and so on.

SHOWING the AGES of HUSBANDS and WIVES MARRIED in QUEENSLAND during the YEAR 1911.

4

Table No. VIII.

NUMBER of DEATHS of PERSONS of both SEXES REGISTERED during each MONTH of the YEAR ended 31st DECEMBER, 1911, distinguishing AGES at DEATH.

Age Groups.								January.		February.		March.		April.		May.		June.		July.		August.		September.		October.		November.		December.		Total for the Year.				
								Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.
Under 1 month	33	12	31	17	23	20	16	19	31	22	22	15	24	24	30	21	25	18	26	19	12	9	35	18	308	214	522		
1 month and under 2 months	5	4	4	...	2	6	4	3	3	6	4	2	4	2	4	2	5	...	6	3	...	6	4	3	45	37	82		
2 months	...	3	2	5	2	3	4	1	4	7	5	5	6	3	2	4	1	5	5	7	8	5	4	6	43	51	94		
3 "	...	6	9	6	12	4	4	7	7	5	3	5	8	4	7	3	9	2	6	5	13	8	11	16	15	10	104	75	179		
6 "	...	12	11	17	11	8	13	5	4	7	4	4	4	9	4	5	6	4	12	8	19	12	12	17	22	17	122	113	235		
Total under 12 months								60	44	60	32	46	39	35	41	46	42	44	33	41	38	50	34	53	31	64	49	43	53	80	54	622	490	1,112		
1 year and under 2 years	13	10	7	5	5	4	6	8	2	14	4	3	4	6	4	6	5	5	11	7	11	11	18	15	90	94	184		
2 years	...	3	4	2	4	5	3	3	3	4	8	4	5	6	4	4	7	6	5	4	6	9	7	3	6	7	62	57	119		
3 "	...	4	6	3	1	1	5	2	4	1	7	4	1	6	2	4	1	2	4	...	3	3	1	2	4	2	39	30	69		
4 "	...	5	1	2	1	2	...	3	2	3	3	3	2	1	3	3	3	4	3	4	2	4	...	1	4	4	24	34	58		
Total under 5 years								84	61	73	45	59	51	50	57	66	67	56	49	54	55	65	52	70	44	86	72	62	70	112	82	837	705	1,542		
5 years and under 10 years								7	6	3	5	8	5	8	8	7	10	12	8	2	7	7	2	3	4	8	8	10	7	8	9	8	9	83	79	162
10 "	...	15	7	4	7	...	2	1	2	9	7	6	4	5	3	1	4	6	3	5	6	4	6	3	4	6	55	50	105		
15 "	...	20	8	6	8	5	9	4	2	7	16	9	4	7	11	5	8	5	8	7	13	9	7	7	10	10	104	81	185		
20 "	...	25	3	9	18	10	15	14	23	8	24	11	13	5	12	7	12	15	15	9	13	9	17	7	18	9	183	113	296		
25 "	...	30	15	8	11	8	11	6	11	9	35	15	14	5	13	4	11	18	12	7	12	6	8	9	16	15	169	110	279		
30 "	...	35	13	8	18	4	11	9	8	8	23	13	7	9	12	4	11	7	10	10	4	10	7	17	7	150	90	240			
35 "	...	40	11	11	9	8	14	8	10	9	25	12	16	12	15	6	15	13	10	7	11	8	16	10	13	10	165	114	279		
40 "	...	45	19	10	19	5	10	6	14	10	23	16	17	6	19	9	20	11	22	8	20	12	10	9	20	9	213	111	324		
45 "	...	50	16	6	20	9	31	10	19	5	22	8	26	9	21	8	30	11	15	11	20	9	14	11	25	8	259	105	364		
50 "	...	55	30	8	24	11	17	2	25	6	36	3	21	5	32	10	23	13	20	12	21	15	26	8	18	12	293	105	398		
55 "	...	60	30	7	15	8	20	3	13	7	24	9	25	9	15	12	18	1	28	5	20	7	17	14	23	10	248	110	358		
60 "	...	65	21	7	15	9	18	12	15	4	26	10	17	13	15	11	19	19	18	8	23	4	26	6	20	13	233	116	349		
65 "	...	70	28	6	13	4	22	14	27	6	31	11	27	15	28	11	43	13	38	15	20	17	23	20	22	9	322	141	463		
70 "	...	75	32	13	17	10	28	11	23	11	29	11	22	8	24	21	27	14	28	25	17	12	18	13	23	10	288	159	447		
75 "	...	80	19	7	16	8	19	12	15	10	19	11	22	8	22	10	24	14	21	13	20	14	23	7	15	7	235	121	356		
80 "	...	85	4	8	7	7	9	3	9	1	8	16	17	6	13	9	13	9	15	9	10	7	14	4	9	11	128	90	218		
85 "	...	90	5	5	3	1	...	3	4	3	5	4	3	7	7	3	8	9	7	5	7	2	4	3	7	10	60	55	115		
90 "	...	95	1	...	1	1	2	...	2	1	3	1	...	4	1	5	...	3	1	...	4	4	...	2	15	21	36		
95 "	...	upwards	1	1	...	1	1	1	1	...	1	2	5	7		
Age not stated	4	1	8	1	2	3	1	1	18	3	21			
Total over 5 years								273	129	224	112	245	124	231	122	370	177	270	138	264	143	296	206	276	165	252	147	254	149	268	167	3,223	1,779	5,002		
Total all Ages, Male and Female								357	190	297	157	304	175	281	179	436	244	326	187	318	198	361	258	346	209	338	219	316	219	380	249	4,060	2,484	6,544		
Total Deaths of Persons each month								547		456		479		460		680		513		516		619		555		557		535		629		6,544				
Percentage to total number of Deaths for the year								8.35		6.96		7.32		7.03		10.39		7.84		7.88		9.46		8.48		8.51		8.17		9.61						
								Males.		Females.		Persons.		Males.		Females.		Persons.		Males.		Females.		Persons.		Males.		Females.		Persons.						
Total Deaths each quarter								958		522		1,480		1,043		610		1,653		1,025		665		1,690		1,034		687		1,721						

DEATHS.

Table o. IX.

SHOWING the NUMBER of DEATHS REGISTERED in QUEENSLAND in each MONTH of the YEAR 1911.

DISTRICT.	JANUARY.		FEBRUARY.		MARCH.		APRIL.		MAY.		JUNE.		JULY.		AUGUST.		SEPTEMBER.		OCTOBER.		NOVEMBER.		DECEMBER.		TOTALS.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Males.	Females.	Persons.	
Aramac ...	2	1	5	1	4	1	6	3	5	2	6	3	6	1	11	3	2	2	9	1	6	2	10	1	72	21	93	
Balonne ...	1	2	2	...	1	1	1	1	1	...	4	1	2	...	3	1	2	1	1	...	2	1	20	8	28	
Blackall ...	3	2	6	1	1	2	3	3	2	1	3	2	2	2	6	1	2	1	1	...	5	...	9	2	43	17	60	
Bowen ...	3	4	1	3	2	2	1	1	5	1	3	2	1	4	...	1	3	3	3	1	4	2	8	2	34	26	60	
Brisbane ...	85	45	53	44	68	46	78	45	80	56	67	50	95	57	102	71	84	51	80	70	80	65	82	64	954	664	1,618	
Bundaberg ...	10	6	5	6	7	1	7	11	11	6	7	3	9	3	16	6	12	4	5	6	6	4	9	9	104	65	169	
Burke	2	1	1	...	1	...	1	...	1	...	1	3	2	...	2	1	11	4	15	
Burnett ...	9	5	5	2	1	4	1	2	1	5	2	1	2	...	2	5	4	2	8	6	3	4	3	4	41	40	81	
Caboolture ...	3	2	5	...	2	1	...	2	8	4	2	...	1	3	3	2	2	3	2	...	3	2	3	3	34	22	56	
Cairns ...	9	5	15	5	13	3	7	3	14	3	4	4	8	7	10	12	4	6	9	5	10	3	2	5	105	61	166	
Cardwell ...	7	1	1	2	1	2	2	...	2	1	1	1	3	...	1	...	1	1	1	1	4	...	24	9	33	
Charleville ...	6	...	4	1	3	4	2	1	7	3	3	...	2	1	3	1	4	3	7	2	6	1	5	1	52	18	70	
Clermont ...	8	2	5	1	3	5	2	...	3	...	3	1	1	1	4	2	4	2	2	...	3	6	41	17	58	
Cloncurry ...	1	...	5	...	4	3	4	3	...	4	1	3	2	1	...	4	1	28	8	36		
Cook ...	3	...	4	1	6	1	1	3	2	...	1	4	1	3	3	1	1	1	2	1	2	1	26	16	42	
Croydon ...	1	1	1	2	5	1	5	...	3	2	3	1	1	...	2	1	4	...	2	...	1	1	23	9	37	
Cunnamulla ...	1	...	1	1	2	1	1	2	1	1	1	2	...	1	1	3	...	5	17	7	24	
Dalby ...	12	2	6	1	5	3	4	2	4	7	6	2	4	4	9	3	3	2	5	5	4	2	4	5	66	38	104	
Darling Downs West	4	...	2	...	1	1	2	...	1	1	3	...	1	1	1	...	1	5	1	17	8	25	
Enoggera ...	5	8	3	8	7	4	4	5	6	6	15	4	7	7	6	16	7	6	12	7	3	16	13	4	83	91	179	
Etheridge ...	3	3	...	1	1	6	2	2	...	1	1	2	1	3	2	1	1	2	1	5	1	29	10	39	
Fassifern ...	1	2	...	1	...	1	2	3	3	1	3	1	2	...	3	4	2	1	4	1	1	1	3	6	24	22	46	
Gladstone ...	1	2	3	2	3	1	1	1	2	1	1	3	3	3	3	2	3	2	7	...	3	3	1	4	31	24	55	
Gympie ...	10	4	7	3	6	4	7	4	8	6	3	6	12	7	6	4	5	4	3	7	10	8	6	4	83	61	144	
Herberton ...	10	1	8	2	8	1	7	2	10	3	11	5	9	2	8	3	4	1	12	1	8	...	8	3	103	24	127	
Hughenden ...	2	...	2	...	1	...	4	1	2	...	6	1	3	1	1	1	...	1	...	3	25	4	29	
Ipswich ...	8	11	14	7	27	18	13	12	21	20	17	12	16	8	20	18	23	26	12	12	21	24	23	17	215	185	400	
Kennedy ...	11	8	16	6	17	7	12	5	13	12	9	4	13	12	7	4	14	5	15	9	9	8	11	8	147	88	235	
Logan ...	1	2	1	2	3	4	1	5	2	1	4	4	4	5	4	2	4	...	5	1	4	3	3	1	36	30	66	
Mackay ...	11	10	9	3	14	7	10	5	6	4	12	7	7	2	5	6	15	5	7	6	8	4	14	6	118	65	183	
Maranoa ...	3	1	3	...	1	2	7	2	7	2	8	3	4	2	5	5	12	7	5	3	5	2	11	4	71	33	104	
Marathon ...	2	1	1	4	3	3	3	3	1	2	1	4	...	9	1	1	3	5	...	3	1	37	14	51	
Maryborough ...	9	11	13	2	9	4	10	4	15	6	9	7	4	9	10	10	9	8	9	9	17	9	6	4	120	83	203	
Mount Morgan ...	6	4	3	5	2	7	6	1	6	2	8	2	4	1	4	3	5	6	5	2	3	1	9	5	61	39	100	
Nanango ...	2	...	1	...	2	...	1	1	3	1	3	1	...	2	2	...	1	4	1	15	10	25	
Oxley ...	4	5	5	2	8	6	2	6	11	6	12	4	12	3	8	7	11	7	9	3	11	8	9	4	102	61	163	
Palmer	1	1	1	1	1	2	...	3	4	7	
Rockhampton ...	29	11	10	7	13	5	14	9	10	10	22	12	20	14	28	21	21	16	19	16	13	7	26	21	225	149	374	
Somerset ...	12	2	25	3	9	2	11	2	7	...	10	...	5	1	6	1	4	...	7	...	4	...	6	1	106	12	118	
Springsure ...	2	1	1	3	2	2	4	...	1	2	...	2	4	1	1	...	16	10	26	
Stanley ...	2	3	1	1	4	1	...	1	2	...	1	...	2	...	2	1	...	2	3	...	2	...	17	11	28	
Stanthorpe ...	2	2	3	1	...	1	...	3	2	1	...	3	...	1	1	1	16	5	21	
St. Lawrence	1	1	1	2
Tiaro	1	1	1	...	1	1	1	4	2	6	
Toowong ...	5	...	2	1	5	2	4	1	3	7	2	2	4	2	4	2	3	...	6	1	5	5	4	4	47	27	74	
Toowoomba ...	23	10	20	14	16	17	16	9	15	20	21	14	18	8	19	18	16	11	26	13	21	13	22	30	233	177	410	
Townsville ...	14	8	14	7	3	2	11	10	11	25	6	4	13	12	10	7	20	9	18	13	6	3	10	4	236	104	340	
Warrego ...	2	1	2	...	2	1	2	...	3	...	2	1	4	...	17	3	20	
Warwick ...	9	4	5	7	9	3	8	5	12	8	9	6	8	5	14	8	11	4	11	7	11	9	11	11	118	77	195	
TOTALS OF MONTHS ...	357	190	297	157	304	175	281	179	436	244	326	187	318	198	361	258	346	209	338	219	316	219	330	249	
TOTALS OF QUARTERS—	958		...		1,043		...		610		1,025		...		665		1,034		...		687		4,060	...	2,484	
Male		522		
Female	
TOTALS OF QUARTERS—	1,480		...		1,653			1,690			1,721		6,544	
Persons	

DEATHS.

Table No. X.

SHOWING the NUMBER of DEATHS of CHILDREN under FIVE YEARS of AGE REGISTERED during the YEAR 1911

REGISTRY DISTRICT.	UNDER ONE YEAR.		ONE AND UNDER TWO YEARS.		TWO YEARS AND UNDER FIVE YEARS.		TOTAL NUMBER OF DEATHS UNDER FIVE YEARS IN EACH DISTRICT.		
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Persons.
Aramac	6	6	1	3	7	9	16
Balonne	1	1	...	1	1	2	3
Blackall	10	5	1	...	11	5	16
Bowen	5	8	...	1	5	9	14
Brisbane	142	124	17	23	25	19	184	166	350
Bundaberg	19	15	2	3	2	1	23	19	42
Burke	2	3	1	...	3	3	6
Burnett	9	16	4	2	3	1	16	19	35
Caboolture	6	2	1	1	1	2	8	5	13
Cairns	14	20	1	2	7	3	22	25	47
Cardwell	1	4	1	1	2	5	7
Charleville	8	4	3	1	2	1	13	6	19
Clermont	6	5	...	2	2	...	8	7	15
Clonecurry	...	1	2	2	1	3
Cook	2	1	2	1	3
Croydon	1	1	1	1	2
Cunnamulla	3	...	1	...	1	4	5	4	9
Dalby	18	8	4	1	2	7	24	16	40
Darling Downs West	3	1	...	1	1	1	4	3	7
Enoggera	26	19	3	4	4	3	33	26	59
Etheridge	...	1	1	1	...	2	1	4	5
Fassifern	4	...	1	2	1	...	6	2	8
Gladstone	6	10	1	2	1	...	8	12	20
Gympie	12	7	1	4	3	2	16	13	29
Herberton	13	4	2	...	3	2	18	6	24
Hughenden	1	...	1	1	2	1	3
Ipswich	49	31	4	6	9	14	62	51	113
Kennedy	19	14	2	5	4	2	25	21	46
Logan	5	7	1	2	2	1	8	10	18
Mackay	8	13	6	4	9	8	23	25	48
Maranoa	11	5	1	1	...	5	12	11	23
Marathon	3	3	...	3	...	1	3	7	10
Maryborough	17	17	2	1	5	5	24	23	47
Mount Morgan	15	14	2	1	3	3	20	18	38
Nanango	2	6	4	...	6	6	12
Oxley	7	4	2	1	...	2	9	7	16
Palmer	...	1	1	1
Rockhampton	48	26	4	4	7	8	59	38	97
Somerset	2	1	2	1	1	3	5	5	10
Springsure	1	5	...	1	1	6	7
Stanley	6	3	...	1	6	4	10
Stanthorpe	4	4	...	4
St. Lawrence
Tiaro	1	1	...	1
Toowong	9	4	1	1	2	1	12	6	18
Toowoomba	51	33	14	7	8	3	73	43	116
Townsville	14	21	1	2	6	3	21	26	47
Warrego	2	...	2	2
Warwick	33	17	2	1	3	7	38	25	63
TOTALS	622	490	90	94	125	121	837	705	1,542

Table No. XIII.

CAUSES of DEATHS in QUEENSLAND during the YEAR 1911, arranged in ORDER of DEGREE of FATALITY.

Cause of Death.	Number of Deaths, Males and Females, Registered from each Cause.		Total Deaths from each Cause in 1911.	Total Deaths from each Cause in 1910.	Increase or — Decrease in 1911.
	Males.	Females.			
Organic Diseases of the Heart	455	254	709	589	120
Diarrhœa and Enteritis (under and over 2 years)	241	222	463	382	81
Tuberculosis (all parts)	253	161	414	350	64
Cancer (all parts)	242	156	398	395	3
Congenital Debility, Icterus, and Scleroma	179	139	318	309	9
Senile Debility	188	91	279	285	— 6
Bright's Disease	147	85	232	218	14
Pneumonia	149	80	229	149	80
Drowning (Accident)	180	32	212	118	94
Hæmorrhage of Brain, Apoplexy	112	75	187	187	...
Bronchitis (Acute and Chronic)	87	94	181	141	40
Diseases of Arteries, Atheroma, Aneurism, etc.	72	25	97	107	— 10
Typhoid Fever	64	31	95	96	— 1
Congenital Malformations (exclusive of Stillborn)	44	48	92	84	8
Diphtheria	48	39	87	66	21
Dengue	50	35	85	19	66
Convulsions of Children (under 5)	46	38	84	77	7
Broncho-pneumonia	48	34	82	50	32
Influenza	43	32	75	63	12
Dysentery	51	18	69	50	19
Simple Meningitis	42	24	66	69	— 3
Cirrhosis of Liver	37	21	58	42	16
Other Diseases Peculiar to Infancy (under 3 months)	37	19	56	49	7
Burns (Accident)	14	40	54	41	13
Whooping Cough	23	29	52	88	— 36
Falls (Accident)	40	11	51	45	6
Other Diseases of Stomach (Cancer excluded)	30	20	50	54	— 4
Paralysis without indicated cause	31	17	48	61	— 13
Acute Endocarditis	30	17	47	50	— 3
Vehicles (Accident)	41	6	47	39	8
Other Diseases of the Nervous System	31	14	45	30	15
Acute Nephritis	23	22	45	30	15
Animals (Accident)	39	4	43	53	— 10
Tetanus	27	14	41	32	9
Hernia, Intestinal Obstruction	25	16	41	40	1
Appendicitis	26	14	40	36	4
Measles	17	22	39	11	28
Other Violence (Accident)	33	5	38	14	24
Beri Beri	35	...	35	29	6
Embolism and Thrombosis	23	12	35	24	11
Anæmia, Chlorosis	13	21	34	31	3
Other Diseases of the Liver	18	16	34	22	12
Diabetes	13	20	33	33	...
Suicide by Firearms	31	2	33	28	5
Acute Articular Rheumatism	13	19	32	13	19
Epilepsy	19	13	32	25	7
Sunstroke (Accident)	23	9	32	25	7
Acute and Chronic Alcoholism	24	7	31	24	7
Asthma	21	9	30	49	— 19
Railways and Tramways (Accident)	27	2	29	32	— 3
Softening of the Brain	16	12	28	16	12
Diseases of the Bladder	25	3	28	32	— 4
Syphilis	17	9	26	30	— 4
Diseases of the Prostate	26	...	26	38	— 12
Other Diseases of the Respiratory System	20	4	24	4	20
Puerperal Septicæmia	24	24	22	2
Accidents of Pregnancy	22	22	18	4
Purulent Infection and Septicæmia	18	3	21	27	— 6
Pleurisy	16	5	21	21	...
Miners' Phthisis	21	...	21	15	6
Other Diseases of the Spinal Cord	10	10	20	21	— 1
Venomous Creatures and other Acute Poisons	19	1	20	8	12
Chronic Rheumatism and Gout	9	9	18	10	8
Simple Peritonitis (non-puerperal)	9	9	18	19	— 1
Congestion of Lungs and Pulmonary Apoplexy	10	7	17	28	— 11
Other Diseases of the Intestines	12	5	17	15	2
Suicide by Poison	14	3	17	36	— 19
General Paralysis	14	2	16	8	8
Suicide by Drowning	13	3	16	21	— 5
Mines and Quarries (Accident)	16	...	16	23	— 7
Ulcer of the Stomach	8	7	15	11	4
Diseases of the Larynx	7	7	14	14	...
Other Diseases of Kidneys and Adnexa	7	7	14	11	3
Malarial Cachexia	11	2	13	27	— 14
Other Forms of Mental Alienation	7	6	13	11	2
Angina Pectoris	8	5	13	5	8
Puerperal Albuminuria and Eclampsia	13	13	18	— 5

Table No. XIII.—continued.

CAUSES of DEATHS in QUEENSLAND during the YEAR 1911, arranged in ORDER of DEGREE of FATALITY—continued.

Cause of Death.	Number of Deaths, Males and Females, Registered from each Cause.		Total Deaths from each Cause in 1911.	Total Deaths from each Cause in 1910.	Increase or — Decrease in 1911.
	Males.	Females.			
Pericarditis	9	3	12	6	6
Puerperal Hæmorrhage	12	12	10	2
Other Accidents of Childbirth	12	12	12	...
Suicide by Hanging or Strangulation	8	4	12	10	2
Firearms (Accident)	11	1	12	14	— 2
Scarlet Fever	7	4	11	1	10
Other General Diseases	4	7	11	10	1
Biliary Calculi	2	9	11	14	— 3
Other Diseases of the Skin and Adnexa	4	7	11	21	— 10
Leucæmia	5	5	10	10	...
Progressive Locomotor Ataxia	7	3	10	13	— 3
Ankylostomiasis	6	4	10	3	7
Gangrene	8	2	10	15	— 5
Phlegmon, Acute Abscess	5	5	10	5	5
Timber Felling and Logging (Accident)	10	...	10	19	— 9
Unspecified or Ill-defined Causes of Death	10	...	10	4	6
Other Tumours (exclusive of Female Genital Organs)	5	4	9	5	4
Hæmorrhage	6	3	9	3	6
Suicide by Cutting Instruments	9	...	9	17	— 8
Carbuncle	5	3	8	5	3
Starvation (Accident)	7	1	8	14	— 6
Leprosy	6	1	7	10	— 3
Diseases of the Thyroid Body	2	5	7	2	5
Other Diseases of the Urethra, Urinary Abscess, etc.	7	...	7	3	4
Non-tuberculous Diseases of the Bones	5	2	7	7	...
Lead Poisoning	6	...	6	5	1
Diseases of Mouth and Associated Organs	2	4	6	6	...
Diseases of the Pharynx	1	5	6	5	1
Croup	1	4	5	5	...
Hysteria, Neuralgia, and Neuritis	4	1	5	6	— 1
Icterus Gravis	2	3	5	1	4
Calculi of Urinary System	4	1	5	9	— 4
Cysts and Other Ovarian Tumours	5	5	3	2
Other Suicides	5	...	5	1	4
Murder, Other... ..	4	1	5	7	— 2
Scurvy	1	3	4	2	2
Diseases of the Eyes and Appendages	3	1	4	...	4
Diseases of the Lymphatic System	1	3	4	...	4
Other Diseases of the Female Genital Organs	4	4	7	— 3
Other Puerperal Accidents, Sudden Death	4	4	3	1
Machinery (Accident)	4	...	4	4	...
Murder by Firearms	1	3	4	2	2
Rachitis	2	1	3	4	— 1
Gonococccic Disease	2	1	3	1	2
Addison's Disease	3	3	2	1
Filaria	2	1	3	4	— 1
Diseases of the Ear	1	2	3	7	— 4
Diseases of Veins (Varices, Varicose, Ulcers, etc.)	2	1	3	1	2
Gangrene of the Lungs	3	...	3	3	...
Pulmonary Emphysema	3	...	3	3	...
Diseases of the Spleen	2	1	3	2	1
Other Diseases of the Digestive System	1	2	3	7	— 4
Uterine Tumour (non-cancerous)	3	3	2	1
Lightning (Accident)... ..	3	...	3	2	1
Sudden Death	2	1	3	...	3
Erysipelas	2	2	9	— 7
Malignant Pustule and "Charbon"	2	...	2	...	2
Exophthalmic Goitre	2	2	4	— 2
Other Chronic Poisoning	2	...	2	1	1
Sprue	1	1	2	6	— 4
Hydatid Tumours of Liver	2	...	2	...	2
Uterine Hæmorrhage (non-puerperal)	2	2	...	2
Puerperal Phlegmasia Alba Dolens	2	2	1	1
Suicide by Precipitation from a Height	1	1	2	1	1
Intermittent Fever	1	...	1	...	1
Trichinosis, &c.	1	...	1	...	1
Encephalitis	1	1	2	— 1
Eclampsia (non-puerperal)	1	...	1	1	...
Chyluria	1	1	...	1
Metritis and Other Diseases of the Uterus	1	1	1	...
Non-puerperal Diseases of the Breast (Cancer excepted)	1	1	...	1
Arthritis and Other Diseases of Joints	1	1	3	— 2
Suicide by Crushing	1	...	1	2	— 1
Noxious Gases (Accident)	1	1	1	...
Organic Lesion not defined	1	1	...	1
Deaths from causes in 1910 not occurring in 1911	13	— 13
TOTAL	4,060	2,484	6,544	5,745	799

TABLE No. XIV.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in Queensland during the Year 1911.

[illegible]

TABLE No. XIV.—continued.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in Queensland during the Year 1911—continued.

CLASSES AND DISEASES.		Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.				
																								Males.	Females.	Persons.		
CLASS III.—Diseases of the Circulatory System.																												
77. Pericarditis	1	1	...	1	1	1	1	...	1	1	1	1	9	3	12		
78. Acute Endocarditis	...	1	...	1	2	...	1	4	3	1	2	...	2	5	4	3	1	1	1	30	17	47		
79. Organic Diseases of the Heart	...	1	1	2	4	1	5	7	11	9	17	33	31	53	48	36	47	68	79	4	455	254	709		
80. Angina Pectoris	2	1	1	1	8	5	13	
81. Dis. of Arteries, Atheroma, Aneurism, etc.	1	2	10	9	6	9	10	9	14	72	25	97		
82. Embolism and Thrombosis	3	...	1	3	2	3	1	3	1	6	...	23	12	35		
83. Dis. of Veins (Varices, Varicose Ulcers, etc.)	1	1	1	...	2	1	3		
84. Diseases of the Lymphatic System	1	2	...	1	1	1	1	3	4		
85. Hæmorrhage	1	1	1	6	3	9		
TOTAL CLASS III.	...	2	1	2	...	1	6	6	3	11	11	12	15	21	38	52	71	60	49	64	82	101	4	606	323	929		
CLASS IV.—Diseases of the Respiratory System.																												
86. Diseases of the Nasal Fossæ	7	
87. Diseases of the Larynx	...	2	3	1	1	...	7	1	2	7	14	
88. Diseases of the Thyroid Body	1	2	5	7	
89. Acute Bronchitis	...	9	1	3	3	...	16	1	1	...	1	3	3	3	28	33	61	
90. Chronic Bronchitis	2	1	5	2	4	11	8	26	59	61	120	
91. Broncho-pneumonia	...	17	4	1	22	1	1	2	2	1	3	2	3	3	3	2	48	34	82	
92. Pneumonia	...	18	2	7	1	3	31	2	3	3	7	6	9	14	7	6	17	8	7	9	13	149	80	229		
93. Pleurisy	...	1	1	3	1	1	1	2	1	...	1	1	3	1	16	5	21	
94. Congestion of Lungs and Pul. Apoplexy	...	1	1	2	1	1	1	1	1	1	10	7	17		
95. Gangrene of the Lungs	1	1	1	3	...	3		
96. Asthma	...	1	1	1	1	2	1	4	3	3	4	1	21	9	30		
97. Pulmonary Emphysema	1	1	3	...	3		
97a. Miner's Phthisis	4	5	5	4	...	1	2	21	...	21		
98. Other Diseases of the Respiratory System	2	2	1	2	4	2	4	...	1	2	...	20	4	24		
TOTAL CLASS IV.	...	49	11	12	5	3	80	5	3	6	13	8	11	19	19	22	36	21	23	31	33	56	1	387	245	632		
CLASS V.—Diseases of the Digestive System.																												
99. Dis. of Mouth and associated organs	...	1	1	1	2	4	6	
100. Diseases of the Pharynx	1	1	1	5	6	
101. Diseases of the Esophagus	1	...	2	1	...	2	1	8	7	15	
102. Ulcer of the Stomach	2	1	2	2	2	2	2	4	30	20	50	
103. Other Dis. of Stomach (Cancer excluded)	...	12	1	13	191	161	352	
104. Diarrhœa and Enteritis (under two years)	159	32	191	2	5	4	4	5	12	50	61	111	
105. Diarrhœa and Enteritis (over two years)	7	3	2	12	2	...	1	2	...	1	6	4	10	
106. Ankylostomiasis	2	1	3	2	1	
107. Intestinal Parasites...	
107a. Sprue	...	1	1	...	1	5	3	3	3	2	1	...	3	1	1	1	1	26	14	40	
108. Appendicitis	...	5	5	...	1	...	2	1	...	3	...	2	3	2	2	3	...	1	25	16	41	
109. Hernia, Intestinal Obstruction	...	1	1	...	1	...	3	...	1	2	2	12	5	17	
110. Other Diseases of the Intestines	1	2	1	2	3	5	
111. Icterus Gravis	
112. Hydatid Tumours of the Liver	2	2	7	5	5	4	2	4	1	5	...	37	21	58	
113. Cirrhosis of the Liver	1	1	2	9	11	
114. Biliary Calculi	1	1	...	1	...	1	...	2	3	2	2	5	18	16	34	
115. Other Diseases of the Liver	...	1	1	1	1	1	1	2	1	3	
116. Diseases of the Spleen	1	1	9	9	18	
117. Simple Peritonitis (non-puerperal)	...	2	2	1	...	1	1	1	1	1	1	1	2	3	
118. Other Diseases of the Digestive System	1	1	
TOTAL CLASS V.	...	182	35	7	6	3	233	5	6	8	9	6	9	11	15	15	14	17	18	20	10	29	...	425	359	784		
CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.																												
119. Acute Nephritis	...	2	1	3	5	1	...	1	2	...	1	3	2	2	...	2	...	1	23	22	45	
120. Bright's Disease	2	...	1	3	1	1	9	16	7	7	...	3	8	147	85	232	
121. Chyluria	7	1	1	
122. Other Dis. of Kidneys and Adnexa	1	...	2	1	4	1	5	
123. Calculi of Urinary System	1	1	1	3	8	7	5	25	3	28	
124. Diseases of the Bladder	1	1	1	1	2	1	1	7	...	7	
125. Other Dis. Urethra, Urin. Abscess, etc.	2	2	7	5	10	26	...	26	
126. Diseases of the Prostate	
127. Non-venereal Dis. of Male Genital Organs	2	2	2	
128. Uterine Hæmorrhage (non-puerperal)	3	3	3	
129. Uterine Tumour (non-cancerous)	1	1	1	
130. Metritis and other Diseases of the Uterus	5	5	5	
131. Cysts and other Ovarian Tumours	4	4	4	
132. Other Dis. of Female Genital Organs	1	1	1	
133. Non-puer. Dis. of Breast (Cancer excepted)	
TOTAL CLASS VI.	...	2	1	2	...	1	6	6	3	9	19	9	7	5	13	12	13	22	25	31	23	36	...	239	135	374		
CLASS VII.—Puerperal Condition.																												
134. Accidents of Pregnancy	22	22	22
135. Puerperal Hæmorrhage	12	12	12	
136. Other Accidents of Childbirth	12	12	12	
137. Puerperal Septicæmia	24	24	24	
138. Puerperal Albuminuria and Eclampsia	13	13	13	
139. Puerperal Phlegmasia Alba Dolens	2	2	2	
140. Other Puerperal Accidents, Sudden Death	4	4	4	
141. Puerperal Diseases of the Breast	
TOTAL CLASS VII.	89	89	89

TABLE No. XIV.—continued.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in Queensland, during the Year 1911—continued

CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.				
																							Males.	Females.	Persons.		
CLASS VIII.—Diseases of the Skin and of the Cellular Tissue.																											
142. Gangrene																1			1		6		8	2	10		
143. Carbuncle		1				1			1		1	1		1					2	1	1		5	3	8		
144. Phlegmon, Acute Abscess																			2				5	5	10		
145. Other Diseases of the Skin and Adnexa	1					1							1						2				4	7	11		
TOTAL CLASS VIII.	1	1				2			1		1	1	1	1		1			5	1	8		22	17	39		
CLASS IX.—Diseases of the Organs of Locomotion.																											
146. Non-tuberculous Diseases of the Bones				1		1				1	1							1	1				5	2	7		
147. Arthritis and other Dis. of Joints																							1	1	1		
148. Amputation																											
149. Other Dis. of Organs of Locomotion																											
TOTAL CLASS IX.				1		1				1	1							1	1				5	3	8		
CLASS X.—Malformations.																											
150. Congenital Malfor. (excl. of Still-born)	42	2				44																	44	48	92		
TOTAL CLASS X.	42	2				44																	44	48	92		
CLASS XI.—Infancy.																											
151. Congenital Debility, Icterus, and Scleroma	179					179																	179	139	318		
152. Other Dis. Pec. to Infancy (un. 3 mths.)	37					37																	37	19	56		
153. Want of Care (Infants)																											
TOTAL CLASS XI.	216					216																	216	158	374		
CLASS XII.—Old Age.																											
154. Senile Debility																	2	3	7	21	47	108		188	91	279	
TOTAL CLASS XII.																	2	3	7	21	47	108		188	91	279	
CLASS XIII.—Violence.																											
155. Suicide by Poison													3	2	2	3		1	2	1			14	3	17		
156. Suicide by Asphyxia														1	3	1		1					8	4	12		
157. Suicide by Hanging or Strangulation											1	1	2	1	1	1	1	1	1	1			13	3	16		
158. Suicide by Drowning											3	5	7	3	1	5	2	4					31	2	33		
159. Suicide by Firearms												1			1	3	1						9		9		
160. Suicide by Cutting Instruments														1						1	1		1	1	2		
161. Suicide by Precipitation from a Height																							1	1	2		
162. Suicide by Crushing													1										1	1	2		
163. Other Suicides																							1		1		
164. Poison by Food												2	1	1	1								5		5		
165. Ven. Creatures and other acute Poisons																											
166. Incendiarism	1	1	1		2	5	2	3						3	2	2		1	1				19	1	20		
167. Burns																											
168. Noxious Gases		3	1			4	2					1			1	1		1			4		14	40	54		
169. Drowning																								1	1		
170. Firearms		1		1	1	3	8	6	13	22	30	18	18	11	13	13	8	4	3		2	8	180	32	212		
171. Cuts and Stabs						2		1	2	3	1			1					1				11	1	12		
172. Falls																											
173. Mines and Quarries	1		1			2		2	4	1	3	2	5	2	4	2	1	1	5	1	5		40	11	51		
174. Machinery									2	2	1	2	1	1	1	2	1	1		1	1		16		16		
175. Vehicles																							4		4		
175a. Railways and Tramways			1	2		3	1	2	2	4	2	3	4	3	4	5	4		2	1	1		41	6	47		
176. Animals						1		1	1	1	2	3	2	2	3	2	5	2		2			27	2	29		
177. Starvation										11		1	3	4	2	5	1	2		1			39	4	43		
178. Cold																1	2		1		1		7	1	8		
179. Sunstroke																											
180. Lightning	5				5		1				1	2	3	1	3	1	4	2					23	9	32		
181. Other Electric							1						1										3		3		
181a. Timber Felling, Logging, etc.																											
182. Murder by Firearms								2		2	2	1	1	1	1	1							10		10		
183. Murder by Cuts														1									1	3	4		
184. Murder, Other																											
185. Fractures, etc					1	1	1			1	1												4	1	5		
186. Other Violence	1		1		1	3		2	8	4	3	2	1	3	3	1		2		1			33	5	38		
TOTAL CLASS XIII.	8	5	5	4	5	27	17	21	32	57	56	50	49	40	53	47	32	18	20	10	16	9	554	130	684		
CLASS XIV.—Ill-defined Diseases																											
187. Organic Lesion (not Defined)																								1	1		
188. Sudden Death																											
189. Unspecified or Ill-defined Causes of Death		2	2			4					1					1							2	1	3		
TOTAL CLASS XIV.		2	2			4					2			1	2	1							10		10		
TOTAL DEATHS OF MALES FROM ALL CAUSES	622	90	62	39	24	837	83	55	104	183	169	150	165	213	259	293	248	233	322	288	440	18	4,060	2,484	6,544		

TABLE No. XV.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in Queensland during the Year 1911.

CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.			
																							Females.	Males.	Persons.	
CLASS I.—General Diseases.																										
1. Typhoid Fever...					1	1	1	5	9	6	3	2	1	1		1		1					31	64	95	
2. Typhus ...																										
3. Recurrent Fever																										
4. Intermittent Fever																										
4a. Malarial Cachexia																										
5. Small-pox																										
6. Measles	3	3	2	1	2	11	1	1	2		1	1	3		1	1						22	17	39		
7. Scarlet Fever																						4	7	11		
8. Whooping Cough	17	4	3	2		26	3															29	23	52		
9. Diphtheria		5	8	8	8	29	10															39	48	87		
9a. Croup	1	1		1		3	1															4	1	5		
10. Influenza	1	2				3			1		1	1	2	1			2	2	5	1	13	32	43	75		
11. Miliary Fever																										
12. Asiatic Cholera																										
13. Cholera Nostras																										
14. Dysentery	1	1	2		1	5	2	1						2		2		1	2	1	2	18	51	69		
14a. Epidemic Dysentery																										
15. Plague																										
16. Yellow Fever																										
17. Leprosy											1											1	6	7		
18. Erysipelas	1					1						1										2		2		
19. Other Epidemic Diseases																										
19a. Dengue	2		1			3	1	3	1	2	2	2		3			1	2	4	4	7	35	50	85		
20. Purulent Infection and Septicæmia	1					1							1		1							3	18	21		
21. Glanders and Farcy																										
22. Malignant Pustule and "Charbon"																							2		2	
23. Rabies																										
24. Tetanus	5					5	2	3	1	1			1				1					14	27	41		
25. Trichinosis, etc.																							1		1	
26. Pellagra																										
27. Beri Beri																										
28. Tuberculosis of the Lungs									8	25	15	18	20	15	9	7	3	7	4	2		134	223	357		
29. Tuberculosis, Acute Miliary					1	1			1	2						1						5	4	9		
30. Tuberculosis of the Meninges																						6	9	15		
31. Tuberculosis, Abdominal, etc.	3	1		1		5	1			2	1	1	1	1								12	7	19		
32. Pott's Disease																										
33. White Swellings																										
34. Tuberculosis of other Organs											1											1	6	7		
35. General Tuberculosis							2							1								3	4	7		
36. Rachitis...										1												1	2	3		
37. Syphilis	6	1				7										2						9	17	26		
38. Gonococccic Dis.																						1	2	3		
39. Cancer, etc., of the Mouth										1			1									3	46	49		
40. Cancer, etc., of the Stomach and Liver										2			1	1	1	5	8	4	5	5	4	36	101	137		
41. Cancer, etc., Peritonæum, Intestines, etc.															2	2	2	3	6	4	3	22	27	49		
42. Cancer, etc., of the Female Genital Organs											1			2	2	7	8	4	3	2		31		31		
43. Cancer, etc., of the Breast													4	5	5	3	1	2				24		24		
44. Cancer, etc., of the Skin									1		1		1				2			2		8	17	25		
45. Cancer, etc., of other Organs						1				2			1	2	2	6	1	2	5	5	5	32	51	83		
46. Other Tumours (excl. F. Genital Organs)													1				1	1				4	5	9		
47. Acute Articular Rheumatism						1	3	2	2	1			1		2	1		3	1	2		19	13	32		
48. Chronic Rheumatism and Gout													1				3	1	1	1	2	9	9	18		
49. Scurvy	1					1	1						1									3	1	4		
50. Diabetes										1	2		1	1			5	1	4	3	2	20	13	33		
51. Exophthalmic Goitre													1		1							2		2		
52. Addison's Disease															1		1					3		3		
53. Leucæmia							1				1		2							1		5	5	10		
54. Anæmia, Chlorosis		1	1			2	1				1	3	1		2	4		3	1	1	1	21	13	34		
54a. Filariæ																						1	2	3		
55. Other General Diseases	1	1		1		3	1	1								1				1		7	4	11		
56. Acute and Chronic Alcoholism												1	3		2		1					7	24	31		
57. Lead Poisoning																							6		6	
58. Other Chr. Poisonings due to Occupations																										
59. Other Chronic Poisonings																							2		2	
TOTAL CLASS I.	43	22	17	14	14	110	32	19	26	48	36	30	47	39	33	41	44	38	43	33	45	1	665	1,018	1,683	
CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense.																										
60. Encephalitis														1									1		1	
61. Simple Meningitis	7	5	3	2	2	19		2	1			1	1									24	42	66		
61a. Epidemic Cerebro-spinal Meningitis																										
62. Progressive Locomotor Ataxia																		2			1	3	7	10		
63. Other Diseases of the Spinal Cord	2					2		1		1					2				1			10	10	20		
64. Hæmorrhage of Brain, Apoplexy	1	2				3				2		1	2	1	3	9	7	4	14	10	19	75	112	187		
65. Softening of the Brain											1						1		2	4	1	12	16	28		
66. Paralysis without indicated cause									2							1	1		4	4	5	17	31	48		
67. General Paralysis																	2					2	14	16		
68. Other Forms of Mental Alienation													1	1		1	1					6	7	13		
69. Epilepsy			2			2	2		2	1	1	1				3						13	19	32		
70. Eclampsia (non-puerperal)										</																

TABLE No. XV.-continued.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in Queensland during the Year 1911—continued.

CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years. 5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.			
																						Females.	Males.	Persons.	
CLASS III.—Diseases of the Circulatory System.																									
77. Pericarditis	1	2	3	9	12	
78. Acute Endocarditis	4	3	1	1	2	2	2	...	1	1	17	30	47	
79. Organic Diseases of the Heart	5	3	6	6	10	7	11	13	24	16	18	22	25	37	51	...	254	455	709	
80. Angina Pectoris	2	2	5	8	13	
81. Dis. of Arteries, Atheroma, Aneurism, etc.	1	1	1	1	2	4	2	4	9	...	25	72	97	
82. Embolism and Thrombosis	...	1	1	1	1	1	1	1	1	2	3	...	12	23	35	
83. Dis. of Veins (Varices, Varicose Ulcers, etc.)	1	1	1	...	1	1	2	3	
84. Diseases of the Lymphatic System	1	1	1	3	1	4	
85. Hæmorrhage	1	1	1	1	3	6	9	
TOTAL CLASS III.	1	1	2	11	7	6	8	10	9	16	17	29	19	20	29	32	44	64	323	606	929	
CLASS IV.—Diseases of the Respiratory System.																									
86. Diseases of the Nasal Fossæ	2	5	1	1	7	7	14	
87. Diseases of the Larynx	2	...	1	...	2	1	2	1	1	5	2	7	
88. Diseases of the Thyroid Body	
89. Acute Bronchitis	18	5	3	...	1	27	1	2	1	...	2	...	2	...	33	28	61	
90. Chronic Bronchitis	1	1	1	2	8	12	36	...	61	59	120	
91. Broncho-pneumonia	11	6	2	2	21	1	1	...	1	...	3	1	1	5	...	34	48	82	
92. Pneumonia	11	5	3	2	23	4	2	1	4	5	1	4	3	6	5	2	1	3	4	12	...	80	149	229	
93. Pleurisy	2	...	1	...	3	1	1	5	16	21	
94. Congestion of Lungs and Pul. Apoplexy	2	2	1	4	...	7	10	17		
95. Gangrene of the Lungs	3	3	
96. Asthma	1	...	1	...	1	...	5	...	9	21	30		
97. Pulmonary Emphysema	3	3	
97a. Miner's Phthisis	21	21	21	
98. Other Diseases of the Respiratory System	...	1	...	1	2	...	1	1	4	20	24		
TOTAL CLASS IV.	46	16	11	4	6	83	6	3	1	6	5	1	5	6	9	10	6	8	14	18	64	245	387	632	
CLASS V.—Diseases of the Digestive System.																									
99. Dis. of Mouth and associated organs	2	1	3	...	1	4	2	6	
100. Diseases of the Pharynx	1	1	3	1	...	5	1	6	
101. Diseases of the Esophagus	
102. Ulcer of the Stomach	1	1	...	2	1	1	1	1	7	8	15	
103. Other Dis. of Stomach (Cancer excluded)	8	1	9	...	1	1	2	1	...	2	...	20	30	50	
104. Diarrhoea and Enteritis (under two years)	135	26	161	9	5	...	2	1	1	3	1	4	2	2	4	3	5	7	12	161	191	352	
105. Diarrhoea and Enteritis (over two years)	6	1	2	9	...	2	1	1	3	1	4	2	2	4	3	5	7	12	...	61	50	111	
106. Ankylostomiasis	1	...	1	1	4	6	10	
107. Intestinal Parasites	
107a Sprue	1	1	2	
108. Appendicitis	1	1	4	1	3	1	14	26	40	
109. Hernia, Intestinal Obstruction	4	1	5	1	1	...	2	1	...	2	...	16	25	41	
110. Other Diseases of the Intestines	1	1	1	...	1	...	1	1	3	1	...	5	12	17	
111. Icterus Gravis	3	2	5	
112. Hydatid Tumours of the Liver	2	1	2	2	
113. Cirrhosis of the Liver	2	1	4	3	3	4	1	1	2	...	21	37	58	
114. Biliary Calculi	1	1	2	1	1	1	2	9	2	11		
115. Other Diseases of the Liver	2	1	...	1	1	...	1	...	4	1	2	3	...	16	13	34	
116. Diseases of the Spleen	1	2	3	
117. Simple Peritonitis (non-puerperal)	1	2	...	2	...	2	1	...	1	9	9	18	
118. Other Diseases of the Digestive System	1	1	1	2	1	3		
TOTAL CLASS V.	151	28	7	1	4	191	16	5	8	8	7	7	14	12	9	13	14	12	16	19	...	359	425	784	
CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.																									
119. Acute Nephritis	2	2	4	...	2	2	3	2	4	...	1	2	1	1	22	23	45	
120. Bright's Disease	1	1	10	12	10	3	5	6	8	3	3	8	4	7	85	147	232	
121. Chyluria	1	1	...	1	
122. Other Dis. of Kidneys and Adnexa	1	1	2	1	1	7	7	14	
123. Calculi of Urinary System	1	1	4	5	
124. Diseases of the Bladder	3	25	28	
125. Other Dis. of Urethra, Urin. Abscess, etc.	7	7	
126. Diseases of the Prostate	26	26	
127. Non-venereal Dis. of Male Genital Organs	
128. Uterine Hæmorrhage (non-puerperal)	1	...	1	2	...	2	
129. Uterine Tumour (non-cancerous)	3	...	3	
130. Metritis and other Diseases of the Uterus	1	...	1	...	1	...	1	1	...	1	
131. Cysts and other Ovarian Tumours	1	...	1	1	1	1	5	...	5	
132. Other Dis. of Female Genital Organs	1	1	1	...	1	4	...	4	
133. Non-puer. Dis. of Breast (Cancer excepted)	1	1	...	1	
TOTAL CLASS VI.	2	2	4	1	4	14	16	14	10	9	11	11	7	7	10	5	8	4	...	135	239	374	
CLASS VII.—Puerperal Condition.																									
134. Accidents of Pregnancy	2	3	5	6	4	2	22	...	22	
135. Puerperal Hæmorrhage	2	1	3	3	3	1	12	...	12	
136. Other Accidents of Childbirth	1	1	2	5	1	1	12	...	12	
137. Puerperal Septicæmia	2	4	7	2	7	2	24	...	24	
138. Puerperal Albuminuria and Eclampsia	2	5	4	2	...														

TABLE No. XV.—continued.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in Queensland, during the year 1911—
continued.

CLASSES AND DISEASES.	Under 1 year. ^a	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years. 5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.				
																						Females.	Males.	Persons.		
CLASS VIII.—Diseases of the Skin and of the Cellular Tissue.																										
142. Gangrene	1	1	2	8	10	
143. Carbuncle	1	1	1	1	...	3	5	8	
144. Phlegmon, Acute Abscess	1	1	1	1	1	...	5	5	10		
145. Other Diseases of the Skin and Adnexa	1	1	...	1	1	...	1	2	...	7	4	11		
TOTAL CLASS VIII.	2	2	4	1	1	1	1	2	2	1	3	1	17	22	39		
CLASS IX.—Diseases of the Organs of Locomotion.																										
146. Non-tuberculous Diseases of the Bones	2	2	...	1	2	5	7		
147. Arthritis and other Dis. of Joints	1	...	1		
148. Amputation		
149. Other Dis. of Organs of Locomotion		
TOTAL CLASS IX.	2	2	1	3	5	8		
CLASS X.—Malformations.																										
150. Congenital Malfor. (excl. of Still-born)	45	1	46	1	1	48	44	92		
TOTAL CLASS X.	45	1	46	1	1	48	44	92		
CLASS XI.—Infancy.																										
151. Congenital Debility, Icterus, and Scleroma	139	139	139	179	318		
152. Other Dis. Pec. to Infancy (un. 3 mths.)	19	19	19	37	56		
153. Want of Care (Infants)		
TOTAL CLASS XI.	158	158	158	216	374		
CLASS XII.—Old Age.																										
154. Senile Debility	4	10	16	61	...	91	188	279		
TOTAL CLASS XII.	4	10	16	61	...	91	188	279		
CLASS XIII.—Violence.																										
155. Suicide by Poison	1	...	1	1	3	14	17		
156. Suicide by Asphyxia	2	1	1	4	...	12		
157. Suicide by Hanging or Strangulation	1	1	3	13	16		
158. Suicide by Drowning	1	2	31	33		
159. Suicide by Firearms	1	1	9	9		
160. Suicide by Cutting Instruments	1	1	1	2		
161. Suicide by Precipitation from a Height	1	1		
162. Suicide by Crushing	5	5		
163. Other Suicides		
164. Poison by Food		
165. Ven. Creatures and other acute Poisons	1	1	19	20		
166. Incendiarism	1		
167. Burns	3	4	4	6	4	21	5	3	3	...	3	...	1	...	1	1	1	1	...	40	14	54		
168. Noxious Gases	1	1	...	1		
169. Drowning	1	1	3	5	...	2	2	2	6	4	1	5	1	...	2	2	32	180	212		
170. Firearms	1	1	11	12		
171. Cuts and Stabs		
172. Falls	1	1	2	1	1	2	2	2	...	11	40	51		
173. Mines and Quarries	16	16		
174. Machinery	4	4		
175. Vehicles	1	...	1	2	2	1	1	6	41	47		
175a. Railway and Tramways	1	2	27	29		
176. Animals	...	1	1	...	1	1	1	4	39	43		
177. Starvation	1	1	7	8		
178. Cold	1	1	1	1	1	1	9	23	32		
179. Sunstroke	2	2	1	1	3	3		
180. Lightning		
181. Other Electric	10	10		
181a. Timber Felling and Logging	3	1	4		
182. Murder by Firearms	1	...	1	1		
183. Murder by Cuts	1	4	5		
184. Murder, Other	...	1	1		
185. Fractures, etc.		
186. Other Violence	1	1	2	1	...	1	1	...	5	33	38		
TOTAL CLASS XIII.	9	8	8	7	5	37	8	6	8	6	12	9	5	10	4	2	6	5	4	3	5	130	554	684		
CLASS XIV.—Ill-defined Diseases.																										
187. Organic Lesion (not Defined)	1	1	1	...	1		
188. Sudden Death	10	10		
189. Unspecified or Ill-defined Causes of Death		
TOTAL CLASS XIV.	1	1	2	12	14		
TOTAL DEATHS OF FEMALES FROM ALL CAUSES	490	94	57	30	34	705	79	50	81	113	110	90	114	111	105	105	110	116	141	159	292	3	2,484	4,060	6,544	

TABLE No. XVI.

CAUSES of DEATHS of PERSONS, at different Periods of Life, Registered in Queensland during the Year 1911.

TABLE No. XVI.—continued.

CAUSES of DEATHS of PERSONS, at Different Periods of Life, Registered in Queensland during the Year 1911—continued.

CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.				
																							Persons.	Males.	Females.		
CLASS III.—Diseases of the Circulatory System.																											
77. Pericarditis	1	1	...	1	1	2	3	...	1	1	1	1	12	9	3		
78. Acute Endocarditis	1	...	1	2	4	4	4	3	1	3	1	4	7	6	3	2	2	1	47	30	17		
79. Organic Diseases of the Heart	1	1	2	9	4	11	13	21	16	28	46	55	69	66	58	72	105	130	4	709	455	254		
80. Angina Pectoris	13	8	5		
81. Dis. of Arteries, Atheroma, Aneurism, &c.	1	3	3	11	10	8	13	12	13	23	97	72	25		
82. Embolism and Thrombosis	...	1	1	1	...	4	1	2	3	2	3	2	4	3	9	...	35	23	12		
83. Dis. of Veins (Varices, Varicose Ulcers, &c.)	2	1	...	3	2	1		
84. Diseases of the Lymphatic System	1	1	1	1	4	1	3		
85. Haemorrhage	1	1	2	3	...	1	1	1	1	9	6	3		
TOTAL CLASS III.	3	2	2	...	1	8	17	10	17	19	22	24	37	55	81	90	80	78	96	126	165	4	929	606	323		
CLASS IV.—Diseases of the Respiratory System.																											
86. Diseases of the Nasal Fosse	1		
87. Diseases of the Larynx	1		
88. Diseases of the Thyroid Body	4	3	2	1	2	12	2	1	1	...	2	14	7	7		
89. Acute Bronchitis	2	7	2	5		
90. Chronic Bronchitis	27	6	6	3	1	43	2	1	...	1	...	2	1	3	3	5	...	61	28	33		
91. Broncho-pneumonia	2	2	6	3	6	19	20	62	...	120	59	61		
92. Pneumonia	28	10	3	2	...	43	2	1	...	2	2	2	3	3	3	6	4	4	7	...	82	48	34		
93. Pleurisy	29	7	10	3	5	54	6	5	4	11	11	10	18	10	12	22	10	8	10	13	25	...	229	149	80		
94. Congestion of Lungs and Pul. Apoplexy	3	...	1	4	3	1	1	2	2	1	2	3	1	...	21	16	5		
95. Gangrene of the Lungs	3	1	4	2	1	1	1	8	...	17	10	7		
96. Asthma	1	1	1	3	3	...		
97. Pulmonary Emphysema	1	1	2	1	3	1	5	3	4	9	1	30	21	9		
97a. Miner's Phthisis	1	1	...	3	3	...		
98. Other Diseases of the Respiratory System	1	...	1	2	...	1	...	2	3	1	2	4	2	4	...	1	2	...	24	20	4		
TOTAL CLASS IV.	95	27	23	9	9	163	11	6	7	19	13	12	24	25	31	46	27	31	45	51	120	1	632	387	245		
CLASS V.—Diseases of the Digestive System.																											
99. Dis. of Mouth and associated organs	3	1	4	1	1	6	2	4		
100. Diseases of the Pharynx	...	1	2	3	1	...	6	1	5		
101. Diseases of the Oesophagus	1	2		
102. Ulcer of the Stomach		
103. Other Dis. of Stomach (Cancer excluded)	20	1	1	22	...	1	1	...	1	1	2	3	2	1	2	1	1	...	15	8	7		
104. Diarrhoea and Enteritis (under two years)	294	58	352	1	3	3	2	2	4	3	2	6	...	50	30	20		
105. Diarrhoea and Enteritis (over two years)	352	191	161		
106. Ankylostomiasis	1	4	4	21	7	...	3	3	1	4	1	4	2	4	9	7	9	12	24	...	111	50	61		
107. Intestinal Parasites	1	2	1	4	3	...	1	1	1	10	6	4		
107a. Sprue		
108. Appendicitis	1	1	1	2	1	1		
109. Hernia, Intestinal Obstruction		
110. Other Diseases of the Intestines	9	1	10	6	7	4	6	3	1	...	3	1	3	1	1	2	1	2	40	26	14		
111. Icterus Gravis	2	1	3	1	...	2	2	...	4	...	2	...	1	2	3	41	25	16		
112. Hydatid Tumours of the Liver	3	17	12	5		
113. Cirrhosis of the Liver	5	2	3		
114. Biliary Calculi	2	2	3	11	8	8	8	3	5	3	5	...	58	37	21		
115. Other Diseases of the Liver	1	11	2	9		
116. Diseases of the Spleen	1	1	2	1	1	1	1	1	1	...	1	2	1	...	7	3	4	8	...	34	18	16		
117. Simple Peritonitis (non-puerperal)	1	1	3	2	1		
118. Other Diseases of the Digestive System	2	2	1	2	1	2	1	3	1	1	...	1	...	1	2	1	...	18	9	9		
TOTAL CLASS V.	1	1	2	1	3	1	2		
CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.																											
119. Acute Nephritis	4	3	7	5	3	2	4	4	4	1	4	2	2	2	3	1	1	45	23	22		
120. Bright's Disease	2	...	1	3	2	2	19	28	17	10	8	14	15	12	19	25	19	15	24	...	232	147	85		
121. Chyluria	1	...	1		
122. Other Diseases of Kidneys and Adnexa	1	1	1	1	1	2	3	1	2	14	7	7		
123. Calculi of Urinary System	5	4	1		
124. Diseases of the Bladder	28	25	3		
125. Other Diseases Urethra, Urin. Abscess, &c.	7	7	...		
126. Diseases of the Prostate	2	2	7	5	10	...	26	26	...		
127. Non-venereal Dis. of Male Genital Organs		
128. Uterine Haemorrhage (non-puerperal)	1	...	1	2	...	2		
129. Uterine Tumour (non-cancerous)	1	...	1	3	...	3		
130. Metritis and other Diseases of the Uterus	1	1	...	1		
131. Cysts and other Ovarian Tumours	1	...	1	5	...	5		
132. Other Dis. of Female Genital Organs	1	1	1	1	1	4	...	4		
133. Non-puer. Dis. of Breast (Cancer excepted)	1	1	...	1		
TOTAL CLASS VI.	4	3	2	...	1	10	7	7	23	35	23	17	14	24	23	20	29	35	36	31	40	...	374	239	135		
CLASS VII.—Puerperal Condition.																											
134. Accidents of Pregnancy	2	3	5	6	4	2	22	...	2		
135. Puerperal Haemorrhage																							

TABLE No. XVI.—continued.

CAUSES of DEATHS of PERSONS, at Different Periods of Life, Registered in Queensland during the Year 1911—continued.

CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.			
																							Persons.	Males.	Females.	
CLASS VIII.—Diseases of the Skin and of the Cellular Tissue.																										
142. Gangrene	1	...	1	1	...	7	...	10	8	2
143. Carbuncle	1	2	2	...	1	1	8	5	3
144. Phlegmon, Acute Abscess	1	1	3	1	1	1	2	1	1	...	10	5	5
145. Other Diseases of the Skin and Adnexa	2	1	3	...	1	2	...	1	2	...	2	...	11	4	7
TOTAL CLASS VIII.	3	1	2	6	...	1	2	...	1	2	2	3	2	1	5	2	11	1	39	22	17	
CLASS IX.—Diseases of the Organs of Locomotion.																										
146. Non-tuberculous Diseases of the Bones.	2	1	...	3	1	1	1	1	7	...	5	2
147. Arthritis and Other Dis. of Joints	1	1	
148. Amputation	
149. Other Dis. of Organs of Locomotion	
TOTAL CLASS IX.	2	1	...	3	...	1	...	1	1	1	1	8	5	3	
CLASS X.—Malformations.																										
150. Congenital Malfor. (excl. of Still-born)...	87	3	90	1	1	92	44	48	
TOTAL CLASS X.	87	3	90	1	1	92	44	48	
CLASS XI.—Infancy.																										
151. Congenital Debility, Icterus, and Scleroma	318	318	318	179	139	
152. Other Dis. Pec. to Infancy (un. 3 mths.)	56	56	56	37	19	
153. Want of Care (Infants)	
TOTAL CLASS XI.	374	374	374	216	158	
CLASS XII.—Old Age.																										
154. Senile Debility	2	3	11	31	63	169	...	279	188	91	
TOTAL CLASS XII.	2	3	11	31	63	169	...	279	188	91	
CLASS XIII.—Violence.																										
155. Suicide by Poison	1	...	1	3	2	2	4	...	1	2	1	17	14	3	
156. Suicide by Asphyxia	1	2	2	3	1	...	2	12	
157. Suicide by Hanging or Strangulation	1	1	2	2	3	1	
158. Suicide by Drowning	1	1	1	2	1	2	2	1	1	1	1	1	1	16	13	3	
159. Suicide by Firearms	3	6	8	3	1	5	2	4	33	31	2	
160. Suicide by Cutting Instruments	1	1	3	1	1	1	9	
161. Suicide by Precipitation from a height...	1	2	1	1		
162. Suicide by Crushing	1	1	1	...		
163. Other suicides	2	1	1	1	1	5	5	...		
164. Poison by Food	
165. Ven. Creatures and Other Acute Poisons	1	1	1	...	2	5	2	3	1	...	3	2	2	...	1	1	20	...	19	1	
166. Incendiarism	
167. Burns	3	7	5	6	4	25	7	3	3	...	3	1	1	...	2	1	...	1	1	1	5	...	54	14	40	
168. Noxious Gases	
169. Drowning	1	2	3	1	1	8	8	8	15	24	36	22	19	16	14	13	10	6	3	...	2	8	212	180	32	
170. Firearms	2	1	2	3	2	1	12	11	1	
171. Cuts and Stabs	
172. Falls	1	...	1	1	1	4	...	2	4	2	3	2	5	3	4	2	2	1	7	3	7	...	51	40	11	
173. Mines and Quarries	2	2	1	2	1	2	1	1	2	1	1	...	1	1	...	16	16	...	
174. Machinery	1	1	1	4	4	...	
175. Vehicles	1	...	2	2	...	5	3	2	2	4	3	3	4	3	4	5	4	1	2	1	1	...	47	41	6	
175a. Railways and Tramways	1	1	1	2	2	3	2	2	3	2	6	2	...	2	29	27	2	
176. Animals	1	...	1	...	2	...	5	5	11	...	1	3	5	2	5	1	2	...	1	43	39	4	
177. Starvation	1	1	2	1	8	7	1		
178. Cold	
179. Sunstroke	7	7	...	1	1	3	4	1	3	2	5	3	1	...	1	...	32	23	9	
180. Lightning	1	1	1	3	3	...	
181. Others, Electric	
181a. Timber-felling, Logging, etc.	2	...	2	2	2	1	1	1	1	10	10	...	
182. Murder by Firearms	1	...	1	1	1	4	1	3	
183. Murder by Cuts	
184. Murder, Other	1	1	2	1	1	1	5	4	1	
185. Fractures, etc.	
186. Other Violence	2	1	1	...	1	5	...	2	9	4	4	2	1	3	3	1	...	2	...	2	38	33	5	
TOTAL CLASS XIII.	17	13	13	11	10	64	25	27	40	63	68	59	54	50	57	49	38	23	24	13	21	9	684	554	130	
CLASS XIV.—Ill-defined Diseases.																										
187. Organic Lesion (not defined)	1	1	...	1	
188. Sudden Death	1	2	3	2	1	
189. Unspecified or Ill-defined Causes of Death	...	2	2	4	2	1	2	1	10	10	...	
TOTAL CLASS XIV.	2	2	4	1	3	1	2	3	14	12	2	
TOTAL DEATHS OF PERSONS FROM ALL CAUSES	1112	184	119	69	58	1542	162	105	185	296	279	240	279	324	364	398	358	349	463	447	732	21	6,544	4,060	2,484	

TABLE No. XVII.

CAUSES of DEATHS of MALES and FEMALES Registered in Queensland during each Month of the Year 1911.

CAUSES of DEATHS of MALES and FEMALES Registered in Queensland during each Month of the Year 1911—continued.

[illegible]

TABLE No. XVII.—continued.

CAUSES of DEATHS of MALES and FEMALES Registered in Queensland during each Month of the Year 1911—continued.

CLASSES AND DISEASES.	JANUARY.		FEBRUARY.		MARCH.		APRIL.		MAY.		JUNE.		JULY.		AUGUST.		SEPTEMBER.		OCTOBER.		NOVEMBER.		DECEMBER.		TOTALS.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Males.	Females.	Persons.	
CLASS VIII.—Diseases of the Skin and of the Cellular Tissue.						1			2	1			2		1		1		1		1					8	2	10
142. Gangrene																										5	3	8
143. Carbuncle				1	2				1	1							1									5	3	8
144. Phlegmon, Acute Abscess	2							2	1					1			2		1		1					5	5	10
145. Other Diseases of the Skin and Adnexa			1						1					2	1	1	1					1		1		4	7	11
TOTAL CLASS VIII.	2		1	1	2	1	2	3	3	2			5	2	2	2	2	3	1	1	2	1		1	22	17	39	
CLASS IX.—Diseases of the Organs of Locomotion.																												
146. Non-tuberculous Diseases of the Bones	1				1	1	1						1	1					1							5	2	7
147. Arthritis and other Dis. of Joints																1										1	1	1
148. Amputation																												
149. Other Dis. of Organs of Locomotion																												
TOTAL CLASS IX.	1				1	1	1						1	1		1			1						5	3	8	
CLASS X.—Malformations.																												
150. Congenital Malfor. (excl. of Stillborn)	6	8	2	4	2	3	3	5	4	4	3	5	6	5	3	4		2	5	3	4	3	6	2	44	48	92	
TOTAL CLASS X.	6	8	2	4	2	3	3	5	4	4	3	5	6	5	3	4		2	5	3	4	3	6	2	44	48	92	
CLASS XI.—Infancy.																												
151. Congenital Debility, Icterus, and Scleroma	17	7	24	10	10	16	12	18	14	11	15	6	11	16	17	14	13	11	14	12	10	6	22	12	179	139	318	
152. Other Dis. Pec. to Infancy (un. 3 mths.)	3	1	3		1	2	1	1	6		4	4	4	2	4	1	2	2	5	2	1	2	3	2	37	19	56	
153. Want of Care (Infants)																												
TOTAL CLASS XI.	20	8	27	10	11	18	13	19	20	11	19	10	15	18	21	15	15	13	19	14	11	8	25	14	216	158	374	
CLASS XII.—Old Age.																												
154. Senile Debility	12	5	17	8	9	7	11	1	10	5	15	6	21	17	29	7	14	13	17	7	21	7	12	8	188	91	279	
TOTAL CLASS XII.	12	5	17	8	9	7	11	1	10	5	15	6	21	17	29	7	14	13	17	7	21	7	12	8	188	91	279	
CLASS XIII.—Violence.																												
155. Suicide by Poison	1	1	2		3		2								3	1	1				1		1	1	14	3	17	
156. Suicide by Asphyxia																1	1				1		3	2	8	4	12	
157. Suicide by Hanging or Strangulation	1		1				1			1						1	1		2		2				13	3	16	
158. Suicide by Drowning				1	5				1				3	1		1	2			2					31	2	33	
159. Suicide by Firearms	1		6		3		2		1		1		1		1		1		4		2				9		9	
160. Suicide by Cutting Instruments	1		1		1						1		1		1		1				2				1		2	
161. Suicide by Precipitation from a Height											1				1										1	1	1	
162. Suicide by Crushing																1									1		2	
163. Other Suicides			1						1										2						5		5	
164. Poison by Food																												
165. Ven. Creatures and other acute Poisons	4				1				1		2	1						2		4				5		19	1	20
166. Incendiarism																												
167. Burns	1	2			1	3	2	3		5		5	1	5	3	5	1	1	3	3		5	2	3	14	40	54	
168. Noxious Gases										1																1	1	
169. Drowning	15	3	12		10		9	2	102	20	4	2	3		2	2	2		6	1	7	1	8	1	180	32	212	
170. Firearms	1							1	1	1		1				1		2		2		1		1	11	1	12	
171. Cuts and Stabs																												
172. Falls	5	3	2		4	1	1		4	1	4	2	2		3		4	1	2	1	6	1	3	1	40	11	51	
173. Mines and Quarries			1		2		1		2		1		2		1		1		3		2				4		4	
174. Machinery																	2								1			
175. Vehicles	2	1	1	1	2	1	4	1	3	1	3		3	1	6		5		4		7	1	1		41	6	47	
175a. Railways and Tramways	3	1	1		2		1		4		2		3		2		1		4		2	1	2		27	2	29	
176. Animals	7	3	3		4				3		4		2		1		3	1	2		2				39	4	43	
177. Starvation	1			1	2				1				1												7	1	8	
178. Cold																												
179. Sunstroke	5	1	3	1	1																1							
180. Lightning																					1		2		3		3	
181. Other Electric																												
181a. Timber Felling and Logging					1				1				2		1		2				2		1		10		10	
182. Murder by Firearms															1								3	1	1	3	4	
183. Murder by Cuts																												
184. Murder, Other					1																		3	1	4	1	5	
185. Fractures, etc.																												
186. Other Violence					6		2	1	3	1	7	1	5		5	1	4		1					1	33	5	38	
TOTAL CLASS XIII.	48	15	34	4	49	5	27	8	128	30	31	11	29	8	31	11	33	3	39	5	37	8	65	22	554	130	684	
CLASS XIV.—Ill-defined Diseases																												
187. Organic Lesion (not Defined)															2	1				1					2	1	1	
188. Sudden Death																										1	3	
189. Unspecified or Ill-defined Causes of Death	2				1				2		2		1		1								1		10		10	
TOTAL CLASS XIV.	2				1				2		2		1		3	1				1			1		12	2	14	
TOTAL DEATHS OF MALES AND FEMALES FROM ALL CAUSES	357	190	297	157	304	175	281	179	436	244	326	187	313	198	359	258	344	209	338	219	316	219	380	249	4,060	2,484	6,544	

TABLE

CAUSES of DEATHS of MALES, FEMALES, and PERSONS Registered in

CLASSES AND DISEASES.	Metropolitan.						Total Metropolitan.			Moreton.			Wide Bay.			Port Curtis.		
	10-mile Radius.			Outside 10-mile Radius.			Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
	Males.	Females.	Persons.	Males.	Females.	Persons.												
CLASS I.—General Diseases.																		
1. Typhoid Fever...	10	2	12	10	2	12	4	9	13	2	3	5	1	1	...
2. Typhus
3. Recurrent Fever
4. Intermittent Fever
4a. Malarial Cachexia ...	1	...	1	1	...	1
5. Small-pox
6. Measles	2	3	1	2	3	4	3	7	2	1	3	1	4	5
7. Scarlet Fever ...	6	4	10	6	4	10	1	...	1
8. Whooping Cough ...	7	6	13	1	...	1	8	6	14	2	3	5	2	7	9	2	2	4
9. Diphtheria ...	7	8	15	7	8	15	4	2	6	6	1	7	8	5	13
9a. Croup	1	1	2
10. Influenza ...	6	15	21	2	...	2	8	15	23	3	3	6	4	2	6	1	...	1
11. Miliary Fever
12. Asiatic Cholera
13. Cholera Nostras
14. Dysentery ...	2	3	5	1	2	3	3	5	8	1	...	1	1	2	3
14a. Epidemic Dysentery
15. Plague
16. Yellow Fever
17. Leprosy	6	1	7	6	1	7
18. Erysipelas
19. Other Epidemic Diseases
19a. Dengue ...	16	15	31	2	1	3	18	16	34	6	6	12	2	2	4
20. Purulent Infection and Septicæmia ...	5	1	6	1	...	1	6	1	7	...	1	1	5	...	5	1	...	1
21. Glanders and Farcy
22. Malignant Pustule and "Charbon"	1	...	1	1	...	1
23. Rabies
24. Tetanus ...	6	2	8	6	2	8	3	2	5	4	4	8
25. Trichinosis, etc. ...	1	...	1	1	...	1
26. Pellagra...
27. Beri Beri
28. Tuberculosis of the Lungs ...	72	52	124	6	4	10	78	56	134	10	15	25	15	11	26	19	16	...
29. Tuberculosis, Acute Miliary ...	1	1	2	1	...	1	2	1	3	1	2	3	35
30. Tuberculosis of the Meninges ...	6	3	9	6	3	9	2	...	2	2	2
31. Tuberculosis, Abdominal, etc. ...	2	6	8	2	6	8	...	2	2	1	1	2	1	...	1
32. Pott's Disease
33. White Swellings
34. Tuberculosis of other Organs ...	3	1	4	3	1	4	2	...	2	1	...	1
35. General Tuberculosis	1	...	1	1	2	3	1	...	1
36. Rachitis...	1	...	1
37. Syphilis ...	5	2	7	3	1	4	8	3	11	1	...	1	1	1	2	...	1	1
38. Gonocœcic Dis. ...	1	1	2	1	1	2
39. Cancer, etc., of the Mouth ...	15	2	17	2	...	2	17	2	19	1	...	1	2	...	2	3	...	3
40. Cancer, etc., of the Stomach and Liver ...	21	9	30	7	1	8	28	10	38	11	2	13	13	5	18	4	7	11
41. Cancer, etc., Peritoneum, Intestines, etc. ...	8	10	18	8	10	18	6	3	9	2	1	3	2	...	2
42. Cancer, etc., of the Female Genital Organs	11	11	...	1	1	...	12	12	...	3	3	...	4	4	...	2	2
43. Cancer, etc., of the Breast	6	6	6	6	...	2	2	...	4	4	...	3	3
44. Cancer, etc., of the Skin ...	7	3	10	1	...	1	8	3	11	2	1	3	1	2	3
45. Cancer, etc., of other Organs ...	12	12	24	...	1	1	12	13	25	4	2	6	5	2	7	6	2	8
46. Other Tumours (excl. F. Genital Organs) ...	4	1	5	4	1	5	1	3	4
47. Acute Articular Rheumatism ...	4	8	12	4	8	12	1	4	5	1	1	2
48. Chronic Rheumatism and Gout	2	2	3	...	3	3	2	5	...	2	2	1	2	3	...	1	1
49. Scurvy	1	1	1	1
50. Diabetes ...	4	6	10	4	6	10	2	4	6	2	1	3	2	2	4
51. Exophthalmic Goitre	1	1	...	1	1	...	2	2	...	1	1	...	1	1
52. Addison's Disease
53. Leucæmia ...	1	2	3	1	2	3	1	2	3
54. Anæmia, Chlorosis ...	3	7	10	3	7	10	2	1	3	2	3	5	...	4	4
54a. Filariæ	1	1	1	1
55. Other General Diseases ...	2	...	2	...	1	1	2	1	3	...	1	1
56. Acute and Chronic Alcoholism ...	4	3	7	2	...	2	6	3	9	1	...	1	...	2	2	2
57. Lead Poisoning ...	3	...	3	1	...	1	4	...	4	3	...	3
58. Other Chr. Poisonings due to Occupations
59. Other Chronic Poisonings
TOTAL CLASS I. ...	246	208	454	39	14	53	285	222	507	71	74	145	81	64	145	62	62	124
CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense.																		
60. Encephalitis	1	1
61. Simple Meningitis ...	15	6	21	...	1	1	15	7	22	5	1	6	5	5	10	3	5	8
61a. Epidemic Cerebro-spinal Meningitis
62. Progressive Locomotor Ataxia ...	1	...	1	3	1	4	4	1	5	...	1	1	1	...	1
63. Other Diseases of the Spinal Cord ...	3	1	4	3	1	4	2	1	3	...	2	2	2	2	4
64. Hæmorrhage of Brain, Apoplexy ...	30	30	60	6	1	7	36	31	67	7	6	13	15	10	25	8	7	15
65. Softening of the Brain ...	3	7	10	6	2	8	9	9	18	2	1	3	2	...	2	2	1	3
66. Paralysis without indicated cause ...	8	5	13	6	1	7	14	6	20	2	1	3	2	4	6	1	2	3
67. General Paralysis ...	1	...	1	8	1	9	9	1	10	...	1	1	1	...	1
68. Other Forms of Mental Alienation	4	3	7	4	3	7	1	1
69. Epilepsy... ..	3	1	4	4	3	7	7	4	11	1	...	1	1	2	3
70. Eclampsia (non-puerperal)	4	4	8	3	6	9	7	6	13	6	2	8
71. Convulsions of Children under five ...	4	4	8
72. Chorea
73. Hysteria, Neuralgia, and Neuritis... ..	1	...	1	1	...	1	1	...	1
74. Other Diseases of the Nervous System ...	5	5	10	5	5	10	1	1	2	2	...	2	...	3	5
75. Diseases of the Eyes and Appendages ...	2	...	2	2	...	2	1	1	2
76. Diseases of the Ear	1	1	1	1	1	1	1
TOTAL CLASS II ...	76	60	136	37	13	50	113	73	186	24	21	45	36	31	67	26	23	49

TABLE

CAUSES of DEATHS of MALES, FEMALES, and PERSONS Registered in the several

CLASSES AND DISEASES.	Metropolitan.						Total Metropolitan.			Moreton.			Wide Bay.			Port Curtis.			
	10-mile Radius.			Outside 10-mile Radius.			Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	
	Males.	Females.	Persons.	Males.	Females.	Persons.													
CLASS III.—Diseases of the Circulatory System.																			
77. Pericarditis	4	1	5	4	1	5	...	1	1	1	...	1	
78. Acute Endocarditis	6	6	12	6	6	12	1	...	1	5	2	7	...	2	...	
79. Organic Diseases of the Heart	88	89	177	42	14	56	130	103	233	41	28	69	46	19	65	46	20	63	
80. Angina Pectoris	5	3	8	5	3	8	1	...	1	
81. Dis. of Arteries, Atheroma, Aneurism, etc.	23	13	36	4	...	4	27	13	40	4	4	8	11	2	13	7	1	8	
82. Embolism and Thrombosis	5	3	8	6	...	6	11	3	14	1	3	4	...	6	6	2	...	2	
83. Dis. of Veins (Varices, Varicose Ulcers, etc.)	1	...	1	...	1	1	
84. Diseases of the Lymphatic System	1	1	2	...	1	1	1	2	3	
85. Hæmorrhage	1	1	2	...	1	1	1	2	3	1	1	2	1	...	1	
TOTAL CLASS III.	133	117	250	52	16	68	185	133	318	49	37	86	65	29	94	57	22	79	
CLASS IV.—Diseases of the Respiratory System.																			
86. Diseases of the Nasal Fossæ	
87. Diseases of the Larynx	1	...	1	1	...	1	2	...	2	2	1	3	1	...	1	
88. Diseases of the Thyroid Body	...	2	2	2	2	...	1	1	1	2	3	
89. Acute Bronchitis	7	6	13	7	6	13	5	6	11	3	1	4	2	5	7	
90. Chronic Bronchitis	18	17	35	4	4	8	22	21	43	7	12	19	3	11	14	6	3	9	
91. Broncho-pneumonia	9	8	17	2	1	3	11	9	20	5	5	10	3	1	4	2	5	7	
92. Pneumonia	42	32	74	4	...	4	46	32	78	15	6	21	14	10	24	17	10	27	
93. Pleurisy	4	...	4	2	...	2	6	...	6	3	...	3	1	1	2	2	1	3	
94. Congestion of Lungs and Pul. Apoplexy	3	5	8	3	5	8	3	...	3	
95. Gangrene of the Lungs	1	...	1	1	...	1	2	...	2	
96. Asthma	5	3	8	3	...	3	8	3	11	1	1	2	3	...	3	1	2	3	
97. Pulmonary Emphysema	2	...	2	2	...	2	
97a. Miner's Phthisis	1	...	1	1	...	1	1	...	1	1	...	1	
98. Other Diseases of the Respiratory System	4	...	4	1	...	1	5	...	5	1	...	1	...	2	2	3	...	3	
TOTAL CLASS IV.	97	73	170	16	5	21	113	78	191	42	31	73	32	27	59	36	28	64	
CLASS V.—Diseases of the Digestive System.																			
99. Dis. of Mouth and associated organs	...	3	3	3	3	1	1	2	
100. Diseases of the Pharynx	...	1	1	1	1	...	2	2	...	1	1	1	...	1	
101. Diseases of the Esophagus	
102. Ulcer of the Stomach	2	3	5	2	...	2	4	3	7	1	...	1	
103. Other Dis. of Stomach (Cancer excluded)	5	6	11	1	...	1	6	6	12	5	3	8	3	3	6	3	3	6	
104. Diarrhoea and Enteritis (under two years)	79	72	151	2	...	2	81	72	153	18	15	33	15	17	32	16	12	28	
105. Diarrhoea and Enteritis (over two years)	10	17	27	2	3	5	12	20	32	7	5	12	14	9	23	2	2	4	
106. Ankylostomiasis	1	...	1	1	...	1	
107. Intestinal Parasites	
107a. Sprue	
108. Appendicitis	3	5	8	...	1	1	3	6	9	2	1	3	3	2	5	2	...	2	
109. Hernia, Intestinal-Obstruction	6	4	10	6	4	10	4	2	6	3	2	5	1	1	2	
110. Other Diseases of the Intestines	2	2	4	3	1	4	5	3	8	
111. Icterus Gravis	...	2	2	2	2	
112. Hydatid Tumours of the Liver	1	...	1	1	...	1	1	...	1	...	1	2	1	...	1	
113. Cirrhosis of the Liver	15	9	24	1	...	1	16	9	25	3	2	5	4	2	6	2	...	2	
114. Biliary Calculi	1	2	3	1	2	3	...	2	2	...	1	1	
115. Other Diseases of the Liver	5	8	13	1	...	1	6	8	14	2	2	4	3	1	4	1	1	2	
116. Diseases of the Spleen	
117. Simple Peritonitis (non-puerperal)	1	3	4	1	...	1	2	3	5	1	1	2	...	3	3	...	1	1	
118. Other Diseases of the Digestive System	
TOTAL CLASS V.	130	137	267	14	5	19	144	142	286	43	36	79	48	42	90	30	21	51	
CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.																			
119. Acute Nephritis	...	10	19	9	10	19	2	2	4	2	2	4	4	2	6	
120. Bright's Disease	60	32	92	9	1	10	69	33	102	7	6	13	9	6	15	10	7	17	
121. Chyluria	1	1	
122. Other Dis. of Kidneys and Adnexa	3	6	9	1	...	1	4	6	10	2	
123. Calculi of Urinary System	1	...	1	1	...	1	2	
124. Diseases of the Bladder	7	1	8	3	1	4	10	2	12	2	...	2	3	...	3	4	...	4	
125. Other Dis. of Urethra, Urin. Abscess, etc.	3	...	3	3	...	3	1	...	1	1	...	1	
126. Diseases of the Prostate	6	...	6	6	...	6	2	...	2	1	...	1	7	...	7	
127. Non-venereal Dis. of Male Genital Organs	
128. Uterine Hæmorrhage (non-puerperal)	...	1	1	1	1	...	1	1	
129. Uterine Tumour (non-cancerous)	...	2	2	2	2	
130. Metritis and other Diseases of the Uterus	
131. Cysts and other Ovarian Tumours	...	3	3	
132. Other Dis. of Female Genital Organs	...	1	1	3	3	...	1	1	1	1	
133. Non-puer. Dis. of Breast (Cancer excepted)	
TOTAL CLASS VI.	89	56	145	13	2	15	102	58	160	14	11	25	18	8	26	26	10	36	
CLASS VII.—Puerperal Condition.																			
134. Accidents of Pregnancy	...	4	4	4	4	...	1	1	...	3	3	...	1	1	
135. Puerperal Hæmorrhage	...	3	3	3	3	...	2	2	...	3	3	
136. Other Accidents of Childbirth	...	2	2	2	2	...	5	5	2	2	
137. Puerperal Septicæmia	...	8	8	8	8	3	3	...	4	4	
138. Puerperal Albuminuria and Eclampsia	...	7	7	7	7	...	2	2	
139. Puerperal Phlegmasia Alba Dolens	
140. Other Puerperal Accidents, Sudden Death	...	1	1	1	1	1	1	
141. Puerperal Diseases of the Breast	
TOTAL CLASS VII.	...	25	25	25	25	...	10	10	...	10	10	...	7	7	

No. XVIII.—continued.

Groups of Registry Districts of Queensland during the Year 1911—continued.

TABLE

CAUSES of DEATHS of MALES, FEMALES, and PERSONS Registered in the several

CLASSES AND DISEASES.	Metropolitan.						Total Metropolitan.			Moreton.			Wide Bay.			Port Curtis.		
	10-mile Radius.			Outside 10-mile Radius.			Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
	Males.	Females.	Persons.	Males.	Females.	Persons.												
CLASS VIII.—Diseases of the Skin and of the Cellular Tissue.																		
142. Gangrene	2	1	3	2	...	2	4	1	5	1	...	1	1	...	1	1	...	1
143. Carbuncle	1	2
144. Phlegmon, Acute Abscess	4	1	5	...	1	1	4	2	6
145. Other Diseases of the Skin and Adnexa	6	6	6	6	1	...	1	1	...	1	1	1	2
TOTAL CLASS VIII.	6	8	14	2	1	3	8	9	17	2	...	2	2	...	2	3	2	5
CLASS IX.—Diseases of the Organs of Locomotion.																		
146. Non-tuberculous Diseases of the Bones	1	...	1	1	...	1	1	1
147. Arthritis and other Dis. of Joints	1	1	1	1
148. Amputation
149. Other Dis. of Organs of Locomotion
TOTAL CLASS IX.	1	1	2	1	1	2	1	1
CLASS X.—Malformations.																		
150. Congenital Malfor. (excl. of Still-born)	10	8	18	...	1	1	10	9	19	9	4	13	5	11	16	8	3	11
TOTAL CLASS X.	10	8	18	...	1	1	10	9	19	9	4	13	5	11	16	8	3	11
CLASS XI.—Infancy.																		
151. Congenital Debility, Icterus, and Scleroma	45	42	87	2	1	3	47	43	90	17	10	27	20	18	38	19	17	36
152. Other Dis. Pec. to Infancy (un. 3 mths.)	15	6	21	15	6	21	5	3	8	3	1	4	5	1	6
153. Want of Care (Infants)
TOTAL CLASS XI.	60	48	108	2	1	3	62	49	111	22	13	35	23	19	42	24	18	42
CLASS XII.—Old Age.																		
154. Senile Debility	18	16	34	55	5	60	73	21	94	13	13	26	12	11	23	11	9	20
TOTAL CLASS XII.	18	16	34	55	5	60	73	21	94	13	13	26	12	11	23	11	9	20
CLASS XIII.—Violence.																		
155. Suicide by Poison	4	...	4	4	...	4	1	1	2
156. Suicide by Asphyxia	1
157. Suicide by Hanging or Strangulation	1	2	3	1	...	1	2	2	4	1	1
158. Suicide by Drowning	4	...	4	2	1	3	6	1	7	1	...	1
159. Suicide by Firearms	6	...	6	...	1	1	6	1	7	3	...	3	2	...	2	3	1	4
160. Suicide by Cutting Instruments	1	...	1	1	1	1	1	...	1
161. Suicide by Precipitation from a Height	1	1	1	1
162. Suicide by Crushing
163. Other Suicides	1	...	1
164. Poison by Food
165. Ven. Creatures and other acute Poisons	2	...	2	2	...	2	1	...	1	3	...	3	1	1	2
166. Incendiarism
167. Burns	4	7	11	4	7	11	1	10	11	...	3	3	1	1	2
168. Noxious Gases	1	1	1	1
169. Drowning	11	...	11	3	2	5	14	2	16	8	6	14	6	...	6	11	...	11
170. Firearms	3	...	3	3	...	3	1	...	1	1	...	1
171. Cuts and Stabs
172. Falls	9	3	12	9	3	12	3	2	5	7	2	9	4	1	5
173. Mines and Quarries
174. Machinery	1	...	1	1	...	1	2	...	2
175. Vehicles	14	2	16	1	...	1	15	2	17	4	1	5	2	...	2	1	...	1
175a. Railway and Tramways	11	...	11	11	...	11	2	...	2	4	...	4
176. Animals	3	...	3	3	...	3	3	...	3	7	2	9	1	...	1
177. Starvation	1	1	2
178. Cold
179. Sunstroke	4	2	6	4	2	6	2	1	3	2	...	2	1	2	3
180. Lightning
181. Other Electric
181a. Timber Felling and Logging	1	...	1	1	...	1	1	...	1	3	...	3
182. Murder by Firearms...
183. Murder by Cuts
184. Murder, Other
185. Fractures, etc.
186. Other Violence	6	1	7	6	1	7	3	...	3	1	...	1	5	...	5
TOTAL CLASS XIII.	84	19	103	8	4	12	92	23	115	37	20	57	43	9	52	34	7	41
CLASS XIV.—Ill-defined Diseases.																		
187. Organic Lesion (not Defined)
188. Sudden Death
189. Unspecified or Ill-defined Causes of Death	3	...	3	3	...	3	2	...	2
TOTAL CLASS XIV.	3	...	3	3	...	3	2	...	2
TOTAL DEATHS OF MALES, FEMALES, AND PERSONS FROM ALL CAUSES	953	776	1,729	238	67	305	1,191	843	2,034	326	270	596	367	261	628	317	213	530

No. XVIII.—continued.

Groups of Registry Districts of Queensland during the Year 1911—continued.

Edgecumbe.			Rockingham.			York Peninsula.			Carpentaria.			Central-Western.			South-Western.			Central.			Maranoa.			Downs.			TOTALS.		
Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
...	1	1	1	1	...	1	8	2	10
1	1	2	1	1	...	1	5	3	8	
...	1	1	...	1	1	...	1	5	5	10	
1	...	1	4	7	11	
2	3	5	1	1	2	1	1	2	2	...	2	1	...	1	...	1	22	17	39	
...	
3	...	3	...	1	1	1	...	1	5	2	7	
...	1	1	
...	
3	...	3	...	1	1	1	...	1	5	3	8	
...	
2	9	11	3	4	7	1	1	...	1	1	2	...	2	...	1	1	5	5	10	44	48	92
2	9	11	3	4	7	1	1	...	1	1	2	...	2	...	1	1	5	5	10	44	48	92
...	
10	19	29	10	9	19	2	...	2	3	3	6	3	...	3	5	1	6	6	9	15	3	...	3	34	10	44	179	139	318
3	3	6	1	1	2	1	1	2	4	3	7	37	19	56
...	
13	22	35	11	10	21	2	...	2	3	3	6	3	...	3	5	1	6	7	10	17	3	...	3	38	13	51	216	158	374
...	
17	14	31	11	1	12	1	2	3	11	2	13	1	...	1	6	1	7	10	4	14	5	...	5	17	13	30	188	91	279
17	14	31	11	1	12	1	2	3	11	2	13	1	...	1	6	1	7	10	4	14	5	...	5	17	13	30	188	91	279
...	
4	1	5	1	1	2	1	...	1	2	...	2	1	...	1	14	3	17
1	...	1	1	...	1	1	...	1	1	...	1	1	...	1	1	...	1	...	1	...	8	4	12
...	1	1	1	1	1	1	...	1	...	1	...	1	...	1	1	...	1	1	...	3	...	3	13	3	16	
5	...	5	3	...	3	1	...	1	1	...	1	1	...	1	2	...	2	2	...	2	...	2	31	2	33	
2	...	2	2	...	2	2	...	2	1	...	1	9	...	9
...	1	...	1	1	...	1	1	...	2
...	
1	...	1	2	...	2	1	...	1	5	...	5
3	...	3	1	...	1	1	...	1	3	...	3	...	3	...	3	1	...	1	19	1	20
...	
...	3	3	2	1	3	2	2	2	2	2	3	5	1	3	4	3	5	8	14	40	54	
...	3	3	2	1	3	2	2	2	2	2	3	5	1	3	4	3	5	8	14	40	54	
109	21	130	8	2	10	4	...	4	8	...	8	1	...	1	2	1	3	2	...	2	7	...	7	180	32	212	
2	...	2	2	1	1	2	1	...	1	11	1	12	
5	1	6	5	...	5	2	1	3	1	...	1	2	...	2	2	1	3	40	11	51
1	...	1	4	...	4	1	...	1	1	...	1	16	...	16
1	...	1	4	...	4
5	...	5	2	...	2	
2	1	3	5	...	5	2	1	3	
2	...	2	1	3	...	3	2	...	2	1	5	1	6	3	...	3	10	...	10	...	10	39	4	43
...	2	...	2	1	1	...	1	...	1	7	1	8
3	1	4	5	1	6	3	1	4	1	...	1	1	...	1	1	...	1	23	9	32
1	...	1	3	...	3
...	2	...	2	10	...	10
...	3	3	1	...	1	1	...	4
2	1	3	1	...	1	1	...	1	4	...	5
...	2	2	1	1	2	5	...	5	1	...	1	4	...	4	2	...	2	1	...	1	4	1	5	33	5	38
149	35	184	48	8	56	13	...	13	27	5	32	7	...	7	17	4	21	28	5	33	15	3	18	44	11	55	554	130	684
...	
...	1	1	1	...	1	1	...	1	2	1	3
1	...	1	1	...	1	1	...	1	2	...	2	10	...	10	
1	1	2	1	...	1	1	...	1	1	...	1	1	...	1	2	...	2	...	1	1	12	2	14
535	283	818	232	94	326	135	32	167	121	35	156	39	14	53	86	28	114	170	65	235	91	41	132	450	305	755	4,060	2,484	6,544

TABLE No. XIX.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1911.

CLASSES AND DISEASES.																								TOTALS.		
																								Males.	Females.	Persons.

TABLE No. XIX.—continued.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1911—continued.

CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.				
																							Males.	Females.	Persons.		
CLASS III.—Diseases of the Circulatory System.																											
77. Pericarditis			1			1		1	1	1														4	1	5	
78. Acute Endocarditis			1			1				2					1	5	4							6	6	12	
79. Organic Diseases of the Heart							2		2	3	1				2	5	8	12	3	9	16	16		88	89	177	
80. Angina Pectoris															2	2	1		1	1				5	3	8	
81. Dis. of Arteries, Atheroma, Aneurism, etc.													1	2	2	1		1	3	2	4	7		23	13	36	
82. Embolism and Thrombosis															1			1	1	1				5	3	8	
83. Dis. of Veins (Varices, Varicose Ulcers, etc.)																				1				1	1	2	
84. Diseases of the Lymphatic System							1																	1	1	2	
85. Hemorrhage																								1	1	2	
TOTAL CLASS III.			2			2	3	1	3	6	2	5	5	5	11	10	14	8	14	20	24			133	117	250	
CLASS IV.—Diseases of the Respiratory System.																											
86. Diseases of the Nasal Fossæ																								1		1	
87. Diseases of the Larynx	1					1																			2	2	
88. Diseases of the Thyroid Body																								7	6	13	
89. Acute Bronchitis	1		1	1		3	1								1				1	1				18	17	35	
90. Chronic Bronchitis															2				2	2	11			9	8	17	
91. Broncho-pneumonia			1			5	1		1	1	3	5	4	4	1	5	2		1	1				42	32	74	
92. Pneumonia	2	1	2			5	1	2	1	1	3	5	4	1	1	5	2		3	2	3			4	4	8	
93. Pleurisy	1					1					1			1	1									3	5	8	
94. Congestion of Lungs and Pul. Apoplexy										1										2				1	1	1	
95. Gangrene of the Lungs																				1				5	3	8	
96. Asthma							1							1		1		1			2			2	2	2	
97. Pulmonary Emphysema															1						1			1	1	1	
97a. Miner's Phthisis														1		1								1		1	
98. Other Diseases of the Respiratory System										2			1		1									4		4	
TOTAL CLASS IV.	9	1	4	1		15	4	2	1	4	4	5	5	9	4	7	3	1	6	7	20			97	73	170	
CLASS V.—Diseases of the Digestive System.																											
99. Dis. of Mouth and associated organs																									3	3	
100. Diseases of the Pharynx																								1		1	
101. Diseases of the Oesophagus																								2	3	5	
102. Ulcer of the Stomach															1			1						5	6	11	
103. Other Dis. of Stomach (Cancer excluded)	2	1				3												1	1					79	72	151	
104. Diarrhoea and Enteritis (under two years)	72	7				79												1		1		2		10	17	27	
105. Diarrhoea and Enteritis (over two years)			3		1	4	1			1																	
106. Ankylostomiasis																											
107. Intestinal Parasites																											
107a. Sprue																								3	5	8	
108. Appendicitis									1	1		1												6	4	10	
109. Hernia, Intestinal Obstruction	2					2				1					1			1	1					2	2	4	
110. Other Diseases of the Intestines									1															1	2	2	
111. Icterus Gravis																								1		1	
112. Hydatid Tumours of the Liver																								15	9	24	
113. Cirrhosis of the Liver													1	1	2	3	3	1	1	1	2			1	2	3	
114. Biliary Calculi															1									5	8	13	
115. Other Diseases of the Liver											1		1			1					2			1	3	4	
116. Diseases of the Spleen																								1			
117. Simple Peritonitis (non-puerperal)														1													
118. Other Diseases of the Digestive System																											
TOTAL CLASS V.	76	8	3		1	88	1		2	3	1	2	4	3	5	5	5	3	2		6			130	137	267	
CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.																											
119. Acute Nephritis	1	1				2	3			1	2				1									9	10	19	
120. Bright's Disease			1			1	1	3	3	10	4	3	1	4	1	3	8	4	7	4	3			60	32	92	
121. Chyluria																								3	6	9	
122. Other Dis. of Kidneys and Adnexa										1			1											1		1	
123. Calculi of Urinary System																								7	1	8	
124. Diseases of the Bladder										1														3		3	
125. Other Dis. Urethra, Urin. Abscess, etc.																								6		6	
126. Diseases of the Prostate																											
127. Non-venereal Dis. of Male Genital Organs																											
128. Uterine Hemorrhage (non-puerperal)																								1	1	2	
129. Uterine Tumour (non-cancerous)																									2	2	
130. Metritis and other Diseases of the Uterus																											
131. Cysts and other Ovarian Tumours																									3	3	
132. Other Dis. of Female Genital Organs																									1	1	
133. Non-puer. Dis. of Breast (Cancer excepted)																											
TOTAL CLASS VI.	1	1	1			3	4	3	3	13	6	3	2	5	2	4	9	6	13	6	7			89	56	145	
CLASS VII.—Puerperal Condition.																											
134. Accidents of Pregnancy																									4	4	
135. Puerperal Hemorrhage																									3	3	
136. Other Accidents of Childbirth																									2	2	
137. Puerperal Septicæmia																									8	8	
138. Puerperal Albuminuria and Eclampsia																									7	7	
139. Puerperal Phlegmasia Alba Dolens																											
140. Other Puerperal Accidents, Sudden Death																									1	1	
141. Puerperal Diseases of the Breast																											
TOTAL CLASS VII.																											

TABLE No. XX.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1911.

CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.			
																							Females.	Males.	Persons.	
CLASS I.—General Diseases.																										
1. Typhoid Fever...										1				1									2	10	12	
2. Typhus ...																										
3. Recurrent Fever ...																										
4. Intermittent Fever ...																										
4a. Malarial Cachexia ...																							1		1	
5. Small-pox ...																										
6. Measles ...	1			1		2																	2	1	3	
7. Scarlet Fever ...																							4	6	10	
8. Whooping Cough ...	5		1			6	2	1		1													6	7	13	
9. Diphtheria ...		3	1	2	1	7	1																8	7	15	
9a. Croup ...																										
10. Influenza ...	1					1					1						1	2	3		7		15	6	21	
11. Miliary Fever ...																										
12. Asiatic Cholera ...																										
13. Cholera Nostras ...																										
14. Dysentery ...																										
14a. Epidemic Dysentery ...																										
15. Plague ...																										
16. Yellow Fever ...																										
17. Leprosy ...																										
18. Erysipelas ...																										
19. Other Epidemic Diseases ...																										
19a. Dengue ...								2	1			2		1				2	2	1	4		15	16	31	
20. Purulent Infection and Septicæmia ...															1								1	5	6	
21. Glanders and Farcy ...																										
22. Malignant Pustule and "Charbon"																										
23. Rabies ...																										
24. Tetanus ...	1					1				1													2	6	8	
25. Trichinosis, etc. ...																								1	1	
26. Pellagra...																										
27. Beri Beri ...																										
28. Tuberculosis of the Lungs ...									2	12	4	8	10	4	5	3	1	1	2				52	72	124	
29. Tuberculosis, Acute Miliary ...										1													1	1	2	
30. Tuberculosis of the Meninges ...		2				2			1														3	6	9	
31. Tuberculosis, Abdominal, etc. ...	2	1				3	1			1				1									6	2	8	
32. Pott's Disease ...																										
33. White Swellings ...											1															
34. Tuberculosis of other Organs ...																							1	3	4	
35. General Tuberculosis ...																										
36. Rachitis...																										
37. Syphilis ...	2					2																	2	5	7	
38. Gonococcc Dis. ...													1										1	1	2	
39. Cancer, etc., of the Mouth ...										1							1						2	15	17	
40. Cancer, etc., of the Stomach and Liver ...													1				1	2	1		3	1		9	21	
41. Cancer, etc., Peritonæum, Intestines, etc. ...															2		1	3	2	2			10	8	18	
42. Cancer, etc., of the Female Genital Organs ...													1	1	1	2	2	1	1	2			11		11	
43. Cancer, etc., of the Breast ...														1	1	1					2		6		6	
44. Cancer, etc., of the Skin ...											1			1	1	1							3	7	10	
45. Cancer, etc., of other Organs ...															1								12	12	24	
46. Other Tumours (excl. F. Genital Organs) ...														1									1	4	5	
47. Acute Articular Rheumatism ...							1	1		1						1		2	1	1			8	4	12	
48. Chronic Rheumatism and Gout ...												1								1			2		2	
49. Scurvy ...	1					1																	1		1	
50. Diabetes ...																	3		1	2			6	4	10	
51. Exophthalmic Goitre ...																										
52. Addison's Disease ...																							2	1	3	
53. Leucæmia ...							1																7	3	10	
54. Anæmia, Chlorosis ...		1				1	1			1					1		2		1				1		2	
54a. Filariæ ...																		1								
55. Other General Diseases ...																										
56. Acute and Chronic Alcoholism ...												1			1		1						3	4	7	
57. Lead Poisoning ...																								3	3	
58. Other Chr. Poisonings due to Occupations ...																										
59. Other Chronic Poisonings ...																										
TOTAL CLASS I. ...	13	7	2	3	1	26	6	4	5	19	8	11	15	14	14	10	15	14	15	16	16	...	208	246	454	
CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense.																										
60. Encephalitis ...																										
61. Simple Meningitis ...	2					2		2	1				1										6	15	21	
61a. Epidemic Cerebro-spinal Meningitis ...																										
62. Progressive Locomotor Ataxia ...																								1	1	
63. Other Diseases of the Spinal Cord ...																							1	3	4	
64. Hæmorrhage of Brain, Apoplexy ...		1				1				1		1		1	5	2	2	6	3	8			30	30	60	
65. Softening of the Brain ...											1		1						2	2	1		7	3	10	
66. Paralysis without indicated cause ...																			2	1	2		5	8	13	
67. General Paralysis ...																								1	1	
68. Other Forms of Mental Alienation ...																										
69. Epilepsy...									1														1	3	4	
70. Eclampsia (non-puerperal) ...																										
71. Convulsions of Children under five ...			2	1	1	4																				

TABLE No. XX.—continued.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the year 1911—continued.

[illegible]

TABLE No. XXI.

CAUSES of DEATHS of PERSONS, at different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1911.

CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.			
																							Persons.	Males.	Females.	
CLASS I.—General Diseases.																										
1. Typhoid Fever	1	4	2	2	...	1	1	1	12	10	2	
2. Typhus	
3. Recurrent Fever	
4. Intermittent Fever	
4a. Malarial Cachexia	1	1	1	...	
5. Small-pox	
6. Measles	1	1	...	1	...	3	3	1	2	
7. Scarlet Fever	1	...	1	6	2	...	1	10	6	4	
8. Whooping Cough	7	2	2	2	...	13	13	7	6	
9. Diphtheria	5	2	5	1	13	2	15	7	8	
9a. Croup	
10. Influenza	1	1	1	2	2	4	2	9	...	21	6	15	
11. Miliary Fever	
12. Asiatic Cholera	
13. Cholera Nostras	
14. Dysentery	1	...	1	2	1	...	5	2	3	
14a. Epidemic Dysentery	
15. Plague	
16. Yellow Fever	
17. Leprosy	
18. Erysipelas	
19. Other Epidemic Diseases	
19a. Dengue	1	1	2	2	2	2	1	3	1	1	2	4	2	2	6	...	31	16	15	
20. Purulent Infection and Septicæmia	1	1	2	1	3	6	5	1	
21. Glanders and Farcy	
22. Malignant Pustule and "Charbon"	
23. Rabies	
24. Tetanus	4	4	2	...	1	1	8	6	2	
25. Trichinosis, etc.	1	1	1	...	
26. Pellagra	
27. Beri Beri	
28. Tuberculosis of the Lungs	1	...	4	18	13	15	18	10	17	8	7	6	6	...	1	...	124	72	52		
29. Tuberculosis, Acute Miliary	1	1	1	1	1	2	1	1	
30. Tuberculosis of the Meninges	3	...	1	...	4	...	2	...	1	9	6	3	
31. Tuberculosis, Abdominal, etc.	2	1	3	1	1	...	1	1	1	8	2	6	
32. Pott's Disease	
33. White Swellings	
34. Tuberculosis of Other Organs	1	...	1	1	1	1	4	3	1	
35. General Tuberculosis	
36. Rachitis	
37. Syphilis	5	5	1	7	5	2	
38. Gonococcic Dis.	1	1	2	1	1	
39. Cancer, etc., of the Mouth	2	1	2	2	3	2	3	1	1	...	17	15	2	
40. Cancer, etc., of the Stomach and Liver...	1	...	3	5	3	4	4	5	5	...	30	21	9	
41. Cancer, etc., Peritonæum, Intestines, etc.	1	1	2	1	3	4	3	2	1	...	18	8	10	
42. Cancer, etc., of the Female Genital Organs	1	...	1	1	1	2	2	1	1	2	11	...	11	
43. Cancer, etc., of the Breast	1	1	1	1	2	...	6	...	6	
44. Cancer, etc., of the Skin	1	3	...	1	3	...	1	1	...	10	7	3	
45. Cancer, etc., of other Organs	2	2	2	2	2	6	3	3	...	24	12	12		
46. Other Tumours (excl. F. Genital Organs)	2	1	1	1	...	5	4	1	
47. Acute Articular Rheumatism	1	2	1	...	1	1	1	...	1	...	2	1	1	12	4	8	
48. Chronic Rheumatism and Gout	1	2	...	2	
49. Scurvy	1	1	1	1	...	1	
50. Diabetes	1	3	2	2	2	10	4	6	
51. Exophthalmic Goitre	
52. Addison's Disease	
53. Leucæmia	2	1	3	1	2	
54. Anæmia, Chlorosis	1	1	1	...	1	1	1	2	3	10	3	7	
54a. Filaria					

TABLE No. XXI.—continued.

CAUSES of DEATHS of PERSONS, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1911—continued.

CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.				
																							Persons.	Males.	Females.		
CLASS VIII.—Diseases of the Skin and of the Cellular Tissue.																											
142. Gangrene	3	...	3	2	1		
143. Carbuncle	1	1	1	...	5	...	4	1		
144. Phlegmon, Acute Abscess	1	1	...	6	...	6		
145. Other Diseases of the Skin and Adnena	1	1	...	1	1	...	1	2		
TOTAL CLASS VIII.	1	1	1	3	...	1	1	...	1	...	1	1	...	6	...	14	6	8		
CLASS IX.—Diseases of the Organs of Locomotion.																											
146. Non-tuberculous Diseases of the Bones.	1	1	1	1	...		
147. Arthritis and Other Dis. of Joints		
148. Amputation		
149. Other Dis. of Organs of Locomotion		
TOTAL CLASS IX.	1	1	2	1	1		
CLASS X.—Malformations.																											
150. Congenital Malfor. (excl. of Still-born)	17	17	1	18	10	8		
TOTAL CLASS X.	17	17	1	18	10	8		
CLASS XI.—Infancy.																											
151. Congenital Debility, Icterus, and Scleroma	87	87	87	45	42		
152. Other Dis. Pec. to Infancy (un. 3 mths.)	21	21	21	15	6		
153. Want of Care (Infants)		
TOTAL CLASS XI.	108	108	108	60	48		
CLASS XII.—Old Age.																											
154. Senile Debility	4	4	26	...	34	18	16	
TOTAL CLASS XII.	4	4	26	...	34	18	16	
CLASS XIII.—Violence.																											
155. Suicide by Poison	1	1	1	1	4	4	...		
156. Suicide by Asphyxia	1	1	1	3	1	2		
157. Suicide by Hanging or Strangulation	1	1	4	4	...		
158. Suicide by Drowning	1		
159. Suicide by Firearms	2	2	6	6	...		
160. Suicide by Cutting Instruments		
161. Suicide by Precipitation from a height	1	1	...	1		
162. Suicide by Crushing		
163. Other Suicides		
164. Poison by Food	2		
165. Ven. Creatures and Other Acute Poisons	1	1	2	2	2	...		
166. Incendiarism		
167. Burns	1	3	2	...	6	1	1	1	1	1	...	11	4	7		
168. Noxious Gases	1	...	1		
169. Drowning	2	2	...	2	1	1	...	1	1	1	...	11	11	...		
170. Firearms	1	1	1	3	3	...		
171. Cuts and Stabs		
172. Falls	1	1	2	2	1	1	1	...	1	1	1	2	12	9	3		
173. Mines and Quarries		
174. Machinery	1	1	...	2	2	1	1	1	1	1	1	2	1	1	...	1	1	1	2		
175. Vehicles	1	1	2	1	3	2	11	11	...		
175a. Railways and Tramways		
176. Animals	1	1	1	3	3	...		
177. Starvation		
178. Cold		
179. Sunstroke	1	1	1	2	1	1	6	4	2		
180. Lightning		
181. Others, Electric	1	1	1	...		
181a. Timber-felling, Logging, etc.		
182. Murder by Firearms		
183. Murder by Cuts		
184. Murder, Other		
185. Fractures, etc.		
186. Other Violence	1	1	3	1	1	1	7	6	1		
TOTAL CLASS XIII.	4	1	4	3	2	14	6	4	3	6	8	10	5	8	7	7	8	6	2	4	5	...	103	84	19		
CLASS XIV.—Ill-defined Diseases.																											
187. Organic Lesion (not defined)		
188. Sudden Death		
189. Unspecified or Ill-defined Causes of Death	2	1	3	3	3	...		
TOTAL CLASS XIV.	2	1	3	3	3	...		
TOTAL DEATHS OF PERSONS FROM ALL CAUSES	327	51	25	18	10	131	55	33	43	83	68	63	65	87	101	81	95	87	114	120	203	...	1,729	953	776		

TABLE No. XXII.

**CAUSES of DEATHS of MALES and FEMALES Registered in the Metropolitan Area (Brisbane 10-mile radius)
during each Month of the Year 1911.**

CLASSES AND DISEASES.		JANUARY.		FEBRUARY.		MARCH.		APRIL.		MAY.		JUNE.		JULY.		AUGUST.		SEPTEMBER.		OCTOBER.		NOVEMBER.		DECEMBER.		TOTALS.			
																										Males.	Females.	Persons.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.						
CLASS I.—General Diseases.																													
1.	Typhoid Fever			2	1									1						1		3		3	1	10	2	12	
2.	Typhus																												
3.	Recurrent Fever																												
4.	Intermittent Fever																												
4a.	Malarial Cachexia	1																							1		1		
5.	Smallpox																												
6.	Measles					1	1	1		1		1	2	1	1			1						1	6	2	3		
7.	Scarlet Fever	1																							1	4	10		
8.	Whooping Cough					1	1			1	1		1	1						2	1	2	4		7	6	13		
9.	Diphtheria	2	1								1	3	3		1	1				1					7	8	15		
9a.	Croup																												
10.	Influenza	1	3									1			1	2	9	1		1			1	6	15	21			
11.	Miliary Fever																												
12.	Asiatic Cholera																												
13.	Cholera Nostras																												
14.	Dysentery					1			1											1	1			1	2	3	5		
14a.	Epidemic Dysentery																												
15.	Plague																												
16.	Yellow Fever																												
17.	Leprosy																												
18.	Erysipelas																												
19.	Other Epidemic Diseases																												
19a.	Dengue	2		1		3	5	6	5	3	3	2					1								16	15	31		
20.	Purulent Infection and Septicæmia			1		3			1														1		5	1	6		
21.	Glanders and Farcy																												
22.	Malignant Pustule and "Charbon"																												
23.	Rabies																												
24.	Tetanus	1		2	1			1			1					1				1					6	2	8		
25.	Trichinosis, etc.	1																							1		1		
26.	Pellagra																												
27.	Beri Beri																												
28.	Tuberculosis of the Lungs	5	4	6	4	7	5	5	4	9	3	5	5	6	5	11	7	4	1	2	5	4	7	8	2	72	52	124	
29.	Tuberculosis, Acute Miliary														1						1					1	1	2	
30.	Tuberculosis of the Meninges	2										1	2						1	1					1	6	3	9	
31.	Tuberculosis, Abdominal, etc.											1	1					1	1							2	6	8	
32.	Pott's Disease																												
33.	White Swellings																												
34.	Tuberculosis of other Organs			1	1				1				1													3	1	4	
35.	General Tuberculosis																												
36.	Rachitis																												
37.	Syphilis												1		1		1			1	2			1		5	2	7	
38.	Gonococccic Dis. (children under 5)											1	1		1				1	1					1	1	2		
39.	Cancer, etc., of the Mouth	3							2						1		2		1	2					2	1	15	2	17
40.	Cancer, etc., of the Stomach and Liver	3				2	4	1	1	1		1	3	1	1		2	1		1	2				6	21	9	30	
41.	Cancer, etc., Peritonæum, Intestines, etc.	1				1				1	2				1	1	1		2	1	2		2	3	1	8	10	18	
42.	Cancer, etc., of the Female Genital Organs			3		1				1						2		1		1					2		11	11	
43.	Cancer, etc., of the Breast					1					1				1		1		1								6	6	
44.	Cancer, etc., of the Skin					2						1		1		1	1	1		1						7	3	10	
45.	Cancer, etc., of other Organs	2	1			1	1	1	1			2	1		1		1	1	2	3	3	1	1		12	12	24		
46.	Other Tumours (excl. F. Genital Organs)					1								1					1							4	8	12	
47.	Acute Articular Rheumatism	1				1					1			1		2		1		1			2			4	8	12	
48.	Chronic Rheumatism and Gout																1										2	2	
49.	Scurvy																										1	1	
50.	Diabetes	1										1				2	1	2		2						1	4	10	
51.	Exophthalmic Goitre																												
52.	Addison's Disease																												
53.	Leucæmia			1		1					1																		
54.	Anæmia, Chlorosis					1			1		2	2				1					3					3	7	10	
54a.	Filaria																	1									1	2	
55.	Other General Diseases																						1		2				
56.	Acute and Chronic Alcoholism	1	2	1					1							1			1							4	3	7	
57.	Lead Poisoning					1										1				1								3	
58.	Other Chr. Poisonings due to Occupations																												
59.	Other Chronic Poisonings																												
TOTAL CLASS I.		23	16	18	17	23	14	21	12	20	21	21	15	15	16	24	29	12	13	21	22	14	20	29	13	216	208	454	
CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense.																													
60.	Encephalitis																												
61.	Simple Meningitis	1						1	1	1	3						1	2		1	4		2	1	2	1	15	6	21
61a.	Epidemic Cerebro-spinal Meningitis																												
62.	Progressive Locomotor Ataxia												1															1	
63.	Other Diseases of the Spinal Cord	1		1		2	3		2	2	1	3	8	5	2		5	2	1	1	1	2	1	5	2	4	30	30	60
64.	Hæmorrhage of Brain, Apoplexy	4	4			2														2		2				3	7	10	
65.	Softening of the Brain			2	1								1							2				2			8	5	13
66.	Paralysis without indicated cause	3				1						1	2		1				1	1	1	1					1	1	
67.	General Paralysis													1															
68.	Other Forms of Mental Alienation																												
69.	Epilepsy																												
70.	Eclampsia (non-puerperal)																												
71.	Convulsions of Children under five																												
72.	Chorea			1					1		2					1		1											
73.	Hysteria, Neuralgia and Neuritis																												
74.	Other Diseases of the Nervous System					1				1					1	1		2	2		1					1	5	5	10
75.	Diseases of the Eyes and Appendages																										2	2	
76.	Diseases of the Ear																											1	1
TOTAL CLASS II.		9	4	4	4	5	1	4	4	7	3	11	7	5	3	6	6	6	6	7	6	5	8	7	8	76	60	136	

TABLE No. XXII.—continued.

CAUSES of DEATHS of MALES and FEMALES Registered in the Metropolitan Area (Brisbane 10-mile radius) during each Month of the Year 1911—continued.

CLASSES AND DISEASES.	JANUARY.		FEBRUARY.		MARCH.		APRIL.		MAY.		JUNE.		JULY.		AUGUST.		SEPTEMBER.		OCTOBER.		NOVEMBER.		DECEMBER.		TOTALS.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Males.	Females.	Persons.
CLASS VIII.—Diseases of the Skin and of the Cellular Tissue.																											
142. Gangrene	1	1	1	2	1	3
143. Carbuncle
144. Phlegmon, Acute Abscess	1	2	1	1	4	1	5
145. Other Diseases of the Skin and Adnexa	1	...	1	1	...	1	1	...	1	6	6
TOTAL CLASS VIII.	1	1	2	1	...	1	1	1	...	1	1	1	1	...	1	...	6	8	14
CLASS IX.—Diseases of the Organs of Locomotion.																											
146. Non-tuberculous Diseases of the Bones	1	1	...	1
147. Arthritis and other Dis. of Joints	1	1	1
148. Amputation
149. Other Dis. of Organs of Locomotion
TOTAL CLASS IX.	1	1	1	1	2
CLASS X.—Malformations.																											
150. Congenital Malfor. (excl. of Stillborn)	1	1	1	1	1	1	2	2	1	...	1	1	2	...	1	2	10	8	18
TOTAL CLASS X.	1	1	1	1	1	1	2	2	1	...	1	1	2	...	1	2	10	8	18
CLASS XI.—Infancy.																											
151. Congenital Debility, Icterus, and Scleroma	3	2	5	4	2	3	3	5	1	2	3	3	3	8	6	4	4	1	5	3	5	4	5	3	45	42	87
152. Other Dis. Pec. to Infancy (un. 3 mths.)	3	1	1	1	1	1	2	...	2	1	2	1	1	2	1	1	15	6	21	
153. Want of Care (Infants)
TOTAL CLASS XI.	6	3	5	4	3	4	4	6	3	2	5	4	5	9	7	4	4	1	7	3	5	4	6	4	60	48	108
CLASS XII.—Old Age.																											
154. Senile Debility	1	1	1	3	1	3	1	1	4	1	1	...	2	2	1	2	2	2	3	1	1	...	18	16	34
TOTAL CLASS XII.	1	1	1	3	1	3	1	1	4	1	1	...	2	2	1	2	2	2	3	1	1	...	18	16	34
CLASS XIII.—Violence.																											
155. Suicide by Poison	1	...	1	2	4	...	4
156. Suicide by Asphyxia
157. Suicide by Hanging or Strangulation	1	1	1	...	1	2	3
158. Suicide by Drowning	2	1	1	4	...	4	...
159. Suicide by Firearms	1	1	...	1	3	...	6	...	6	...
160. Suicide by Cutting Instruments
161. Suicide by Precipitation from a Height	1	1	...	1
162. Suicide by Crushing
163. Other Suicides
164. Poison by Food
165. Ven. Creatures and other acute Poisons	1	1	...	2	...	2	...
166. Incendiarism
167. Burns	1	1	...	1	1	1	...	1	...	1	...	1	...	2	...	1	...	4	7	11
168. Noxious Gases	1	1	...	1
169. Drowning	3	2	1	...	2	...	1	1	...	1	11	...	11	...
170. Firearms	1	1	...	1	3	...	3	...
171. Cuts and Stabs
172. Falls	1	1	1	1	1	2	1	...	1	1	2	9	3	12	...
173. Mines and Quarries
174. Machinery	1	1	...	1	...
175. Vehicles	2	...	1	1	1	2	...	1	4	3	14	2	16	...
175a. Railways and Tramways	1	...	1	1	1	1	...	2	...	1	...	1	...	11	...	11
176. Animals	1	1	1	3	...	3	...
177. Starvation
178. Cold
179. Sunstroke	4	2	...	4	2	6
180. Lightning
181. Other Electric
181a. Timber Felling and Logging	1	1	...	1
182. Murder by Firearms
183. Murder by Cuts
184. Murder, Other
185. Fractures, etc.
186. Other Violence	2	1	...	3	1	6	1	7
TOTAL CLASS XIII.	8	1	3	...	10	2	5	2	7	3	8	2	6	1	9	...	6	...	5	2	7	2	10	4	84	19	103
CLASS XIV.—Ill-defined Diseases.																											
187. Organic Lesion (not Defined)
188. Sudden Death	3	...	3
189. Unspecified or Ill-defined Causes of Death	2	...	1
TOTAL CLASS XIV.	2	...	1	3	...	3
TOTAL DEATHS OF MALES AND FEMALES FROM ALL CAUSES	85	55	50	53	79	54	75	49	72	68	80	53	81	61	94	89	77	58	94	77	70	87	96	72	953	776	1,729

APPENDIX B.

RETURN showing the Registry Districts of Queensland, with the Names of the Persons holding the Office of District Registrar, on 31st December, 1911.

METROPOLITAN DISTRICT—BRISBANE.
THORNHILL WEEDON, REGISTRAR-GENERAL.

COUNTRY DISTRICTS.

Aramac	WALDRON JOSEPH COOPER WALKER	Hughenden	DANIEL HERBERT KENNEDY.
Balonne	BURROWES.	Ipswich	WILLIAM PETTIGREW WILSON.
Blackall	JAMES WILLIAMS.	Kennedy	ALFRED WILLIAM BURNS.
Bowen	ARCHIBALD BLAIR GIBSON.	Logan	ARTHUR HENRY SCOTT.
Bundaberg	GEORGE NEEDHAM WALKER.	Mackay	HENRY EDWARD COONEY.
Burke	ARTHUR EDGAR AITKIN.	Maranoa	ALFRED BERNARD HANSEN.
Burnett	GEORGE GILCHRIST.	Marathon	CHARLES STOREY.
Caboolture	MICHAEL JOSEPH BURKE.	Maryborough	FREDERICK CHARLES HUNTER.
Cairns	JOHN MENZIES BRYCE (Acting).	Mount Morgan	TIMOTHY ROGER KENNEDY.
Cardwell	THOMAS ARTHUR FERRY.	Nanango	CHARLES HEBER SHORT.
Charleville	ROBERT BLAIN HETHERINGTON.	Oxley	JOHN MOFFATT.
Clermont	JAMES AMBROSE MURRAY.	Palmer	JOHN JAMES MAGEE.
Cloncurry	ERNEST RICHARD JOSEPH LITTLER.	Rockhampton	PERCY GORDON KNYVETT.
Cook	PATRICK JOSEPH ROGERS.	Somerset	STANLEY WILSON.
Croydon	JOSEPH WILLIAM LEE.	Springsure	ALFRED ARTHUR SCHULTE.
Cunnamulla	ROBERT ALEXANDER DUNLOP.	Stanley	THOMAS CAMPBELL PRYDE.
Dalby	ALEXANDER DORSEY.	Stanthorpe	JOHN DEMPSEY SULLIVAN.
Darling Downs West	ARTHUR HENRY O'KELLY.	St. Lawrence	JOHN LEONARD.
Enoggera	REGINALD SHUCKBURGH HURD.	Tiaro	THOMAS GEORGE WEST.
Etheridge	JOHN NICHOLSON.	Toowong	JOHN NICHOLSON.
Fassifern	JOHN FRASER.	Toowoomba	WILLIAM SIMPSON.
Gladstone	ANDREW WILLIAMSON.	Townsville	ALFRED HERMAN BERG.
Gympie	GEORGE ALEXANDER CAMERON.	Warrego	OCTAVIUS COLES.
Herberton	JOHN JAMES MORAN.	Warwick	THOMAS WILLIAM FARNELL.
	ADOLPHUS ARNOLD STAINES.		

APPENDIX C.

Table No. I.

LOCAL GOVERNMENT AREAS.

SHOWING THE POPULATION OF THE CITIES, TOWNS, AND SHIRES, AT THE CENSUS OF 1911.

	Males.	Females.	Persons.		Males.	Females.	Persons.
CITIES—				SHIRES—			
Brisbane	19,612	20,305	39,917	Adavale	1,055	303	1,358
Charters Towers	2,071	2,191	4,262	Antigua	375	334	709
Gympie	4,273	4,650	8,923	Aramac	1,154	514	1,668
Ipswich	4,569	4,959	9,528	Ayr	2,080	1,199	3,279
Maryborough	4,630	5,043	9,673	Balmoral	1,974	1,873	3,847
Rockhampton	7,376	8,080	15,456	Balonne	2,273	1,032	3,305
South Brisbane	14,326	15,725	30,051	Banana	703	356	1,059
Toowoomba	6,189	6,930	13,119	Barcardine	1,284	972	2,256
Townsville	5,565	5,071	10,636	Barcoo	458	166	624
Total Cities	68,611	72,954	141,565	Barolin	1,044	835	1,879
TOWNS—				Barron	1,135	810	1,945
Allora	628	612	1,240	Baibinia	1,173	668	1,841
Blackall	474	461	935	Beaudesert	2,276	1,989	4,265
Bowen	801	712	1,513	Beenleigh	1,108	1,075	2,183
Bundaberg	2,763	2,753	5,516	Belmont	385	319	704
Cairns	2,854	2,310	5,164	Belyando	1,164	526	1,690
Charleville	861	801	1,662	Booringa	1,496	1,006	2,502
Clermont and Copperfields	702	659	1,361	Boulia	320	118	438
Cooktown	598	651	1,249	Erassall	1,594	1,574	3,168
Dalby	1,071	1,155	2,226	Broadsound	292	187	479
Gayndah	511	481	992	Bulloo	1,166	479	1,645
Gladstone	671	693	1,364	Bundamba	2,329	2,003	4,332
Goondiwindi	734	564	1,298	Bungil	1,785	1,302	3,087
Hamilton	2,334	2,571	4,905	Burke	557	231	788
Hughenden	824	590	1,414	Caboolture	3,219	2,540	5,759
Ithaca	7,546	8,210	15,756	Cairns	1,828	857	2,685
Laidley	605	622	1,227	Calliope	2,134	1,535	3,669
Mackay	2,664	2,477	5,141	Calliungal	1,826	1,347	3,173
Mount Morgan	4,504	4,000	8,504	Cardwell	288	152	440
North Rockhampton	1,395	1,438	2,833	Carpentaria	456	310	766
Roma	1,354	1,309	2,663	Chillagoe	1,420	1,004	2,424
Sandgate	1,323	1,728	3,051	Cleveland	490	467	957
Toowong	2,949	3,337	6,286	Clifton	4,004	3,095	7,099
Warwick	2,494	2,754	5,248	Cloncurry	1,954	871	2,825
Windsor	4,219	4,751	8,970	Coomera	463	382	845
Total Towns	44,879	45,639	90,518	Coorparoo	1,385	1,419	2,804
				Croydon	885	764	1,649
				Daintree	433	190	623
				Dalrymple	2,277	1,088	3,365

APPENDIX C—continued.

Table No. I.—continued.

LOCAL GOVERNMENT AREAS—continued.

SHOWING THE POPUTATION OF THE CITIES, TOWNS, AND SHIRES, AT THE CENSUS OF 1911—continued.

—	Males.	Females.	Persons.	—	Males.	Females.	Persons.
SHIRES—continued.				SHIRES—continued.			
Degilbo	1,042	808	1,850	Pioneer	5,992	3,760	9,752
Diamantina	230	47	277	Proserpine	1,118	718	1,836
Douglas	931	492	1,423	Purga	2,391	2,164	4,555
Drayton	640	620	1,260	Queenton	7,105	7,172	14,277
Duaringa	587	432	1,019	Ravenswood	1,389	1,258	2,647
Eidsvold	623	451	1,074	Rawbelle	1,360	946	2,306
Einasleigh	2,042	1,010	3,052	Redcliffe	536	593	1,129
Emerald	1,046	724	1,770	Rosalie	4,446	3,536	7,982
Enoggera	661	597	1,258	Rosenthal	1,169	926	2,095
Esk	3,117	2,458	5,575	Rosewood	1,749	1,446	3,195
Fitzroy	2,443	1,834	4,277	Sherwood	1,729	1,596	3,325
Flinders	1,535	480	2,015	Southport	909	1,010	1,919
Glengallan	3,339	2,643	5,982	Stanthorpe	1,511	1,397	2,908
Gooburrum	2,665	1,680	4,345	Stephens	2,642	2,773	5,415
Goolman	2,726	2,563	5,289	Tambo	808	516	1,324
Gowrie	1,901	2,163	4,064	Tambourine	674	514	1,188
Granville	396	341	737	Tarampa	3,584	3,115	6,699
Hann	553	179	732	Taringa	1,355	1,608	2,963
Herberton	1,692	1,032	2,724	Taroom	749	512	1,261
Highfields	2,987	2,669	5,656	Thuringowa	2,897	2,198	5,095
Hinchinbrook... ..	2,565	1,330	3,895	Tiaro	1,805	1,462	3,267
Howard	822	680	1,502	Tinana... ..	419	403	822
Ilfracombe	628	278	906	Tinaroo	2,092	1,152	3,244
Indooroopilly	466	431	897	Tingalpa	665	597	1,262
Inglewood	2,275	1,504	3,779	Toombul	3,243	3,548	6,791
Isis	2,641	1,743	4,384	Torres	1,386	638	2,024
Isisford	573	263	836	Waggamba	1,194	588	1,782
Johnstone	2,563	1,021	3,584	Walloon	2,211	2,084	4,295
Jondaryan	4,247	3,222	7,469	Walsh	2,639	1,514	4,153
Kargoolnah	988	339	1,327	Wambo	3,915	2,834	6,749
Kedron	1,999	1,664	3,663	Wangaratta	723	431	1,154
Kilkivan	932	621	1,553	Warroo	1,054	585	1,639
Kolan... ..	1,384	1,032	2,416	Waterford	491	477	968
Laidley	1,796	1,552	3,348	Weinholt	2,200	1,493	3,693
Livingstone	3,075	2,581	5,656	Widgee	2,362	2,033	4,395
Longreach	2,129	1,344	3,473	Winton	1,811	743	2,554
Mackinlay	859	327	1,186	Woongarra	1,379	1,209	2,588
Maroochy	2,983	2,305	5,288	Woothakata	1,139	634	1,773
Middle Ridge	605	635	1,240	Wynnum	1,506	1,715	3,221
Miriam Vale	871	752	1,623	Yeerongpilly	680	633	1,313
Murilla	1,980	1,256	3,236				
Murweh	1,621	713	2,334	Total Shires	211,453	156,840	368,293
Nanango	3,743	2,690	6,433				
Nebo	292	152	444	OUTSIDE LOCAL GOVERN-			
Nerang	995	814	1,809	MENT AREAS—			
Noosa	1,189	819	2,008	Not Incorporated	1,267	302	1,569
Normanby	1,329	1,153	2,482	Shipping	3,296	572	3,868
Paroo	1,598	829	2,427				
Peak Downs	559	276	835	GRAND TOTAL	329,506	276,307	605,813
Perry	1,084	931	2,015				
Pialba	823	720	1,543				
Pine	1,414	1,217	2,631				

APPENDIX C—continued.

Table No. II.

SHOWING the AGES of the POPULATION of QUEENSLAND as returned at the CENSUS of 1911.

AGES.	BRISBANE AND SUBURBS.			REMAINDER OF STATE.			THE WHOLE STATE.		
	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
Under 1 year ...	1,697	1,653	3,350	6,632	6,314	12,946	8,329	7,967	16,296
1 year to 4 years ...	5,899	5,556	11,455	23,496	22,457	45,953	29,395	23,013	57,408
5 „ 9 „ ...	6,911	6,605	13,516	25,157	24,813	49,970	32,068	31,418	63,486
10 „ 14 „ ...	7,025	7,132	14,157	24,429	23,863	48,292	31,454	30,995	62,449
15 „ 19 „ ...	7,240	8,035	15,275	25,408	22,853	48,261	32,648	30,888	63,536
20 years ...	1,423	1,682	3,105	5,461	4,590	10,051	6,884	6,272	13,156
Under 21 years ...	30,195	30,663	60,858	110,583	104,890	215,473	140,778	135,553	276,331
21 years to 24 years ..	5,659	6,734	12,393	21,057	16,401	37,458	26,716	23,135	49,851
25 „ 29 „ ...	5,863	6,619	12,482	23,190	16,889	40,079	29,053	23,508	52,561
30 „ 34 „ ...	4,910	5,441	10,351	19,535	13,848	33,383	24,445	19,289	43,734
35 „ 39 „ ...	4,110	4,620	8,730	17,301	12,118	29,419	21,411	16,738	38,149
40 „ 44 „ ...	3,735	4,277	8,012	16,351	10,330	26,681	20,086	14,607	34,693
45 „ 49 „ ...	3,761	3,769	7,530	15,008	8,477	23,485	18,769	12,246	31,015
53 „ 54 „ ...	3,015	2,899	5,914	12,187	6,620	18,807	15,202	9,519	24,721
55 „ 59 „ ...	2,013	2,024	4,037	8,258	4,332	12,590	10,271	6,356	16,627
60 „ 64 „ ...	1,438	1,540	2,978	6,036	3,378	9,414	7,474	4,918	12,392
65 „ 69 „ ...	1,138	1,361	2,499	4,751	2,799	7,550	5,889	4,160	10,049
70 „ 74 „ ...	871	919	1,790	3,389	1,873	5,262	4,260	2,792	7,052
75 „ 79 „ ...	465	450	915	1,638	961	2,599	2,103	1,411	3,514
80 „ 84 „ ...	184	214	398	584	382	966	768	596	1,364
85 „ 89 „ ...	46	66	112	190	166	356	236	232	468
90 „ 94 „ ...	13	13	26	39	37	76	52	50	102
95 „ 99 „	9	10	19	9	10	19
100 and upwards ...	1	1	2	1	2	3	2	3	5
Unspecified ...	211	242	453	1,771	942	2,713	1,982	1,184	3,166
Total ...	67,628	71,852	139,480	261,878	204,455	466,333	329,506	276,307	605,813

Table No. III.

SHOWING the BIRTHPLACES of the POPULATION of QUEENSLAND, as RETURNED at the CENSUS of 1911.

BIRTHPLACE.	POPULATION BRISBANE AND SUBURBS.			REMAINDER OF THE STATE.			THE WHOLE STATE.		
	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
Queensland ...	41,207	45,787	86,994	151,475	143,747	295,222	192,682	189,534	382,216
New South Wales ...	3,435	3,611	7,046	20,444	11,431	31,875	23,879	15,042	38,921
Victoria ...	1,522	1,380	2,902	8,957	4,084	13,041	10,479	5,464	15,943
South Australia ...	253	247	500	1,901	947	2,848	2,154	1,194	3,348
Western Australia ...	63	77	140	192	150	342	255	227	482
Tasmania ...	189	184	373	1,034	391	1,425	1,223	575	1,798
Northern Territory...	5	2	7	6	15	21	11	17	28
Australia Undefined	294	385	679	1,780	1,500	3,280	2,074	1,885	3,959
Total Commonwealth	46,968	51,673	98,641	185,789	162,265	348,054	232,757	213,938	446,695
New Zealand ...	359	315	674	1,273	629	1,902	1,632	944	2,576
Total Australasia ...	47,327	51,988	99,315	187,062	162,894	349,956	234,389	214,882	449,271
England and Wales...	10,388	9,899	20,287	29,788	17,968	47,756	40,176	27,867	68,043
Scotland ...	3,317	3,178	6,495	8,829	5,206	14,035	12,146	8,384	20,530
Ireland ...	3,440	4,784	8,224	12,746	10,629	23,375	16,186	15,413	31,599
All other Brit. Possess.	352	270	622	2,296	463	2,759	2,648	733	3,381
Germany ...	908	796	1,704	6,075	4,200	10,275	6,983	4,996	11,979
All other Countries...	1,823	839	2,662	14,813	2,906	17,719	16,636	3,745	20,381
At Sea ...	73	98	171	269	189	458	342	287	629
Total ...	67,628	71,852	139,480	261,878	204,455	466,333	329,506	276,307	605,813

APPENDIX C—continued.

Table No. IV.

SHOWING THE RELIGIONS OF THE POPULATION OF QUEENSLAND AS RETURNED AT THE CENSUS OF 1911.

RELIGION.	BRISBANE AND SUBURBS.			REMAINDER OF STATE.			THE WHOLE STATE.		
	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
Christian—									
Church of England	24,315	25,671	49,986	90,643	72,073	162,716	114,958	97,744	212,702
Roman Catholic ...	13,822	16,257	30,079	57,801	49,206	107,007	71,623	65,463	137,086
Presbyterian ...	8,722	9,213	17,935	32,172	25,453	57,625	40,894	34,666	75,560
Methodist ...	7,049	7,934	14,983	23,260	21,677	44,937	30,309	29,611	59,920
Lutheran ...	1,439	1,387	2,826	11,599	9,810	21,409	13,038	11,197	24,235
Baptist ...	2,524	3,032	5,556	4,141	4,018	8,159	6,665	7,050	13,715
Congregational ...	1,575	1,870	3,445	3,562	3,438	7,000	5,137	5,308	10,445
Salvation Army ...	367	517	884	1,682	1,743	3,425	2,049	2,260	4,309
Catholic undefined ...	658	568	1,226	3,691	3,075	6,766	4,349	3,643	7,992
Other Christian ...	3,902	3,713	7,615	13,005	9,240	22,245	16,907	12,953	29,860
Total Christian ...	64,373	70,162	134,535	241,556	199,733	441,289	305,929	269,895	575,824
Non-Christian—									
Hebrew ...	216	167	383	199	90	289	415	257	672
Other ...	315	79	394	4,897	227	5,124	5,212	306	5,518
Total Non-Christian	531	246	777	5,096	317	5,413	5,627	563	6,190
Indefinite ...	350	150	500	1,312	285	1,597	1,662	435	2,097
No Religion ...	299	82	381	1,296	229	1,525	1,595	311	1,906
Object to state ...	1,653	995	2,648	7,328	2,616	9,944	8,981	3,611	12,592
Unspecified ...	422	217	639	5,290	1,275	6,565	5,712	1,492	7,204
Grand Total...	67,628	71,852	139,480	261,878	204,455	466,333	329,506	276,307	605,813

Price 2s.]

By Authority: ANTHONY JAMES CUMMING, Government Printer, William street, Brisbane.